

भारत सरकार GOVERNMENT OF INDIA खान मंत्रालय MINISTRY OF MINES भारतीय खान ब्यूरो INDIAN BUREAU OF MINES क्षेत्रीय खान नियंत्रक के कार्यालय OFFICE OF THE REGIONAL CONTROLLER OF MINES



BY REGD PARCEL

Phone: 0674-2352463 Tele Fax: 0674-2352490 E-mail: ro.bhubaneshwar@ibm.gov.in Plot No.149, Pokhariput BHUBANESWAR-751020

Date: 02.09.2022

No. BBS/SNG/IRON/2175/RMP/2022-23

To

The Managing Director & Nominated Owner, M/s Odisha Mining Corporation Ltd OMC House, Bhubaneswar -751001

Sub: Approval of Review of Mining Plan of Rantha Iron Ore Mine along with Progressive Mine Closure Plan (PMCP), over an area of 268.84 ha in Sundargarh district of Odisha State, submitted by M/s Odisha Mining Corporation Ltd under Rule 17 of Minerals (Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016.

Ref: - i) Your letter No. 10873/OMC/PMC/2022 dated 08.07.2022.

- ii) This office email letter of even no. dated 08.08.2022.
- iii) Your letter No. 13710/OMC/PMC/2022 dated 22.08.2022.

Sir,

In exercise of the powers conferred by clause (b) of sub-section (2) of section 5 of the Mines & Minerals (Development & Regulation) Act, 1957 and clause (1) of Rule 16 & Rule 17 of the Minerals (Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016 read with Government of India Order No. S.O. 1857(E) dated 18th May, 2016, I hereby Approve the Review of Mining Plan including Progressive Mine Closure Plan of Rantha Iron Ore Mine over an area of 268.84 ha of M/s Odisha Mining Corporation Ltd in Sundargarh district of Odisha State submitted under Rule 17 of Minerals (Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016. This approval is subject to the following conditions:

- I. The Review of Mining Plan is approved without prejudice to any other law applicable to the mine area from time to time whether made by the Central Government, State Government or any other authority and without prejudice to any order or direction from any court of competent jurisdiction.
- II. The proposals shown on the plates and/or given in the document is based on the lease map /sketch submitted by the applicant/ lessee and is applicable from the date of approval.
- III. It is clarified that the approval of aforesaid Review of Mining Plan does not in any way imply the approval of the Government in terms of any other provision of Mines & Minerals (Development & Regulation) Act, 1957, or the Mineral Concession Rules, 2016 and any other laws including Forest (Conservation) Act, 1980, Environment (Protection) Act, 1986 or the rules made there under, the Occupational Safety, Health and Working Conditions Code, 2020 and Rule & Regulations made there under.
- IV. Indian Bureau of Mines has not undertaken verification of the mining lease boundary on the ground and does not undertake any responsibility regarding correctness of the boundaries of the leasehold shown on the ground with reference to lease map & other plans furnished by the applicant / lessee.

RANTHA IRON ORE MINES

REVIEW OF MINING PLAN

Mining Plan/Review of Mining Plan/Modified in Approved Mining Plan of Rantha Iron Ore Mine/Deposit over an area of **268.84** Ha as per ROR and **268.84** Ha as per DGPS submitted under Rule $\frac{16(1)*/17(2)*/17(3)*}{17(3)*}$ of Minerals (Other than Atomic and Hydro-Carbons Energy Minerals) Concession Rules, 2016.

TEXT

Mine/Deposit Name	Rantha Iron Ore Mine
Mining Lease no-	698
Mine Code-	300RI13058
In Villages-	Rantha (Khandadhar P.R.F) & Khandadhar R.F
Tehsil-	Lahunipara
District-	Sundargarh
State	Odisha
Total-Lease area	268.84 Ha as per DGPS
Forest Area	268.84 На.
Non-Forest area	0.00 На.
Lease Execution Date	31.12.1968
Lease period-	70 years from 31.12.1968 to 30.12.2038 (TO BE EXTENDED) Quit
Mineral-	Iron Ore
Proposed category of Mine-	A-Mechanized
Mining plan period-	2023-24 to 2027-28
Working proposal period-	2023-24 to 2027-28
Applicant/lessee	Odisha Mining Corporation Ltd
IBM Registration no-	IBM/4269/2011
Address-	OMC House, Bhubaneswar - 751001,
Address-	District: Khurda, State: Odisha
Phone-	Tel: 0674-2377400 & 2377401,
Priorie-	Fax No: (0674) 2580145/020
Email-	info@odishamining.in
Prepared by-	
Qualified Person Name-	1.Sri Pradip Kumar Sahoo, B. Tech in Mining Engineering
Qualified Person Nume-	2. Sri Rabindra Mohanty, M. Sc in Geology
Address-	OMC House, Bhubaneswar - 751001,
Auui ess-	District: Khurda, State: Odisha
Phone-	9439277649,7978567771
Email-	pksahoo2@odishamining.in, rmohanty@odishamining.in





CONSENT LETTER / UNDERTAKING / CERTIFICATE FROM THE LESSEE

1. The Review of Mining Plan in respect of Rantha Iron Ore Mine of Odisha Mining Corporation Limited over an area of 268.84 Ha in Village Rantha (Khandadhar P.R.F) and Khandadhar R.F in Tahasil Lahunipara, Bonai sub-division of Sundargarh district of Odisha state submitted under Rule 17(2) of Minerals (Other than Atomic and Hydro Carbons Energy Minerals) Concession Rule, 2016 has been prepared by following Qualified Persons namely Sri Pradip Kumar Sahoo, Manager (Mining) & Sri Rabindra Mohanty, Sr. Manager (Geology) of OMC Ltd Jointly.

This is to request the Regional Controller of Mines, Indian Bureau of Mines, Bhubaneswar, to make any further correspondence regarding any correction of the Review of Mining Plan with the said qualified persons at their addresses below.

Sri Pradip Kumar Sahoo, Manager (Mining)

OMC House, Post Box No 34, Bhubaneswar, Odisha - 751001

Phone: (0674), 2399950 Fax: (0674) 2391629, 2396889,

Email: pksahoo2@odishamining.in

Sri Rabindra Mohanty, Sr. Manager (Geology)

OMC House, Post Box No 34, Bhubaneswar, Odisha - 751001

Phone: (0674), 2399950 Fax: (0674) 2391629, 2396889, Email: rmohanty@odishamining.in

We hereby undertake that all modifications / updating as made in the said Review of Mining Plan by the said qualified persons be deemed to have been made with our knowledge and consent and shall be acceptable on us and binding in all respects.

- 2. It is certified that the **CCOM's Circular no. 2/2010** related to DGPS survey of the lease area has already been implemented by ORSAC, an authorized agency approved by the State Government.
- 3. It is certified that the Progressive Mine Closure Plan prepared under Rule 23 of MCDR, 2017 of Rantha Iron Ore Mine of Odisha Mining Corporation Ltd over an area of 268.84 Ha complies with all statutory rules, regulations, orders made by the Central or State Government, statutory organization, court etc. which have been taken into consideration and wherever any specific permission is required, the lessee will approach the concerned authorities.

The information furnished in the **Progressive Mine Closure Plan** is true and correct to the best of our knowledge and records.

4. The provisions of Mines Act, Rules and Regulations made there under have been observed in the Review of Mining Plan of Rantha Iron Ore Mine over an area of 268.84 Ha in Sundargarh district of Odisha state belonging to Odisha Mining Corporation Limited and where specific permissions are required, the applicant will approach the DGMS. Further, standards prescribed by DGMS in respect of miner's health will be strictly implemented.

Place: Bhubaneswar - Date: 05.07.2022

Managing Director & Nominated Owner
Odisha Mining Orporation Limited
OMC House, Bhubaneswar

THE Odisha Mining Corporation Ltd.

(A Gold Category State PSU)
Registered Office: OMC House, Bhubaneswar -751001, India
Tel: 0674-2377400/2377401, Fax: 0674-2396889, www.omcltd.com

CIN: U131000R1956SGC000313





CERTIFICATE FROM THE QUALIFIED PERSONS

The provisions of the Mineral Conservation and Development Rules, 2017 have been observed in the preparation of Review of Mining Plan for Rantha Iron Ore Mines over an area of 268.84 Ha(as per DGPS) in Village Rantha (Khandadhar P.R.F) and Khandadhar R.F in Lahunipara Tahasil Bonai sub-division of Sundargarh district of Odisha state and whenever specific permissions are required, the applicant will approach the concerned authorities of Indian Bureau of Mines.

The information furnished in the Mining Plan is true and correct to the best of our knowledge.

PRADIP Digitally signed

KUMAR KUMAR SAHOO Date: 2022.08.19

SAHOO 10:53:26 +05'30'

Qualified Person

Digitally signed RABINDRA by RABINDRA MOHANTY Date: 2022.08.19 10:53:45 +05'30'

Qualified Person

Place: Bhubaneswar

Date: 19.08.2022

(A Gold Category State PSU) Registered Office: OMC House, Bhubaneswar - 751001, India Tel: 0674-2377400/2377401, Fax: 0674-2396889, 2391629, www.omcltd.in

CIN: U13100OR1956SGC000313



UNDERTAKING

Vide letter no 9658/OMC/PMC/2022, dtd: 18.06.2022, Odisha Mining Coproration Ltd has requested Regional Controller of Mines, IBM, Bhubaneswar to grant six (06) months' time extension for compliance of Rule 34A of MCDR' 2017, i.e. submission of DEM and Orthomosaic images obtained from Drone Survey for all mines of OMC Ltd.

For the instant case, i.e. Review of Mining Plan of Rantha Iron Ore Mine, we do hereby undertake to submit the processed output [digital elevation model (DEM) and Orthomosaic] images obtained from Drone survey and its report as per Rule 34A(3) of MCDR' 2017 within the time period as requested in our above letter.

Date: 17-08-2022

Dr Suman Krishna Sit

GM (Geology)

Power of Attorney Holder

Odisha Mining Corporation Ltd

Encl: Copy of letter no 9658/OMC/PMC/2022, dtd: 18.06.2022.

Tel: 0674-2377400/2377401, Fax: 0674-2396889, www.omcltd.com

CIN: U131000R1956SGC000313



To

The Regional Controller of Mines Indian Bureau of Mines Plot No - 149, Pokhariput, Bhubaneswar - 751020

Sub: Request for time extension of Six (06) months for submission of processed output [digital elevation model (DEM) and Orthomosaic] images obtained from Drone survey and its report as per the Rule 34A of MCDR'2017 in respect of all mines of Odisha Mining Corporation Ltd.

Sir,

This has reference to Rule 34A of MCDR' 2021, wherein (1) every lessee having (a) an annual excavation plan of one million tonne or more in a particular year; or (b) leased area of fifty hectares or more, shall carry out a drone survey of the leased area and upto hundred meters outside the lease boundary in the month of April and May every year and submit the processed output [digital elevation model (DEM) and Orthomosaic] images obtained from such survey or any other format as may be specified by the Indian Bureau of Mines in this regard to the Controller General on or before 1st day of July every year.

In this regard, IBM has notified the Standard Operating Procedure under sub rule (5) of rule 34A of MCDR, 2017 for carrying out drone survey and submission of Digital Aerial Images of Mining areas to Indian Bureau of Mines on 22.04.2022.

Accordingly, OMC has taken necessary steps for engagement of agencies for carrying out drone based survey by tendering process, which may take 2-3 months time till finalisation. As, drone based survey is new in concept and has to be complied from this year, so it is very difficult for us for complying the same within due time because of finalisation of agencies for carrying out such surveys.

Therefore, it is requested to grant us six (06) months' time extension for compliance of Rule 34A of MCDR' 2017 for all mines of Odisha Mining Corporation Ltd.

Yours faithfully,

Managing Director & Nominated Owner Odisha Mining Corporation Limited OMC House, Bhubaneswar - 1

THE Odisha Mining Corporation Ltd.

(A Gold Category State PSU)
Registered Office: OMC House, Bhubaneswar -751001, India
Tel: 0674-2377400/2377401, Fax: 0674-2396889, www.omcltd.com

CIN: U131000R1956SGC000313



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

S. J.

INRODUCTORY NOTE:

Service Milites Rantha Iron Ore Mines is owned by M/s Odisha Mining Corporation Limited, a Govt. of Ddisha Undertaking Rantha Iron Ore Lease of M/s Odisha Mining Corporation is located in village Rantha & Khandadhar Re Forest Lahunipara Tahsil and Bonai sub-division of Sundargarh district of Odisha state between 21°45'12.45558"N- 21°46'54.64380"N & longitude 85°08'11.37095"E - 85°08'52.12745''E and is covered survey of India topo-sheet no. F45N1 (73G/1).

STATUS OF LEASE:

Lease deed for Rantha lease was executed on 31.12.1968 for a lease area of 408.8731 Ha (As per RoR) & 408.832 Ha (as per DGPS) for a period of 50 years. Copy of lease deed for Rantha lease is enclosed at annexure 7. Subsequently, State Government order that in terms of rule 3(1) of Mineral (Mining by Government Company) Rules 2015 dated 03.12.2015, the period of the original lease is deemed to be granted for 50 years i.e. from 31.12.1968 to 30.12.2018. Further in terms of rule 3(2) and 3(3) of said rules, the validity period of the lease is extended for a further period of 20 years from 31.12.2018 to 30.12.2038 vide letter no: III(B) SM-25/2012/203/SM. Bhubaneswar Dated. 09.02.2016 over retained area of 268.84 Ha. Copy of lease extension letter from state Govt. is enclosed as annexure 8. The ML area granted at different points of time in chronological order is given in the table below:-

SI. No	Event with justification, if any	Remarks		
	Lease deed for Rantha was executed	Lease Period : 31.12.1968 to		
1	on 31.12.1968 for a lease area of	30.12.2018		
	408.8731 Ha for a period of 50 years.	30.12.2018		
	The validity of the lease is extended			
	for a further period of 20 years vide			
	letter no: III(B)SM-	Extended period: 31.12.2018 to		
2	25/2012/203/SM. Bhubaneswar	30.12.2038		
	Dated. 09.02.2016 over retained			
	area of 268.84 Ha.			

STATUS OF ENVIRONMENT CLEARANCE:

Environment clearance for the lease has been granted by MoEF vide letter no. J-11015/1085/2007-IA. II (M) dated 11.06.2008 for a rated iron ore production capacity of 1.0 million tonnes per annum. A copy of the same is enclosed as Annexure- 17.

STATUS OF FOREST CLEARANCE:

Application for Stage-I forest clearance have been applied to MoEF & CC vide letter No. 2917/OMC/F&E/2020 dated 20.02.2020. A copy of the same is enclosed as Annexure-15. Stage -II forest clearance for belt conveyor route has been obtained from MoEF & CC vide letter No- 8-113/2000-FC (Vol-III) dated 06.12.2021.





Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

STATUS OF CONSENTS FROM SPCB:

Consent to establish for 1 MTPA has been granted by State Pollution Control Board vide Consent Order No 9547/IND-II-NOC-4584 on dated 26.04.2007. Consent to Establish is enclosed as Annexure as Consent to Depart to be obtained after getting all statutory clearances.

STATUS OF SURFACE RIGHT:

Permission for surface operation over 408.7730 Ha. out of 408.8731 hectares original M.L area was obtained by Lessee from the office of the Collector, Sundargarh vide letter No.XII-92/73-1193 dated 21.07.1973. M.L area applied for retaining over 268.84 Ha is a part of 408.7730 Ha in the originally executed M.L area over 408.8731 Ha. Hence, surface right of the retained area of 268.84 Ha. has been obtained.

Copy of letter of grant of surface right permission is given in Annexure - 16. Copy of land schedule is given at annexure 10.



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

	REVIEW OF MINING	5 ΡΙ ΔΝΙ ΔΤ Δ	GLANCE		-1/2	317	C TO	The same of the sa
1	Name of the Applicant /lessee			oration Lim	it 6d S		MINES	1/2/
2	IBM Registration no	IBM/426		Oracion Emil	113			医别
3	Address of Applicant	OMC House, Bhubaneswar - 751001,				किस्		
		District: Khurda, State: Odisha.				E H		
4	Name of Mine		on Ore Mir		1/3	2V7.	OF INOTA	(-//
5	Mine Code	300RI130	058			1	सर्०	4-
6	Lease area in hects.	268.84 Ha	a. (As per D	GPS).			Andread Control of the Control of th	
7	Forest area	268.84 Ha				***************************************		
8	Name of Mineral	IRON.						
9	Lease period from to	Initial Gra	int: 31.12.1	.968 to 30.1	2.2018.			
10	Plan proposal period		31.12.2018 to 2027-28.	to 30.12.20	38.			
11	Mineral Reserve (111, 121 & 122) in tonnes		0 2027-28.					
	wineral reserve (111, 121 & 122) in tonnes	111-Nil. 121- 2977	70270					
		122-4113						
		1	9,17,012 to	nnes				
12	Mineral Resources (211, 221,222, 331, 332, 333 &	221- 17654	50, 222-68	78088,				
	334) in tonnes	Total: 86,	43,538 toni	nes				
13	Total (Reserve/ Resource) in tonnes	7,09,17,03	12 tonnes					
14	Reserve Estimated as on	30.06.202	2.					
15	Explored Area in Ha.	G1-39.632	2 Ha., G2- 1	65.724 Ha.,	G3- Nil	,G4-	63.484 H	На.
16	Evaloration Programmed at 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Explored 8	& found No	n-Mineraliz	ed- 20 l	Ha.(G	32)	
10	Exploration Proposal of bore holes for Five Year.	192 nos.						
		In Situ		From Di		1	otal	,
17	Production proposal Iron Ore in tonnes year wise i.e.	(Year w	rise)	(Year v	vise)	(Y	ear wise	:)
	FY 2023-24 to 2027-28	10,00	0,000	0		10,	00,000	
18	OB/Waste handling proposal in CUM year wise i.e.	2023-24	2024-25	2025-26	2026-	└── 27	2027-2	28
	FY 2023-24 to 2027-28	1,50,000	1,70,000	3,10,000	7,00,0	000	2,00,0	
19	Present EC permission in tonnes (Mineral or ROM).	10,00,000			1,,00,0		2,00,0	
20	Plantation proposal in Five years in numbers	8040 Nos.						
21	Plantation area proposal in Five year (ha).	6.7 Ha.						
22	Back filling proposal in Five year (ha).	No Propos	al During th	ne RMP Per	iod i e d	2023	-24 to 20	027-
		28.					21102	J2,
23	Check Dams numbers in Five year	0 Nos.						
24	Garland drain in meters in Five year	1710 mtr.						
25	Retaining wall in meters in Five year	1710 mtr	***************************************					
26	Settling ponds (Numbers) in Five year	02 Nos.						
27	Area put to use at end of five year in ha	70.166 Ha.						
28	Bank Guarantee Amount Rs	Rs. 3,50,83	,000/-					
29	Validity of BG upto	31.03.2028						
30	Any other important information	Not Applic						
31	Percentage of revenue sharing bid in case of	Not Applica	able.					
32	auction grant of block Amount of performance security and details if any	B1 1 A 1-	1.1					
	Amount of performance security and details if any	Not Applica	able.					







Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

PART: A Index

		Merica x * 11
CHAPTER	PARTICULARS	PAGE NOT OF THE
CHAPTER 1	GENERAL INFORMATION	11-15
CHAPTER 2	GEOLOGY & EXPLORATION	16-84
CHAPTER 3	MINERAL PROCESSING	85-89
CHAPTER 4	MINING OPERATIONS	90-105
CHAPTER 5	SUISTAINABLE MINING	106-113
CHAPTER 6	PROGRESSIVE MINE CLOUSER PLAN	114-119
CHAPTER 7	FINANCIAL ASSURANCE/ PERFORMANCE SURETY	120-123
CHAPTER 8	REVIEW OF PREVIOUS PROPOSALS	124-129
CHAPTER 9	IMPACT ASSESSMENT	130-137



Rantha Iron Ore Mine

Odisha Mining Corporation, Ltd

PART-B

List of Annexure (in pdf format):

Annexure No	Description	PageNo
Annexure - 1	Copy of List of Board of Directors	TO THE
Annexure - 2	Copy of Board resolution on appointment of nominated owner	2-2
Annexure - 3	Copy of Photo Id & Address proof of the Nominated Owner	3-5
Annexure - 4	Copy of Certificate of Incorporation	6-6
Annexure - 5	Copy of Qualification & Experience Certificates of Qualified Persons	7-19
Annexure - 6	Copy of initial Grant order	20-21
Annexure - 7	Copy of Lease Deed	22-61
Annexure - 8	Copy of letter dated 09.02.2016 from Steel and Mines Govt. of Odisha extension of	62-65
	mining lease up to 30.12.2038	
Annexure - 9	Copy of Letter dated 25.04.2018 form Director of Mines authenticated precise area map	66-66
Annexure - 10	Land Schedule of the part area over 268.84 ha. applied for retaining.	67-67
Annexure - 11	Land schedule of the FMCP approved part surrendered accepted area over 139.992 ha.	68-68
Annexure - 12	FMCP approval letter of surrendered area over 139.992 ha. dt. 25.10.2018 and certificate	69-71
	from IBM with regard to its implantation	
Annexure - 13	Acceptance of the part surrendered area over 139.992 ha. by the State Govt. dated	72-74
	22.07.2019	
Annexure -14	Copy of Stage-II forest clearance letter for Conveyor route	75-78
Annexure - 15	Proposal for diversion of 268.84 ha of Forest land within the Rantha Iron Ore Mines.	79-80
Annexure - 16	Copy of Permission for surface operation from the Collector, Sundargarh	81-81
Annexure - 17	Copy of Environmental Clearance	82-90
Annexure - 18	Copy of CTE order from SPCB,	91-94
Annexure - 19	Copy of Approval letter of last Mining Plan	95-96
Annexure - 20	Copy of Work order for core drilling	97-104
Annexure -21	Copy of Form-J, the notice of sinking boreholes	105-105
Annexure -22	Bore hole Drilled details	106-109
Annexure -23	Copy of Form-K along with details of borehole logs	110-256
Annexure -24	Copy of Chemical Analysis Certificate of drill core sample of iron ore	257-395
Annexure-25	Copy of NABL accreditation M/s Superintendence Company of India Pvt. Ltd. who has	396-398
	carried out chemical analysis of drilled core/litho logs	
Annexure-26	Copy of Bulk density test report of Iron ore and mineral reject	399-399
Annexure -27	Copy of NABL certificate Ms. Mitra S.K who has carried out bulk density test	400-402
Annexure -28	Copy of Recovery Test Report of Iron ore and mineral reject with NABL certificate Ms	403-404
	Earth & Environment who has carried out recovery test	
Annexure -29	Water Balance Chart	405-406
Annexure -30	Material balance chart & Process flow diagram	407-408
Annexure- 31	Calculation of production of Ore, mineral reject & waste for the financial year	409-413
Annexure- 32	Environment Monitoring Report	414-517
Annexure -33	Surveyor certificate	518-518
Annexure -34	Conceptual planning	519-525
Annexure- 35	Copy of Demographic profile data	526-528
Annexure -36	Pre-feasibility report	529-556
Annexure- 37	Photographs	557-558
Annexure- 38	Copy of Bank Guarantee	559-563



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

OF WHITES



List of Plates (Geometry type: Polygon, Datum: WGS 84)

SI. No	Plan	Scale	Plate No.	Format
01.	Key Plan	1:50000	Plate No. 01	PDF
02.	Lease Plan	1:3960	Plate No. 02	PDF
03.	DGPS Plan	1:3960	Plate No. 02A	PDF
04.	Surface Plan	1:2000	Plate No. 03	.KML
05.	Geological Plan	1:2000	Plate No. 04	.KML
06.	Geological Sections	1:2000	Plate No. 05A-05B	PDF
07.	Development Plan 2023-24 to 2027-28	1:2000	Plate No. 06A-06E	.KML
08.	Development Sections 2023-24 to 2027-28	1:2000	Plate No. 07A-07E	PDF
09.	Conceptual Plan	1:2000	Plate No. 08	.KML
10.	Conceptual Sections	1:2000	Plate No. 09	PDF
11.	Environment Plan	1:5000	Plate No. 10	.KML
12.	Progressive Mine Closure Plan	1:2000	Plate No. 11	.KML
13.	Progressive Mine Closure Section	1:2000	Plate No. 12	PDF
14.	Financial Assurance Plan	1:2000	Plate No. 13	.KML
15.	Plan Showing Conveyor corridor.		Plate No. 14	PDF



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

Chapter 1: GENERAL INFORMATION

1.1: Lease Details:

			11 10 101 110		
IBM Registration Number:	IBM/4269/2011		ित सर		
Lease Code:	698				
Mine Code:	300RI13058				
Name of Lessee:	ODISHA MINING CORI	PORATION L	IMITED		
Address of Lessee:	OMC House, Post Box 751001, Odisha.	No.34, Bhu	baneswar-		
Type of Lessee :	PSU		,		
Name of Mining Lease:	RANTHA IRON ORE M	INE			
State:	ODISHA				
District:	SUNDARGARH				
Tehsil/ Taluk/ Mandal:	LAHUNIPARA				
Village:	RANTHA,KHANDADHA	AR P.R.F & k	CHANDADHAR R.F		
Lease Area (Ha):	268.84				
Forest Area (Ha):	268.84				
Name of Minerals:	IRON.				
Name of associated minerals:	NA				
Type:	EXISTING LEASE				
Five Year Block (Financial Year)	2023-24 TO 2027-28				
Type of working:	OPENCAST				
Nature of Use:	NON-CAPTIVE				
Category of Mine:	A-MECHANIZED				

1.1.1: Initial/subsequent Lease grants details:

				Lease
Grant	From	То	Lease deed execution date	Registration Date
Initial grant	31.12.1968	30.12.2018	31.12.1968	22.11.1968
1 st RML	31.12.2018	30.12.2038	31.12.1968	22.11.1968

Lease Deed attached as Annexure-7 & Extension of Validity of lease attached as Annexure- 8. Supplementary lease deed with the State Government is yet to be executed.

1.1.2: Mining Plan Submission Criteria Details:

Type of document	Review o	of Mining Plan for the period from 2023-24 to 2027-28.
Reason/s for modification	NA	স্কাৰ বাৰ দৰ্গক Regional Controller of Mines
Period for which modification is proposed	NA	र्वास्त्र होते स्वर्ध
LOI Number:	NA	Indian Bureau of Mines
Date:	NA	भुवनेश्वर/Bhubaneswar



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

1.2: Land Ownership Details:

S.N.	Village	Taluka	Area (Ha)	Plot no/ Khasra No	Type of Land	Nature of Land
1	Khandadhar R.F	Lahunipada	199.814		Forest Land	Government Waste Land र
2	Rantha	Lahunipada	0.862684	110,40	Forest Land	Government Waste Land
3	Rantha	Lahunipada	4.78544	111,40	Forest Land	Government Waste Land
4	Rantha	Lahunipada	2.49948	117,40	Forest Land	Government Waste Land
5	Rantha	Lahunipada	4.38695	118,40	Forest Land	Government Waste Land
6	Rantha	Lahunipada	4.49366	121,40	Forest Land	Government Waste Land
7	Rantha	Lahunipada	2.40576	122,40	Forest Land	Government Waste Land
8	Rantha	Lahunipada	8.37509	186,40	Forest Land	Government Waste Land
9	Rantha	Lahunipada	7.3943	188,40	Forest Land	Government Waste Land
10	Rantha	Lahunipada	1.59105	18940	Forest Land	Government Waste Land
11	Rantha	Lahunipada	1.82661	192,40	Forest Land	Government Waste Land
12	Rantha	Lahunipada	16.0595	193,40	Forest Land	Government Waste Land
13	Rantha	Lahunipada	7.42079	194,40	Forest Land	Government Waste Land
14	Rantha	Lahunipada	6.0563	195,40	Forest Land	Government Waste Land
15	Rantha	Lahunipada	0.867978	197,40	Forest Land	Government Waste Land

1.3: Existing Lease:

Date of Execution	31.12.1968

1.3.1: Approval of earlier Mining Plan & Its Subsequent Review in Chronological Order:

		D . +	Peri	od	Type of Approved
SI. No	Letter no.	Date	From	То	Document
1	314(3)98/MCCM@MP-2	13.10.1998			Mining Plan
2	314(3)2006-MCCM(CZ)/S-1	23.10.2006	2003-2004	2007-2008	Scheme of Mining Plan
3	314(3)2008-MCCM(CZ)/MS-26	05.03.2009	2008-2009	2012-2013	Scheme of Mining Plan
4	FMCP/FM/43-ORI/BHU	25.10.2018			Final Mine Closure Plan
5	MPM/FMM/06-ORI/BHU/2019- 20	01.10.2019	2018-19	2022-23	Modification of Mining Plan

1.3.2: Partial Surrendered Area during Stages of Operations in Chronological Order:

SI. No.	Date	Supplementary Surrender order Letter Number	Supplementary Lease Deed Date	Final Retained Area over which current Mining Plan is Prepared (ha)
01.	22.07.2019	<u>5252</u> /S&M, Bhubaneswar III (B) SM-25/2012.	Supplementary lease deed with the State Government is yet to be executed.	268.84 Ha.





Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

1.3.3: Transfer of Lease Area Subsequent to Grant:

				Nature of	blocktransferred	
Sl. No.	Transfer of lease deed Number	Date of execution of Transfer lease deed	Name of Transferor	Granted through auction	othersthan through, auction for captive use	
Not Applicable.						

1.3.4: Statutory Compliances:

1.3.4.1: Environment Clearance:

Applicable	Yes	
Letter No	J-11015/1085/2007-IA.II(M)	
Date	11.06.2008	
Validity	30.12.2038	
ROM Mineral in tonnes	1000000	

1.3.4.2: SPCB Approvals:

Letter No	9547/IND-II-NOC-4584	
Approval of	Consent to Establish	
Date	26.04.2007	
Validity	30.12.2038	
ROM Mineral in tonnes	1000000	

Consent to operate to be obtained after getting all statutory clearances.

1.3.4.3: Forest Clearance:

Application for Stage-I forest clearance have been applied to MoEF & CC vide letter No. 2917/OMC/F&E/2020 dated 20.02.2020. A copy of the same is enclosed as Annexure-15. Stage —II forest clearance for belt conveyor route has been obtained from MoEF & CC vide letter No- 8-113/2000-FC (VoI-III) dated 06.12.2021.

Applicable	Yes	
Letter No	Not Available.	
Date	Not Available	
Validity	Not Available	
Area (Ha)	268.84 Ha.	i

1.3.4.4: Land Acquisition Details:

Total Area acquired/purchased so far	Nil
Total Amount Paid (INR)	Nil

1.3.5: Mine Location Details:

Toposheet Number:	F45N1 (73G/1),
ropositeet Natifiber.	Attached Key Plan as Plate no-1



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

1.3.5.1: Location of Boundary Pillars-(add additional Row for subsequent pillars):

					115 97 0
SI. No.	Pillar No.	Pillar Latitude (dd:mm:ss.ss)	Pillar Longitude (dd:mm:ss.ss)	Easting	Northing
1	M L-A	21°46'54.64380"	85°08'52.12745"	308500.348121	2409829.486227
2	ML-A1	21 °46′50.89922"	85°08'52.23212"	308501.973067	2409714.2781
3	ML-A2	21°46'43.02926"	85°08'52.45199"	308505.385	2409472.146
4	ML-A3	21°46'35.47052"	85°08'52.66297"	308508.657	2409239.589
5	ML-A4	21°46'27.55031"	85°08'52.88401"	308512.085	2408995.911
6	ML-A5	21°46'19.78416"	85°08'53.10071"	308515.445597	2408756.97295
7	ML-B	21°46'12.07986"	85°08'53.31592"	308518.786696	2408519.93778
8	ML-B1	21°46'11.90736"	85°08'48.19212"	308371.519197	2408516.39827
9	ML-B2	21°46'11.76661"	85°08'43.99557"	308250.90274	2408513.51663
10	ML-B3	21°46'11.42757"	85°08'33.88464"	307960.295762	2408506.57945
11	M L-B4/M	21°46'11.10132"	85°08'24.14307"	307680.304163	2408499.9131
12	M jD3	21°45'12.52483"	85°08'17.18929"	307458.811498	2406700.67926
13	ML-D4	21°45'12.64531"	85°08'27.29882"	307749.331131	2406700.88809
14	ML-D5	21°45'12.76646"	85°08'37.51892"	308043.027818	2406701.08448
15	ML-D6	21°45'12.88968"	85°08'47.80550"	308338.634774	2406701.32679
16	M L-E	21°45'13.26966"	85°08'55.47307"	308559.084627	2406710.37327
17	ML-E1	21°45'23.12839"	85°08'55.34083"	308558.917614	2407013.64281
18	ML-F	21°45'31.12078"	85°08'55.23496"	308558.82126	2407259.50057
19	M L-G	21°45'31.19763"	85°09'01.95777"	308752.006914	2407259.55096
20	ML-G1	21°45'34.66136"	85°09'01.88196"	308751.104007	2407366.11076
21	ML-G2	21°45'44.25862"	85°09'01.66485"	308748.399957	2407661.36753
22	ML-G3	21°45'54.26981"	85°09'01.43829"	308745.577537	2407969.359
23	ML-G4	21°46'03.81409"	85°09'01.22287"	308742.903695	2408262.98586
24	ML-G5	21°46'13.36836"	85°09'01.00819"	308740.255624	2408556.91976
25	ML-G6	21°46'23.21792"	85°09'00.78701"	308737.530282	2408859.93822
26	ML-G7	21°46'32.92000"	85°09'00.56876"	308734.835454	2409158.4198
27	ML-G8	21°46'42.61844"	85009'00.35035"	308732.135332	2409456.78978
28	ML-H	21°46'51.75200"	85°09'00.14520"	308729.608467	2409737.78093
29	ML-M1	21°46'05.19006"	85°08'24.20928"	307680.016709	2408318.07739
30	ML-N	21°46'00.53083"	85°08'24.26422"	307679.869313	2408174.75418
31	ML-N1	21°46'00.39278"	85°08'16.98060"	307470.558777	2408173.02919
32	ML-0	21°46'00.26986"	85°08'10.43142"	307282.353775	2408171.51793
33	ML-01	21°45'51.10107"	85°08'10.61172"	307284.131315	2407889.45001
34	M L-02	21°45'35.75736"	85°08'10.91281"	307287.088635	2407417.4177



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

SI. No.	Pillar No.	Pillar Latitude (dd:mm:ss.ss)	Pillar Longitude (dd:mm:ss.ss)	Easting	Northing
35	ML-03	21°45'27.91478"	85°08'11.06680"	307288.603548	24071769.14968
36	ML-04	21°45'20.31110"	85°08'11.21574"	307290.062412	2406942.28095
37	ML-P	21°45'12.45558"	85°08'11.37095"	307291.608513	2406700.56428

1.3.6: Owner/Nominated Owner Details:

Name	PAN of Nominated Owner	Address of Nominated Owner	Mobile Number	E-mail	Please attach Minutes of Board Resolution in case of Nominated Owner
BALWANT SINGH, IAS	BFMPS6439D	Managing Director OMC HOUSE,POST BOX NO- 34,BHUBANESWAR ODISHA- 751001	9777355594	info@odishamining.in , md@ odishamining.in	Attached in Annexure-2

1.3.7: Qualified Person Details as per M (OAHCEM) CR, 2016:

Sr. No	Prefix	Name	PAN of QP	Address	Mobile no.	Qualification	Experience in years as prescribed under the rule	Email
01.	Mr.	PRADIP KUMAR SAHOO	BPMPS0920K	OMC HOUSE,POST BOX NO- 34,BHUBANESWAR ODISHA-751001	9439277649	B.TECH IN MINING ENGINEERING	14	pksahoo2@ odishamining.in pmc@ odishamining.in
02.	Mr.	RABINDRA MOHANTY	BFOPM2802N	OMC HOUSE,POST BOX NO- 34,BHUBANESWAR ODISHA-751001	7978567771	M.SC IN GEOLOGY	16	rmohanty@ odishamining.in pmc@ odishamining.in



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd.

MINES

Chapter 2

GEOLOGY & EXPLORATION

2.1: GEOLOGY:

2.1.1: Topography:

Terrain	Undulating

Relief:

Highest Level (m) from MSL	Lowest Level (m) from MSL	Average Level (m) from MSL
1015	705	860

Drainage Pattern	Order of Stream	Minimum Distance of Stream from Lease Area (m)
Dendritic	Order 1	2500metre (Khandadhar)

2.1.2: Details of Physiographic features and Infrastructures available in and around the lease/ block area:

Description	Location if existing Within the lease/block area.	Distance from boundary periphery in kms, if existing outside the lease/block area. (within 5.00Kms)	Remark if any
River/Nallah/Reservoir	Khandadhar Nala	2.5 Kms	The drainage system of the area is mostly influenced by a perennial nala known as Khandadhar nala which flows due north and lies 2.5 km west of the lease area which is the tributary of Kurarhi nadi.
Public roads (Tar road, cart road)	There is no public road within the lease area.	0.1 Kms	The lease area is is connected to Sareikala road at a distance of 100 mts from lease boundary.
Railway track	There is no railway line within the lease area.		



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

Description	Location if existing Within the lease/block area.	Distance from boundary periphery in kms, if existing outside the lease/block area. (within 5.00Kms)	Remark if any
Human settlements	Rantha	Tilkuda,Usukuda ,Sareikal	
Archaeological monuments/ places of worships/public utilities etc.	Nil	Nil	
Wild life sanctuaries/ national parks	Nil	Nil	
Coastal Regulation Zone (CRZ)	Nil	Nil	
Power transmission lines/telephone lines	Nil	Nil	
Firing range	Nil	Nil	
Ordinance factory	Nil	Nil	
grazing land/ burial ground or cremation ground	Nil	Nil	
Any other specify	Hutments	0 Kms.	Encroached Hutments.

Particulars	Distance from lease boundary in kms			
Nearby village	Tilkuda,Usukuda,Sareikal, Rantha			
Nearest Railway station	Barsuan (Rourkela-Barsuan route) at a distance of about 18 km from lease area.			
Nearest Port	Pradeep (300 kms distance from lease area)			
Distance of SH/NH from lease	NH-215 (about 18kms distance from lease			
area	area)			

2.1.3: Regional Geology:

Geology of the M.L area is a part and parcel of the Singhbhum – Sudargarh – Bonai iron ore belt, also known as the Jamda – Koira valley and is represented by a narrow NNE plunging folded synclinorium of 60 Km long and 25 Km in width. The Precambrian horse-shoe shaped belt is well known for its



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd To Mining

large reserves of iron and manganese ore. The general strike is northeast to northerly and dipsare moderate to the west. The western limb of the synclinorium is slightly overturned.

The Precambrian rocks of this region comprising of basic lava, tuffs, banded it on formation (BLF) shales, conglomerates and sandstones etc. were mapped for the first time by Jones (1934). The stratigraphic succession established by Jones has largely been modified later by Dunn (1940). Based on detailed mapping in the northern parts of the belt, Dunn recognized a new group lying unconformable over the Iron Ore Group, which he named as the "Kolhan Group". The rock types of the area belonging to the Kolhan Group lies to the north of Nuamundi in Bihar.

The most acceptable litho – stratigraphic succession for the belt was proposed by Murthy and Acharya (1975). They identified different depositional facies and proposed a more detailed stratigraphic succession. They also proposed a new name the "Koira Group" to the rocks of Bonai-Sundargarh belt. The stratigraphy suggested by Murthy and Acharya (1975) has been given in the table below:

Kolhan

Sandstone, Conglomerate -

Group

Breccia

------ Unconformity ------

Mixed

Basic Lava, tuffs and tuffites of Volcanic facies iron, manganese,

Facies

lenses of iron formation, chert, small lenses of sandy and silty shale

Formation

of clastic facies

Banded

Banded shale member

Shale

Black shale member

Formation

Black shale-chert member

Koira

Group

Banded

Finely banded Jaspilite member

Iron

Coarsely banded Jaspilite member

Formation

Tuffaceous shale

Basic lava

Volcanic

Basal sandstone, Gritty sandstone,

Formation

Quartzite Conglomeratic at places with inter-bedded lava at top

------ Unconformity ------

Singhbhum Granite with enclaves of older meta-basic and meta-sedimentary rocks.

2.1.4: Local Geology & Structure:

2.1.4.1: Local Geological Set-Up:

M.L area applied for retaining displays an undulated topography with hillocks and valleys. Lithounits such as Laterite, BHJ / BHQ / Chert and Shale are found to occur in the area.





Rantha Iron Ore Mine

Odisha Mining Corporation Ltd=

Nalas flowing in the area are structurally controlled. Both E-W and N-S folding are prominent with plunging direction uniformly towards N100E or S100W. In general, reversal of plunge is occasionally noted. The axial plane cleavages of the mega folds have acted uniformly as a prominent passage for stream flow. Folds of micro and mega scale are very common. Major fault is not seen in the area. Joints are numerous and developed due to competency of the rock.

The lithological succession as observed within the lease area is as follows:

Soil & alluvium

Recent

Laterite

Iron Ore Group

Iron Ore

BHJ / BHQ / Chert Shale.

2.1.4.2: Structure:

The structural study of the area is very well achieved while taking traverse along the nala. All along, the BHJ is exposed. The nala is fully structurally controlled. Both E-W and N-S folding is very prominent with plunge direction uniformly towards N10°E to N10°W. Reversal of plunge is occasional marked. The axial plane cleavage of the mega folds has acted uniformly as a prominent Passage for stream flow. Once it follows the axial plane, it passes through the bedding plane making an obtuse kink in the flow direction. Because of very tight folding the overall appearance of the nala is very straight. Similar parallel streams have been formed as a result of the structure only. The general strike of the litho units, particularly BHJ, varies from N20°W to N15°E with dip varying from 20° to 60° towards east and west respectively.

Folds of both micro and mega scale are very common and book examples of various types of folds are very common. Faults of major scale are rarely seen. Joints are numerous and developed due to competency of the rock.

The structure has helped to decipher the stratigraphic sequence of the area. But at places the gradational contact caused difficulty in delineating the top and bottom criteria. However the Shale exposed in the area bears a gradational contact with the Iron ore bodies. Sometimes BHJ occur as undigested patches within the Iron ore bodies.

2.1.4.3: Lithology, Petrographic & Mineralogical Description for Major, Associated & Indicator Minerals:

The different litho units of Rantha Iron Ore Mine has been given below:

BHJ: The most fascinating structural imprints are very well reflected in the BHJ units exposed all along the Nala sections where the top formations have been eroded out. Because of the folded structure BHJ has been observed at the crest of the mounds at place. Iron ore bodies overlie the BHJ in the east and to the west ferruginous shale overlies the BHJ.

Shale: The shale occurring to the west of the leasehold area is ferruginous in nature and bears a gradational contract with Iron ore bodies at places. The Northern part is latertised. The colour



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd 5

depth grayish white and hard sometimes confused with hard chert are also observed. Tufaceous shale of light green colour is also seen in the lease hold.

Iron Ore Bodies: Mostly soft laminated Iron ore occur above the BHJ and at it times it also bears a gradational relationship with the BHJ, along the nala sections due to crestal part of the fold have been easily ended out giving a deep cutting. Soft laminated ore mostly occupies the crestal part of the mounds. Hard massive ore have not been encountered so far. The friable nature of ore and undigested BHJ chunks in them devalue the deposit for its exploitation. On the surface either it is covered by soil or at places lateritised with lot of lemonite in it.

Type of ores

Based on the field visa-a-vise macroscopic characters the iron ore in this area are classified as:

- i. Laminated or biscuity ore
- ii. Powdery ore or blue dust iii.
- iii. Conga ore
- iv. Recemented ore and
- v. Lateritic ore

The origin of different varieties of iron ore such as lamininated, biscuity, shaly ore and conga area the products of secondary enrichment in BHQ and BHJ group of rocks .The process is brought out by three ways.

- 1. Leaching of silica in solution and its removal causing enrichment of iron oxide in the process. 2. Segregation of iron ore oxide at favorable areas by sub-surface water to fill in the voids created by removal of silica.
- 3. Partial replacement of silica by Jasper and iron oxide from the mineralized solution.

Different types of ore were produced due to varying degree of leaching, enrichment and replacement that took place in BHQ and BHJ formation with the aid of underground meteoric water.

2.1.4.4: Mode of Occurrence& Controls of Mineralization:

Numerous large deposits of rich Iron Ores in the Bonai-Keonjhor belt occur predominantly in association with iron formation and with adjoining ferruginous shale/chert. The iron ore deposits are generally exposed at the surface occupying hilltop and valley slope region. The ore bodies occur in the form of regular and continuous beds. These beds are conformably disposed in relation to other members of the sequence and show remarkable structural concordance. The ore bodies nevertheless occur as detached masses separated by barren saddles with irregular boundaries.

The deposits largely composed of hematite while the other distinct type of deposit occurs nearly towards the base of the banded iron formation around Rantha area comprising of hematite,





Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

magnetite and martite. The ore bodies proceed downwards into lower grade ores and finally into the original bedrock (BHJ).

The iron ore resources in this belt are associated either directly or indirectly with the bedded rocks, chemically precipitated banded iron formation (BIF) and fine clastic (tuffaceous shale). This region is well endowed with resource base of iron ore both in terms of quantity and quality.

The iron ore bodies mostly occur as detached masses with irregular boundaries towards the top of the banded iron formation and shale. The occurrence of detached masses may be due to cross fold or cross-faulted natures of the formations in the region.

The deposits are confined to hilltops often extending some considerable distance along the flanks as well. The other types less widely distributed are the laminated and biscuity ore at the outskirt of the banded iron formation or ferruginous shale horizon. These ore bodies in fact are mostly confined to the crest and trough zones of the folds. It is often observed that conglomeratic conga ore is uniformly distributed as blankets over this laminated variety in some areas. The powdery ore known as blue dust is traced as pockets within the other ore bodies. The recemented ore another important zone, however, runs for more than lkm in length has been observed.

2.1.4.5: Extent of Weathering/ Alteration:

It is difficult to inherent that banded iron-formation (BIF) to produce representative information. The qualitative effects of weathering in BIF, and the progressive stages that lead to iron enrichment are not hard to follow, but to establish even semi-quantitative data is difficult. In general, the range of minerals found in BIF is not large. Even with the variation imposed by metamorphism, it is possible to limit discussion to a handful of mineral groups—silica, iron oxides and silicates.

2.1.4.6: Nature/Form of Mineral:

The nature/ form of mineral of the Rantha Iron ore lease areas are Lump, Fines and Friable.

2.1.4.7: Extent of Mineralization:

The different litho units of Rantha Iron Ore lease is given below:

Iron ore is associated with the following litho units and covers about 65-70% area. The rocks bearing iron ore are of various types are as follows,

a. Lateritic Iron Ore:

Lateritic iron ore in the ML is the lateritised product of hard/ soft laminated iron ore. Thus, the same structures as found in the parent rocks could also be seen in this rock types.

b. Soft Laminated Ore (SLO):

It is found in most of the quarries. It is overlain by ferruginous shale, laterite/soil and iron ore float. Considerable thickness of SLO has been encountered in the boreholes drilled in the area.

c. Hard Massive Ore (HMO)/Hard Laminated Ore (HLO):





Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

1000

4> HMO in the ML area is highly jointed and has moderate dip towards north/west direction. To smaller in-situ HLO patches are found within the Laterised HLO exposures in the NW quadrant ON COUNT OF INDIP the ML. the HLO blocks have moderate dip towards the directions of north.

d. Blue Dust:

रेत महर्तर It occurs at some selective patches in the area. The only silica available has been leached out leaving behind hematite grains to give rise to blue dust.

2.1.4.8: Deposit Type (as per MEMC Rule):

As per Mineral (Evidence and Content) Rule'2015, the Rantha Iron Ore Mine is Bedded Stratiform and tabular deposit of regular habit.

Strike / Trend of the Ore Body

: N200 W to N 150E

Amount of dip of Orebody

: 20⁰ to 60⁰ E and West

Dip Direction of the Ore Body

: Westerly and Easterly

Plunge of Mineral Body (degree) (if any)

: Nil

Direction of plunge

: NA

2.2: Exploration:

2.2.1: Summary of the Previous Exploration (for fresh grant) / During Last Plan Period (For existing leases):

Due to want of forest clearance permission the exploration proposal has not been initiated.

2.2.1.1: Geological Mapping:

Sl. No	Year	Scale	Area Covered
1	2018-19	Nil	· Nil
2	2019-20	Nil	Nil
3	2020-21	Nil	Nil
4	2021-22	Nil	Nil
5	2022-23(As on	Nil	Nil
ر	30.06.2022)	1411	1 1 1

2.2.1.2: Airborne Geophysical Survey: Nil.

						titude	Long	Longitude	
SI. No.	Type of Survey	Spacing (m)	Total line (km)	Area Covered (Ha/km²)	То	From	То	From	
	Nil.								

2.2.1.3: Ground Geophysical Survey: Nil

					La	atitude	Lo	ngitude
SI. No.	Type of Survey	Spacing (m)	Total line (km)	Area Covered (Ha/km2)	То	From	То	From
	NIL.							



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

2.2.1.4: Geochemical Survey: Nil.

				Area Covered
Sl. No.	Type of Sample	No of Samples	Analysisreport	(Ha/km²)/> or NOTA
	A	्त सह		

2.2.1.5: Pitting: Nil.

	N1	Nil.
	Number of pits *	INII.
- 1		

2.2.1.6: Trenching: Nil.

SI. No.	Year	Pit ID	Length of Pit (m)	Width of Pit (m)	Depth of Pit (m)	Depth (from)	Depth(to)	Running meters	Litho units exposed	Name of the radical	Av. Grade (in %)	Latitude	Longitue
	Nil.												
		No	o. of tren	ches		Nil							

2.2.1.6.1: Spacing: NA

Min (m)	Avg (m)	

SI. No.	Year	Trench ID	Length of Trench (m)	Width of Trench (m)	Depth of Trench (m)	Depth(from)	Depth(to)	Running meters	Litho units exposed	Name of the radical	Av.grade	Latitude(fro m)	Longitude (from)	Latitude(to)	Longitude (to)
	Nil.														

2.2.1.7 Exploratory Drilling (Core/non-Core): Nil

		Core holes		Non-core (RC/DTH)		Grand total		Attach sheet of	log each	
SI. No	Year	Exploration agency	Number of boreholes drilled	Total meter	Number of boreholes drilled	Total mteres	Total boreholes	Total meters	borehole csv/excel format.	in
	Nil.									

2.2.1.8: Exploratory Mining: Nil.

Sl. No.	Pit/Adit ID	Length in Mtr	Width in Mtr	Depth in mtrs	Volume (m³)
		NII.			

2.2.1.9: Sampling:

		Number	Number of	Loca	ntion	D 1			
SI. No.	Type of Sample	of Samples Collected	samples analyzed	Latitude	Longitude	Remarks if any			
	Nil.								



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

OF MINE

2.2.1.10: Chemical Analysis:

2.2.1.	.10: Chemical An	TO OF MINES			
Sl. No.	Sample ID	Minerals	Radical with grade in %	Name of Agency	Type of Attachment
1			Nil.		E. Con Thinks
	Marie Control of the				रित सार्व

2.2.1.11: Petrology & Mineralogical Studies: Nil.

	Type of	Number of	Number of	Petrographic Study
Sl. No.	Sample	Sample Drawn	Sample Analyzed	Report
		Nil.		

2.2.1.12: Beneficiation Studies: Not Applicable.

Sl. No.	Type of Beneficiation	Number of Samples	Attach
		Nil.	

2.2.1.13: Bulk Density Study as per M (EMC) Rules, 2016 and SOP of CGPB:

Method adopted for calculating bulk density of ore and waste:

The bulk Density has been determined by M/s SUPCO India (Pvt). Ltd., a NABL accredited laboratory.

The international standard specifies two methods of determining the bulk density of Iron ore.

Method 1 is applicable to natural Iron ore and processed Iron ore having a nominal size of -100micron.

Method 2 is applicable to a natural Ironore and processed ores, regardless of size.

2. Principle:

A test is introduced into a container of known volume until surface is level. The bulk density calculated as the ratio of the sample to the internal volume of the container.

Note 1 Constant mass is achieved when the difference in mass between two subsequent measurements become less than 0.05% of the initial mass the test sample.

In the case of method 2, the test sample shall have a minimum mass of 35 tonnes, the recommended mass being 50 tonnes.

Note 2 A test sample of mass 35 tonnes has a volume of approximately 14 m³ to 23.6 m³, according to the material.

3. Apparatus:

General: The test apparatus shall comprise

- a) Ordinary laboratory equipment, such as hand tools and safety equipment.
- b) Small container,
- c) Large container, and
- d) A weighing device.

Method 1:

Small container, made of metal, cylindrical in form, and having an internal diameter of 400 mm ±2mm and an internal height of 400 mm ± 2mm (inner volume: approximately 0.05 m3). The container wall and bottom shall have sufficient thickness to ensure their rigidity during the test. The container shall be reinforced by a steel band around the outside periphery at the top, and shall have two handles, 1800



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

apart, attached to the outer surface by welding. A carriage or other suitable device may be provided to facilitate its transportation within the laboratory. The volume of the container shall be determined with a precision of 0, 1 using potable water of known density.

Weighing device, capable of weighing the test sample and test portions and having a sensitivity of 1/1000 or better.

Method: 2:

Large container, such as truck or railway wagon, of regular geometrical shape, with smooth inner surface of the walls and bottom, and in good general condition, the container shall have sufficient capacity to hold. When filled, a minimum of 10 t of test shall be 10 times the maximum particle size of the test portion.

Weighing device, preferably of platform type, capable of weighing the mass to be determined to a sensitivity of 1/200

Density determination

Method 1 - Small container:

Weigh the dried container and record the mass (mO) to the nearest 0.2 kg.

Fill the container with the sample of as-received, air dried material, using a proper shovel. Empty the shovel from a height not exceeding 50 mm above the surface of the material in the container. Fill the container carefully, in order to prevent evident segregation.

After filling the container to over flowing, draw a straight-edge across the top of the container to make the heaped surface level.

Transfer the filled container to the weighing device without loss of sample from the container, weigh the filled container and record the mass (m1) to the nearest 0.2 kg.

Method 2 – Large containers:

Measure the length, width and height of the container with a precision of ± 0.5 % and then calculate and record its volume (V). Weigh the empty container and record the mass (mO).

With the container on a level surface, discharge the sample into it manually or by mechanical means, taking care to avoid breakages or segregation of particles. Level off the upper surface across the top of the container, verifying by visual inspection and removing or pushing down any particles which would appear to obstruct the passage of a straight-edge if it were pulled across the top of the container.

Weigh the filled container and record the mass (m1).

Expression of Result

Calculation of the bulk density (Pap)

The bulk density, (Pap), expressed in kg/m³, is calculated from the following formula:

m1 - m0 -----

V

Where

(Pap) =

mO is the mass, in kilograms, of the empty container;

m1 is the mass, in kilograms, of the container plus sample;

V is the volume, in cubic meters, of the container.



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

The bulk density of the individual ore types as given below were taken as the in-situ densities of the respective ore type. It has been derived from the exploration report of Rantha Iron Ore Mines.

Average Bulk Density of Different Ore Types

				7 OF 1915	
SI.	Nature of	Mineral	Number of	Bulk Density	
No.	Ore/OB	iviiiletat	samples	Established (t/m³)	
01		Ore (Fe > 55%)	1	3.00	
	Iron Ore	Mineral			
02	(Hematite)	Reject/Subgrade (Fe	1	2.7	
		between 45 – 55 %)			

Copy of report of bulk density test carried out by Mitra S.K, a NABL accredited lab is enclosed as Annexure 26.

2.2.1.14: Area Covered under Exploration:

Level of	Area	Area in Ha		
exploration	Forest	Non-	area in	
- Inprovation	TOTESE	forest	Ha.	
G-1	39.632	0	39.362	
G-2	165.724	0	165.724	
G-3	0	0	0	
G-4	63.484	0	63.484	
Area				
proved as	20	0	20.00	
Non-	20		20.00	
mineralized				
Area to be				
explored	0	0	0	
Total	268.84	0	268.84	

2.2.2: Summary of the Previous Exploration (Before Last Plan Period):

(A) M/s Mining Associates Pvt. Limited (MAPL), Atwal Nagar, S.B. Gorai Road, Asansol - 713-301 West Bengal.

(iii)E mail addresses and phone no.

M/s Mining Associates Pvt. Limited (MAPL) –

Phone – (0341) 2220757, 2220758, 2205765

2.2.2.1: Geological Mapping:

		T	
Sl. No.	Year	Scale	Area Covered (ha)
01.	Prior to 2018-19	1: 4000	268.84

2.2.2.2: Airborne Geophysical Survey: Not Applicable.

	T		, , , , , , , , , , , , , , , , , , ,				
SI.	Type of	Spacing	Total line	Area Covered			
No.	Survey	(m)	(km)	(ha)	Latitude	Longitude	
Not Applicable.							



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

2.2.2.3: Ground Geophysical Survey: Not Applicable.

Sl. No.	Type of Survey	Spacing (m)	Total line (km)	Area Covered (ha)	Latitude Longitude				
Not Applicable.									

2.2.2.4: Geochemical Survey: Not Applicable.

Sl. No.	Type of Sample	No of Samples
	Not Applicable.	

2.2.2.5: Pitting:

SI. No.	Pit ID	Length of Pit (m)	Width of Pit (m)	Depth of Pit (m)	Litho Unit Expose d	Litho Unit From (m)	Litho Unit To (m)	Average Grade	Running Meters (m)	Latitude	Longitu de
	Not Applicable.										

2.2.2.6: Trenching:

Niconale and E.T.	Spacing				
Number of Trenches	Min (m)	Max (m)	Avg (m)		
l l	Not Applicable.				

Area Covered Under Trenching:

Co-ordinates:

Latitude	Longitude
Not Ap	pplicable.

SI. No.	Trench ID	Length of Trench (m)	Width of Trench (m)	Depth of Trench (m)	Litho Unit Exposed	Average Grade (%)	Running Meters (m)	From Longitude	From Latitude	To Latitude	To Longitude
	Not Applicable.										



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

2.2.2.7: Exploratory Drilling:

2.2.2.7.1:Core/Non-core Drilling:

					T			
	1		Core	holes	Non-core	(RC/DTH)	Gran	d'total" wow
SI. No	Year	Exploration agency	Number of Core boreholes drilled	Total meter	Number of DTH boreholes drilled	Total mtrs	Total boreholes	Attach log- sheet of each borehole in csv/excel format.
1	2007- 08	(i)M/s Mining Associates Pvt. Limited (MAPL), Atwal Nagar, S.B.	26	1003.55	Nil	Nil	26	Bore Hole Log sheet of collar,
2	2009- 10	Gorai Road, Asansol - 713301	29	852.85	Nil	Nil	29	assay and
3	2010- 11	West Bengal.	22	630.55	Nil	Nil	22	geology files are Attached
The d		irand Total	77	2486.95	Nil	Nil	77	in Annexure- 23.

The details of all the bore holes explored at Rantha Iron Ore Mines as on 30.06.2022 have been attached in Annexure-23.

2.2.2.8: Exploratory Mining: Not Applicable.

SI. No.	Pit ID	Volume (m³)
	Not Applicable.	

2.2.2.9: Sampling:

SI. No.	Type of	Number of	Area	Latitude	Longitude	Remarks
	Sample	Samples	Covered			
			(ha)			
1	Drill core	31	1	2407888.014	308366.794	
2	Drill core	44	1	2407988.049	308366.806	
3	Drill core	36	1	2408088.049	308266.806	
4	Drill core	31	1	2408088.014	308166.793	
5	Drill core	38	1	2407885.137	308266.806	
6	Drill core	18	1	2407988.049	308266.806	
7	Drill core	41	1	2407788.014	308364.708	
8	Drill core	42	1	2407988.049	308166.806	
9	Drill core	21	1	2407888.014	308166.794	
10	Drill core	15	1	2407788.014	308266.794	
11	Drill core	31	1	2407685.809	308362.699	
12	Drill core	30	1	2407688.014	308466.794	
13	Drill core	25	1	2407788.014	308466.794	
14	Drill core	42	1	2407688.05	308569.911	

PRADIP Digitally signed by PHADIP KUMAR KUMAR SAHDO SAHOO 10/46/16 - 03/38

RABINDRA DE PASITORA MOHANTY Date 1821 de 19

Digitally signed

11 48 43 +09 30



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

Sl. No.	Type of Sample	Number of Samples	Area Covered (ha)	Latitude	Longitude	Remarks
15	Drill core	25	1	2407500.040	200466.000	
16	Drill core	21	1	2407588.049	308466.806	
17	Drill core	56	1	2407588.049	308366.794	The same and
18	Drill core	35	1	2407588.014	308566.876	BY CONT OF IM
19	Drill core	32	1	2407488.014	308466.794	्रित सार
20	Drill core	49	1	2407508.176	308366.794	
21	Drill core	49	1	2407588.015	308666.794	
22	Drill core	47		2407488.014	308562.107	
23	Drill core	39	1	2407488.015	308664.823	
24	Drill core	64	1	2407688.015	308666.794	
25	Drill core	44	1	2407888.049	308466.806	
26	Drill core	22	11	2407988.049	308468.451	
27	Drill core	29	1	2407788.05	308555.806	
28	Drill core	40	1	2407866.373	307768.947	
29	Drill core	38	1	2407670.049	307772.794	
30	Drill core	47	1	2407677.013	307579.794	
31			1	2407466.571	307537.528	
32	Drill core	40	1	2407868.746	307560.646	
33	Drill core	37	1	2407388.049	307928.807	
	Drill core		1	2407278.618	307528.274	
34	Drill core	22	1	2407233.049	307724.807	
35	Drill core	19	1	2407426.049	307737.807	
36	Drill core	13	1	2407286.704	307967.804	
37	Drill core	24	1	2407088.013	307366.815	
38	Drill core	13	1	2407905.727	307409.648	
39	Drill core	17	4	2407262.199	307348.815	
40	Drill core	20	4	2407288.049	308166.807	
41	Drill core	36	4	2407700.049	308168.806	
42	Drill core	19	4	2407088.013	307566.795	
43	Drill core	11	4	2407088.013	307767.199	
44	Drill core	26	4	2407088.014	307966.795	
45	Drill core	54	4	2407343.165	308128.802	
46	Drill core	14	4	2407088.014	308166.795	
47	Drill core	20	4	2407288.174	308367.664	
48	Drill core	14	4	2407502.013	307335.794	
49	Drill core	15	4	2407869.122	308072.485	
50	Drill core	16	4	2407088.014		
51	Drill core	24	4	2407088.014	308366.795	
52	Drill core	29	4	2407088.014	308550.705	
53	Drill core	8	4		308566.849	
54	Drill core	12	4	2407670.266 2407765.014	307377.881	
55	Drill core	36	4		308088.794	
56	Drill core	23	4	2407291.343	308717.016	
57	Drill core	8	4	2406888.049 2407976.049	308366.807 308065.806	

PRADIP Digitally aigned by PRADIP KUMAR KUMAR SAHOO Date 2021 08:10

Digitally signed RABINDRA BURABRIDA MOHANTY DATA BOOLER NO 10 48 48 400 20



Odisha Mining Corporation Ltd Rantha Iron Ore Mine

CI No	T f	N	T .		<i></i>	314 03 1X	
Sl. No.	Type of	Number of	Area	Latitude	Longitude	w Remarks	<i>-</i>
	Sample	Samples	Covered		1/5		(S)
	D 111	40	(ha)		F §	L LIMY	NE.
58	Drill core	40	4	2406888.014	308550\686		£
59	Drill core	40	4	2407883.049	307968.806	CONT. OF MOIN	<u>ځ</u> *
60	Drill core	51	4	2407891.05	308565.806	रेक सार्वर	
61	Drill core	43	4	2407783.487	308658.096	The same a second	
62	Drill core	14	4	2406888.014	308166.795		
63	Drill core	43	4	2407888.05	308666.806		
64	Drill core	6	4	2408251.014	307998.793		
65	Drill core	44	4	2406709.937	308369.171		
66	Drill core	22	4	2406888.049	307966.807		
67	Drill core	6	4	2408306.014	308399.793		\neg
68	Drill core	42	4	2408401.143	308183.914		
69	Drill core	10	4	2408230.049	307798.806		
70	Drill core	3	4	2408089.05	308576.806		
71	Drill core	12	4	2408485.049	307964.805		
72	Drill core	5	4	2408495.049	308355.805		\neg
73	Drill core	11	4	2408090.049	308471.806		\dashv
74	Drill core	12	4	2406708.362	308164.088		
75	Drill core	17	4	2408498.049	308141.805		\neg
76	Drill core	28	4	2408106.143	308384.718		\dashv
77	Drill core	16	4	2407988.014	308574.766		\dashv

2.2.2.10: Chemical Analysis:

SI. No.	Sample ID	Minerals	Radical Analysis	("Fe" range in %)
	RNT01/1 to 31	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S	Fe: 50.68	3 to 63.62
1			SIO ₂ : 0.37 to 7.73	Al2O3: 3.07 to 16
			P: 0.031 to 0.059	S: 0.029 to 0.05
	RNT02/1 to 44	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S	Fe: 21.78	3 to 64.58
2			SIO₂: 0.2 to 60.21	Al2O3: 1 to 14.9
			P: 0.025 to 0.059	S: 0.025 to 0.059
	RNT03/1 to 36	Fe ,SiO₂,Al₂O₃,P,S	Fe: 30.37	' to 63.56
3			SIO₂: 1.88 to 44.88	
			P: 0.029 to 0.089	S: 0.027 to 0.065
	RNT04/1 to 31	Fe ,SiO₂,Al₂O₃,P,S	Fe: 30.4	to 60.73
4			SIO₂: 1.29 to 50.6	Al2O3: 3.5 to 21.5
			P: 0.031 to 0.53	S: 0.029 to 0.048
	RNT05/1 to 38	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S	Fe: 46.95	to 64.53
5			SIO₂: 0.4 to 19.97	Al2O3: 1.6 to 44.4
			P: 0.022 to 0.048	S: 0.029 to 0.047
	RNT06/1 to 18	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S	Fe: 34.29	to 64.68
6				Al2O3: 2.4 to 11.2
			P: 0.036 to 0.048	S: 0.029 to 0.048
7	RNT07/1 to 41	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S	Fe: 36.98	to 63.36
			SIO ₂ : 1.05 to 33.71	Al2O3: 1.55 to 15



Rantha Iron Ore Mine

2027-28)
Odisha Mining Corporation Ltd

CI				
SI. No.	Sample ID	Minerals		ysis ("Fe" range in %)
			P: 0.029 to 0.138	S: 0.022 to 0.022
	RNT08/1 to 42	Fe ,SiO ₂ , Al ₂ O ₃ ,P,S	Fe: 3	6.29 to 62.56
8			SIO ₂ : 2.24 to 35.88	Al203: 2:6 to 21-9
				S: 0.027 to 0.048
	RNT09/1 to 21	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S		35.89 to 61.8
9				Al203: 3.6 to 25.7
			P: 0.029 to 0.048	S: 0.023 to 0.048
	RNT10/1 to 15	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S		32 to 56.99
10			SIO ₂ : 1.28 to 48.64	Al2O3:4 to 17
			P: 0.03 to 0.047	S: 0.027 to 0.05
	RNT11/1 to 31	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S		3.48 to 61.59
11			SIO₂: 1.52 to 38.79	Al2O3: 4 to 19.1
			P: 0.029 to 0.045	S: 0.024 to 0.048
10	RNT12/1 to 30	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S	Fe: 26	6.08 to 62.43
12			SIO₂: 0.57 to 53.84	Al2O3: 1.8 to 27
	DNT10/4		P: 0.028 to 0.046	Al2O3: 1.8 to 27 S: 0.027 to 0.042
12	RNT13/1 to 25	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S	Fe: 37	7.28 to 62.34
13				Al2O3: 2.33 to 22.3
	DNIT1 4 /4 1 40		P: 0.046 to 0.05	
14	RNT14/1 to 42	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S	i	5.66 to 65.42
14			SIO ₂ : 1.08 to 13.06	Al2O3: 2.64 to 24.84
	DNT15/1+- 25	F C'C 11 F		S: 0.018 to 0.028
15	RNT15/1 to 25	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S		3.08 to 61.71
13			SIO ₂ : 6.2 to 55.74	Al2O3: 1.23 to 19.81
	RNT16/1 to 21	Fo CiO ALO DC	P: 0.046 to 0.05	S: 0.016 to 0.025
16	NN110/1 to 21	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S	1	2.72 to 61.32
				Al2O3: 3.14 to 17.65
	RNT17/1 to 56	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S	P: 0.046 to 0.049	
17	111117/11000	1 C ,3102,A1203,P,3		5.81 to 66.23
			P: 0.046 to 0.058	Al203: 0.17 to 34.63
	RNT18/1 to 35	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S		S: 0.016 to 0.029
18	, = 10 05	1 C /5102/A1203,1 /3	Fe: 31 SIO₂: 0.5 to 42.77	.03 to 67.25
			P: 0.031 to 0.048	Al203: 2.1 to 14.4
	RNT19/1 to 32	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S		S: 0.031 to 0.049
19		. = /=. = 2/. ((203/. /0	SIO₂: 8 to 20	Al2O3: 4 to 10
			P: 0.035 to 0.045	
	RNT20/1 to 49	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S		.22 to 64.31
20		, 2, 223, 13	SIO₂: 3. to 18	Al2O3: 2.5 to 7.5
			P: 0.033 to 0.043	
	RNT21/1 to 49	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S		.26 to 67.55
21			SIO ₂ : 0.55 to 67.3	Al2O3: 0.69 to 19.34
			P: 0.027 to 0.054	S: 0.006 to 0.034
	RNT22/1 to 47	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S		52 to 29.44
22			SIO₂: 0.3 to 24	Al2O3: 0.041 to 20.75
			P: 0.041 to 20.75	S: 0.007 to 0.0.034
23	RNT23/1 to 39	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S		.58 to 65.06
23			SIO ₂ : 1 to 40.5	Al203: 2.33 to 26.45



OM	DISHA NEW OPPORTUNITIES	(20	Plan & Progressive Mine Closure Plan 23-24 to 2027-28)
	NEW OFFORTUNITIES	Rantha Iron Ore N	
SI.			AN OF MINES
No.	Sample ID	Minerals	Radical Analysis ("Fe" range in %)
			P: 0.037 to 0.54 S: 0.907 to 0.34
24	RNT24/1 to 64	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S	Fe: 64.39 to 66.29
24			SIO ₂ : 0.51 yo 27.6 Al2O3:1.83 to 14.2
	DNITOE /4		P: 0.029 to 0.054 S:0.004 to 0.034
25	RNT25/1 to 44	Fe ,SiO ₂ ,Al ₂ O ₃ ,P	Fe: 25.88 to 66.93
25			SIO ₂ :1 to 15.06 Al2O3:1.09 to 23.2
	DNIT26/4 + 44		P: 0.045 to 0.05
26	RNT26/1 to 44	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S	Fe: 34.25 to 66.93
20			SIO ₂ : 1 to 10.2 Al2O3: 1.09 to 25.3
	DNIT27/4		P: 0.045 to 0.05 S: 0.013 to 0.052
27	RNT27/1 to 29	Fe ,SiO ₂ ,Al ₂ O ₃ ,P,S	Fe: 29.72 to 64.22
	DNITOOA		SIO ₂ : 2.81 to 46.99 Al203:2.3 to 12.63
20	RNT28/1 to 40	Fe ,SiO ₂ ,Al ₂ O ₃	Fe:4.96 to 60.08
28			SIO ₂ :2.58 to 55.56
			Al2O3: 1.95 to 38.99
	RNT29/1 to 38	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 15.2 to 58.02
29			SIO ₂ : 3.92 to 20.21
			Al2O3: 0.34 to 59.7
	RNT32/1 to 47	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 25.52 to 67.97
30			SIO ₂ : 1.3 to 46.48
			Al2O3: 0.26 to 26.79
	RNT33/1 to 40	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 4.79 to 67.52
31			SIO ₂ : 0.63 to 47.52
			Al2O3: 0.66 to 30.95
	RNT35/1 to 37	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 13.47 to 51.46
32		_, _,	SIO ₂ : 9.18 to 59.45
			Al2O3: 0.3 to 29.65
33	RNT37/1 to 2	Fe ,SiO ₂ ,Al ₂ O ₃	NA
	RNT41/1 to 22		
34	111141/1 10 22	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 26.1 to 65.25
			SIO₂: 2.08 to 55.84
	RNT42/1 to 19	F= C:O ALO	Al2O3:1.86 to 17.7
35	NN142/1 to 19	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 28.37 to 54.24
33			SIO ₂ : 2.76 to 48.88
	RNT44/1 to 13	F- 6:0 41 0	Al2O3: 2.16 to 17.21
36	111144/1 (0.15	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 27.34 to 57.41
50			SIO ₂ : 5.08 to 0.56
	DNIT/15 /1 +4 25	F 0:0	Al2O3: 1.19 to 24.94
37	RNT45/1 to 25	Fe ,SiO₂	Fe: 31.3 to 49.72
	DNIT46/4 + 45		SIO ₂ : 8.97 to 44.51
20	RNT46/1 to 12	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 42.57 to 47.29
38			SIO ₂ : 7.94 to 14.61
	DAIT		Al2O3: 10.03 to 14.76
20	RNT47/1 to 17	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 29.17 to 56.59
39			SIO ₂ : 11.38 to 54.64
			Al2O3: 1.31 to 11.81
	RNT49/1 to 21	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 32.5 to 65.95
40			SIO ₂ : 1.32 to 46.9
1			Al2O3: 1.82 to 18.85



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

SI. No.	Sample ID	Minerals	Radical Analysis ("Fe" range in %)
	RNT51/1 to 38	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 45.25 to 57.72
41		, 2, 22 3	SIO ₂ :4.23 17.75
			Al203: 9.96 to 15.33
	RNT52/1 to 20	Fe ,SiO ₂ ,Al ₂ O ₃	F. 27. 60 a. W. W. W.
42		, 2, 12-3	SIO ₂ : 3.48 to 13.69
			Al203: 4.18 to 24.14
	RNT54/1 to 11	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 35.66 to 51.99
43			SIO₂: 9.86 to 47.7
			Al2O3: 0.36 to 11.1
	RNT56/1 to 17	Fe ,SiO ₂ ,Al ₂ O ₃	Fe:47 to 28 to 59.66
44			SIO ₂ : 6.39 to 22.82
			Al203: 3.04 to 11.21
	RNT57/1 to 30	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 46.51 to 65.19
45			SIO ₂ : 0.52 to 19.15
			Al203: 2.26 to 12.92
	RNT58/1 to 15	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 51.14 to 66.88
46			SIO ₂ : 2.28 to 15.83
			Al203: 0.49 to 12.73
	RNT59/1 to 20	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 46.36 to 66.07
47			SIO₂: 0.79 to 10.85
			Al203: 2.07 to 18.32
	RNT60/1 to 15	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 7.26 to 37.48
48			SIO₂:16.67 to 39.8
			Al2O3: 15.9 to 30.84
	RNT61/1 to 15	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 28.66 to 54.06
49			SIO ₂ : 9.32 to 54.86
			Al2O3:0.86 to 12.91
	RNT63/1 to 17	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 46.51 to 64.78
50			SIO ₂ : 1.35 to 12
			Al2O3: 2.15 to 12.32
F4	RNT64/1 to 18	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 39.86 to 52.26
51			SIO₂:7.74 to 28.04
	DAIM on the		Al2O3: 2.67 to 14.27
F2	RNT65/1 to 30	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 49 to 67.04
52			SIO₂: 0.89 to 10.75
	DAMES		Al2O3:1.06 to 14.14
F2	RNT66/1 to 10	Fe ,SiO ₂ ,Al ₂ O ₃	Fe:24.58 to 33.88
53			SIO₂: 5.87 to 17.56
	D. T. T. T.		Al2O3: 18.69 to 39.45
- A	RNT68/1 to 12	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 35.34 to 51.57
54			SIO₂: 10.06 to 45.83
			Al2O3: 1.83 to 16.28
	RNT69/1 to 19	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 46.77 to 64.56
55			SIO₂: 1.6 to 7.15
			Al2O3: 2.32 to 14.41
F.C.	RNT70/1 to 25	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 34.11 to 59.88
56			SIO₂: 6.07 to 35.7
			Al2O3: 0.61 to 25.51



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

SI. No.	Sample ID	Minerals	Radical Analysis ("Fe" range in %)
	RNT71/1 to 8	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 32.01 to 62.85
57			SIO₂: 3.48 to 49.69
			Fe: 32.01 to 62.85 SIO ₂ : 3.48 to 49.69 Al2O3: 0.69 to 9.36
	RNT72/1 to 41	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 44.12 to 56.9
58			SIO₂: 3.24 to 12.75
			Al203: 5.02 to 13.54
50	RNT74/1 to 24	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 41.98 to 62.9
59			SIO ₂ : 2.38 to 17
	DAITTE		Al2O3: 2.2 to 17.25
60	RNT75/1 to 36	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 19.94 to 65.08
60		·	SIO ₂ : 2 to 28.6
			Al2O3: 1.35 to 22.11
C1	RNT76/1 to 43	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 33.02 to 64.55
61			SIO₂: 1.77 to 45.35
			Al2O3: 0.35 to 14.23
60	RNT77/1 to 14	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 32.58 to 52.98
62			SIO ₂ : 5.91 to 47.76
			Al2O3: 2.8 to 12.83
60	RNT78/1 to 44	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 38.19 to 63.14
63			SIO₂: 0.8 to 15.8
			Al2O3: 1.22 to 17.32
5.4	RNT79/1 to 6	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 25.8 to 38.52
64			SIO₂: 23.94 to 53.7
			Al2O3: 1.92 to 14.88
65	RNT80/1 to 45	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 46.32 to 67.64
65			SIO₂: 0.67 to 9.65
			Al2O3: 0.5 to 14.26
66	RNT81/1 to 22	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 29.82 to 61.61
66			SIO ₂ : 1.43 to 52.49
	DAITOO /		Al2O3: 2.97 to 13.51
C7	RNT82/1 to 11	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 38.54 to 42.27
67			SIO₂: 11.53 to 21.77
	DAUTOO //		Al2O3: 11.68 to 19.95
co	RNT83/1 to 42	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 24.63 to 66.23
68			SIO₂: 0.96 to 55.92
	D. A. I. T. C.		Al2O3: 0.92 to 42.17
60	RNT84/1 to 16	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 27.88 to 41.35
69			SIO₂: 13.8 to 21.7
			Al2O3: 11.67 to 24.64
70	RNT85/1 to 3	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 34.28 to 52.96
70			SIO₂: 4.92 to 41.9
			Al2O3: 2.2 to 13.49
74	RNT86/1 to 15	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 13.72 to 48.47
71			SIO₂: 0.32 to 26.06
			Al2O3: 19.41 to 41.7
70	RNT88/1 to 5	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 25.74 to 40.77
72			SIO ₂ : 18.01 to 53.4
			Al2O3: 1.94 to 16.63



Rantha Iron Ore Mine Odisha Mining Corporation Ltd

			// 3 3				
SI. No.	Sample ID	Minerals	Radical Analysis ("Fe" range in %)				
	RNT89/1 to 11	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 25.27 to 50.88				
73			SIO₂: 8.64 to 53.72				
			Al203: 4.03 to 25.19				
	RNT91/1 to 12	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 30.01 to 55.3				
74			SIO₂: 3.74 to 47.75				
			Al2O3: 0.77 to 23.28				
	RNT92/1 to 17	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 16.02 to 47.24				
75			SIO ₂ : 1.01 to 50.81				
			Al2O3: 2.76 to 38.11				
	RNT93/1 to 28	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 33.09 to 63				
76			SIO ₂ : 4.13 to 47.65				
			Al2O3: 1 to 17.77				
	RNT96/1 to 9	Fe ,SiO ₂ ,Al ₂ O ₃	Fe: 47.18 to 52.39				
77			SIO ₂ : 3.15 to 9				
			Al2O3: 6.94 to 14.35				

Chemical analysis report from NABL accredited Lab of bore holes are attached in Annexure-24.

2.2.2.11: Petrology & Mineralogical Studies: NIL

Sl. No.	Type of Sample	Number of Sample Drawn	Number of Sample Analyzed	Petrographic Study Report			
NIL							

2.2.2.12: Beneficiation Test: Not Applicable.

	Sl. No.	Type of Beneficiation	Number of Samples					
Not Applicable.								

2.2.2.13: Bulk Density:

Method adopted for calculating bulk density of ore and waste:

The bulk Density has been determined by M/s Mitra SK (Pvt). Ltd., a NABL accredited laboratory.

1. Scope:

The international standard specifies two methods of determining the bulk density of Iron ore.

Method 1 is applicable to natural Iron ore and processed Iron ore having a nominal size of -100micron. to 150 micron.

Method 2 is applicable to a natural Iron ore and processed ores, regardless of size.

2. Principle:

A test is introduced into a container of known volume until surface is level. The bulk density calculated as the ratio of the sample to the internal volume of the container.

Note 1 Constant mass is achieved when the difference in mass between two subsequent measurements become less than 0.05% of the initial mass the test sample.

In the case of method 2, the test sample shall have a minimum mass of 35 tonnes, the recommended mass being 50 tonnes.





Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

Note 2 A test sample of mass 35 tonnes has a volume of approximately 14 m³ to 23.6 m³, according to the material.

3. Apparatus:

General: The test apparatus shall comprise

- a) Ordinary laboratory equipment, such as hand tools and safety equipment.
- b) Small container,
- c) Large container, and
- d) A weighing device.

Method 1:

Small container, made of metal, cylindrical in form, and having an internal diameter of 400 mm ±2mm and an internal height of 400 mm ± 2mm (inner volume: approximately 0.05 m3). The container wall and bottom shall have sufficient thickness to ensure their rigidity during the test. The container shall be reinforced by a steel band around the outside periphery at the top, and shall have two handles, 1800 apart, attached to the outer surface by welding. A carriage or other suitable device may be provided to facilitate its transportation within the laboratory. The volume of the container shall be determined with a precision of 0, 1 using potable water of known density.

Weighing device, capable of weighing the test sample and test portions and having a sensitivity of 1/1000 or better.

Method: 2:

Large container, such as truck or railway wagon, of regular geometrical shape, with smooth inner surface of the walls and bottom, and in good general condition, the container shall have sufficient capacity to hold. When filled, a minimum of 10 t of test shall be 10 times the maximum particle size of the test portion.

Weighing device, preferably of platform type, capable of weighing the mass to be determined to a sensitivity of 1/200

Density determination

Method 1 - Small container:

Weigh the dried container and record the mass (mO) to the nearest $0.2\ kg$.

Fill the container with the sample of as-received, air dried material, using a proper shovel. Empty the shovel from a height not exceeding 50 mm above the surface of the material in the container. Fill the container carefully, in order to prevent evident segregation.

After filling the container to over flowing, draw a straight-edge across the top of the container to make the heaped surface level.

Transfer the filled container to the weighing device without loss of sample from the container, weigh the filled container and record the mass (m1) to the nearest 0.2 kg.

Method 2 - Large containers:

Measure the length, width and height of the container with a precision of ± 0.5 % and then calculate and record its volume (V). Weigh the empty container and record the mass (mO).

With the container on a level surface, discharge the sample into it manually or by mechanical means, taking care to avoid breakages or segregation of particles. Level off the upper surface across the top of the container, verifying by visual inspection and removing or pushing down any particles which would appear to obstruct the passage of a straight-edge if it were pulled across the top of the container.

Weigh the filled container and record the mass (m1).

Expression of Result

Calculation of the bulk density (Pap)

The bulk density, (Pap), expressed in kg/m³, is calculated from the following formula:

m1 - m0

(Pap) =

V

PRADIP Digitally, signed by PRADIP KUMAR SAHOO MARE 2022/08 TO 48 TO 48

Digitally signed RABINDRA by HABINDRA MOHANCY Date 2021 (Service of the control o



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

Where

is the mass, in kilograms, of the empty container; m0

is the mass, in kilograms, of the container plus sample; m1

is the volume, in cubic meters, of the container.

The bulk density of the individual ore types as given below were taken as the in-situ densities of the respective ore type. It has been derived from the exploration report of Rantha Iron Ore Mines.

Average Bulk Density of Different Ore Types

	SI.					
	No.	Nature of Ore/OB Mineral Number of samples		Bulk Density		
-	01		0 /=	Samples	Established (t/m³)	
-		Iron Ore	Ore (Fe > 55%)	1	3.00	
	02	(Hematite)	Mineral Reject/Subgrade		3.00	
L	02	(Hematite)	(Fe between 45 – 55 %)	3	2.70	

Copy of report of bulk density test carried out by Mitra S.K, a NABL accredited lab is enclosed as Annexure 26.

2.2.2.14: Area Covered under Exploration:

As per the approved Mod. Of Mining Plan vide letter no. MPM/FM/06-ORI/BHU/2019-20, dtd.01.10.2019 the details are given below;

G1 (Ha)	39.632
G 2 (Ha)	165.724
G3 (Ha)	0.00
G4 (Ha)	63.484
G1+G2+G3+G4 (Ha)	268.84
	200.04

Since the mine has not been working from the approval of the earlier mining plan ,so, no exploration work has been carried out during approved period, so the explored area as per approved Mining Plan.

	Area			T		T	T	
Year	converted to G1 from G2, G3 & G4	% increase in G-1 Area	Remaining Area % in G2	Remaining Area % in G3	Remaining Area % in G4	Remaining Area in G2	Remaining Area in G3	Remaining Area in G4
2017	39.632	Nil	61.64	AIT				
2 2 2.	Ore Body G			Nil	23.61	165.724	Nil	63,484

2.2.3: Ore Body Geometry & Grade:

Sl.No.	the ore Sti band Tr	Strike / Mineral e Strike		Average Width	Name of the radical					
		rrend	Body Length (m)	(m)	Average Depth (m)	Name of the radical	Min Grade (Fe %)	Max Grade (Fe %)	Avg. Grade	
01.	Iron Ore	N200 W to N 150E	200 to 600 E and West	1600	60	30	Fe	47.51	64.76	(Fe %) 55.8



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

OF MINES

2.2.4: Reserve / Resource Estimation Method:

2.2.4.1: Methodology:

Resource / Reserve Estimation Method

Sectional Method
Software Used (SURPAC&AUTOCAD)

Geological Resource as on 02.06.2019

Reserve/ resources	Type	UNFC Code	Iron Ore Quantity (Mt)	Grade
Reserves	Proved	111		
		121	19.176 (+55% Fe)	59.5% Fe
	Probable	121	13.586 (+45-55% Fe)	50.3% Fe
	osasic	122	28.635 (+55% Fe)	59.5% Fe
		122	26.790 (+45-55% Fe)	50.3% Fe
Sub-Total (a)			88.187	
emaining resources	Feasibility	211		
	Pre-feasibility	221		
		222	0.964 (+55% Fe)	59.5% Fe
			0.990 (+45-55% Fe)	50.3% Fe
	Measured	331		The bal say
	Indicated	332		200 to an
	Inferred	333		
	Reconnaissance	334		***
Sub-Total (b)			1.954	
Total (a + b)			90.141	· · · · · · · · · · · · · · · · · · ·

Re-estimation has been carried out considering Mineral (Evidence & Content) Rule'2015. The details are given below.

Methodology:

Keeping in view the re-draw of geological plan & sections based on the outcomes of 77 boreholes, mineral resources has been re-estimated in the Review of Mining plan considering Mineral (Evidence & Content)Rule' 2015. As per Minerals (Evidence of Mineral Contents) Rule 2015, lateral extension of the mineral continuity shall be limited to a distance of 50% of the borehole spacing & depth continuity of G1 & detailed G2 category mineral resource shall be limited up to the depth of evidence of established mineral evidence. Accordingly, geological cross-sections have been modified & re-assessment of the balance geological & balance mineable reserve has been carried out considering above factors. A fresh estimate has been made on the basis of all the boreholes drilled till date using state of the art mining software i.e. 'SURPAC' at 45% Fe cut off and the resources/ reserves figures have been established as per the guidelines of UNFC.



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

CT)

OF MINES

Parameters considered for estimation of Mineral Resources

- (a) The threshold value has been considered as per the IBM guidelines is 45% Fe.
- (b) The Cutoff grade considered for estimation of resource/reserve is 55 % Fe.
- (c) Updated pit position as on 30.06.2022.
- (d) Borehole collar, survey, assay & litho data from exploration.
- (e) Pit exposures data & Ultimate Pit.
- (f) The influence of the ore body has been taken @50 mtrs on either side of the grid along the strike of the bore hole drilled. No extrapolation of the ore section has been done beyond 50mtrs.
- (g) The depth continuity of mineralization has been considered limited to the depth up to which direct evidence of mineralization is established.
- (h) The lateral extension has been considered for resource assessment depending on geological continuity by mapping and has not been more than 50 mtrs of the probe point.
- (i) Entire data has been transferred to create a geological database in an ore body modeling software namely 'SURPAC'.
- (j) Bulk density of individual ore types & OB has been used as a tonnage conversion factor (TCF) in this document. The bulk density considered in this report has been taken from the exploration report of OMC & carried out by NABL accredited Laboratory. The copy of Bulk Density report by NABL Accredited laboratory is attached in Annexure-26.
- (k) The Recovery Factor of 100 % for Saleable Ore (+55 % Fe) & Mineral Rejects (+45 % Fe to -55 % Fe) for assessment of Ore resource/reserve has been taken in to consideration. The copy of the recovery test report by NABL accredited laboratory has been attached at Annexure-28.
- (I) In total, 12 nos. of cross sections from 00E to 1200E have been prepared for estimations of resource.
- (m) Grid spacing 100m x 100m (max) bore holes on G1 category and 200m x 200m (max) bore holes on G2 category has been taken to calculate reserve as per MEMC Rule'2015.

Preparation of Database

Four basic files namely collar, survey, assay and litho files are required in Comma Separated Value (CSV) format for further processing by SURPAC Software. Ore type-wise litho codes used for database preparation is given below.

Ore Type-wise Litho Codes Used for Database Preparation

Litho Type	Litho code
Lateritic Iron Ore (LIO)	7A
Soft Laminated Ore (SLO) / Friable Ore	7C
Hard Laminated Ore (HLO)/Hard Massive Ore (HMO)	7B
Blue Dust (BD)/ Powdery Ore	7D
BHJ/ BHQ/ BMQ	9
Lateritic/ Ferg. Shale Ore (Mineral Rejects) (45 % to	
55% Fe)	4
Waste (Shale, Soil Cover etc.)	5



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

Delineation of Ore Geometry and Construction of Ore Body

<u>Preparation of Transverse Sections</u>

Boreholes were displayed in SURPAC graphics window along with litho, Fe%, SiO₂%, & Al₂O₃%, 12 nos. of transverse sections at 100 m & 200 m interval were extracted from 00E to 1200E. The envelopes of ore (Fe% >= 55%), Mineral Rejects (45%<=Fe%<55%) & Waste (Fe%<45%) were delineated at each section considering the continuity of mineralization, lithology and other geological features. Lateral extent of mineralization has been limited up to 50% of borehole spacing & vertical extent of mineralization has been limited up to the depth of evidence of established mineral evidence in the boreholes.

Preparation of Digital Terrain Model (DTM) of Surface Topography

The digitized contour of updated surface plan with Z values have been transformed into digital terrain model (DTM) utilizing the principle of triangulation and wire framing of points with X, Y and Z co-ordinates. Digital terrain model is the most effective way of representing a surface in three-dimensional computerized form. It is an important tool to calculate volume between two or more surfaces.

3-D Solid Modeling of Ore Body

The respective envelopes of ore lithology, Mineral Rejects & waste of the respective transverse cross sections have been connected/ joined to form respective solid ore body models. 3-D solid model of Rantha Iron Ore Mine

Block Modeling

The entire deposit is divided into no. of judiciously chosen sub-blocks for proper estimation of grade and quantity, keeping in view of the structural discontinuity of the deposit, extent etc. The estimated blocks in the block model has been used for optimum pit generation, mine planning and production scheduling.

Selection of Block Size

Considering the accuracy desired, borehole spacing and mining constraints, a unit block of $10 \text{ m} \times 10 \text{ m} \times 2.5 \text{ m}$ has been selected for block wise grade estimation.

Development of Block Model

In order to cover the entire extent of Rantha Iron Ore Mine. Ore Mines in three dimensions, a dummy block model with unit block sizes as indicated above have been generated.

Addition of Attributes

Attributes are the properties of individual block such as Fe, SiO₂, Al₂O₃, specific gravity, litho code etc. These attributes were added in the dummy block model using suitable technique.





Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

Application of Constraints

Constraints are the logical combination of spatial operators and objects such as DTM of surface contour, solid model of ore zone, block etc. with which the block model can be enveloped intersected with respect to inside/ outside and above/ below their spatial position. The blockmodel developed for Rantha Iron Ore Mine. Ore Mines has been constrained with the surface DTM with updated pit positions, mining lease boundary, statutory safety barriers, individual quarry boundaries as well as ore type-wise 3-D solid models as developed and discussed in the preceding paragraphs. In this way, the blocks have been enveloped within ore zone boundary and surface topography for the purpose of grade interpolation and reserves estimation. Constrained block model is given below.

Block model estimation

Block model estimation parameters such as anisotropic ratio, search distances etc. were derived from the results of variogram analysis discussed in previous para. Rantha Iron Ore Mine. ore deposit is uniform in mineralization. It is not erratic in behavior. The coefficient of variation of grades in all the ores are low in the range of 0.03-0.1 indicating uniform grade distribution and the deposit has also been explored at almost uniform grid of 50 m x 50m both along dip and strike direction, the globally accepted technique of Inverse Square Distance (ISD) method has been used for ore reserve estimation for different ore types. The parameters for reserve estimation have been derived from the statistical and geo-statistical analysis done previously. A search ellipsoid as indicated below has been used to select samples for assigning grade to the blocks. The axial parameters and its search orientation were derived from the results of geo-statistical analysis.

The bulk density of the individual ore types as given below were taken as the in-situ densities of the respective ore type. Same has been derived from the exploration report of Rantha Iron Ore Mine.

Average Bulk Density of Different Ore Types

Sl. No.	Ore Type	Bulk Density, t/cu.m
1	Iron Ore >55% Fe	3.00
2	Mineral Reject (45 % Fe to 55% Fe)	2.7

Copy of report of bulk density test carried out by NABL accredited lab is enclosed as Annexure 26.

For estimation resources the following parameters have been considered:

Measured resources: -

- The entire exploratory drill holes with grid spacing of 100m X 100m has been considered as G1 category and has been categorized under 331 as per UNFC code.

 Indicated resources: -
- The entire exploratory drill hole with grid spacing at more than 100m X 100m and less than 200m x 200m grid interval and where the borehole density is quite low has been considered as G2 category and has been categorized under 332 as per UNFC code.



Odisha Mining Corporation Ltd

Rantha Iron Ore Mine

2.2.4.2: Resource Calculation:

Section-wise Reserve/Resource:

The details of the re

	T	I				-
Method used for resource estimation	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance	547.59 John Distance
Grade (%)	47.51	58.34	51.34	64.76	48.04	57.59
Name of the radical	Fe	Fe	Fe	Fe	Fe	Fe
Type of Land	Forest	Forest	Forest	Forest	Forest	Forest
Depth Volume Density Quantity (m³) (t/m³) (t/m³) (t/m³)	62	62	G 2	62	62	62
Resource Quantity (t)	731444	4392816	2030778	4806372	6549490	5191963
Bulk Density (t/m³)	2.7	3	2.7	3	2.7	က
Volume (m³)	270905	1464272	752140	1602124	2425737	1730654
Depth in mtr	10	10.5	6	24.70	15	14.85
Influence (m)	200	200	200	200	200	200
Sectional Area/Block area (sq mtr)	1355	7321	3761	8011	12129	8653
Sectional Area/Block area (m) i (sq mtr)	X1_Y1/MINERAL REJECT/SUB-GRADE	X2_Y2/SLO	X2_Y2/MINERAL REJECT/SUB-GRADE	X2_Y2/BLUE DUST	X3_Y3/MINERAL REJECT/SUB-GRADE	X3_Y3/SLO
SI. No.	\leftarrow	2	m	4	2	9

Page **42** of **137**

MOHANTY.

PRADIP Digitally signed by PRADIP KUMAR SAHOO Date: 2022.08.19
SAHOO 10-08.18 +05:30



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

<u></u>							13554
Method used for resource estimation	Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	So.85 * Square
Grade (%)		56.74	56.55	50.07	58.33	56.06	50,85
Name of the radical		Fe	Fe	Fe	Fe	Fe	Fe
Type of Land		Forest	Forest	Forest	Forest	Forest	Forest
Level of Exploration		62	62	62	62	G 2	61
Resource Quantity (t)		120254	277742	1601998	1607526	67417	994526
Bulk Density (t/m³)		3	3	2.7	3	ъ	2.7
Volume (m³)		40085	92581	593333	535842	22472	368343
Depth in mtr		2.70	6.00	7.80	11.90	2.40	3.35
Influence (m)		200	200	150	150	150	100
Sectional Area/Block area (sq mtr)		200	463	3956	3572	150	3683
Cross section/Block		хз_үз/нсо/нмо	X3_Y3/LIO	X4_Y4/MINERAL REJECT/SUB-GRADE	X4_Y4/SLO	X4_Y4/LIO	X5_Y5/MINERAL REJECT/SUB-GRADE
SI. No.		7	∞	6	10	17	12

Page **43** of **137**

PRADIP Digitally signed by PRADIP KUMAR KUMAR SAHOO Date: 20220819 SAHOO 10:48:18 +05:30



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

	T		·	·	7		The second secon
Method used for resource estimation	Inverse Square Distance	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	SQ738 Distance
Grade (%)	58.47	56.06	58.44	50.08	57.63	59.57	50038
Name of the radical	Fe	Fe .	Fe	Fe	Fe	Fe	ā.
Type of Land	Forest	Forest	Forest	Forest	Forest	Forest	Forest
Level of Exploration	61	61	G 1	61	61	61	61
Resource Quantity (t)	1581330	39920	4791901	4214511	250026	3848226	1439739
Bulk Density (t/m³)	8	8	3	2.7	3	ю	2.7
Volume (m³)	527110	13307	1597300	1560930	83342	1282742	533237
Depth in mtr	7.00	0.50	20.40	18.90	9.00	22.40	11.20
Influence (m)	100	100	100	100	100	100	100
Sectional Area/Block area (sq mtr)	5271	133	15973	15609	833	12827	5332
Cross section/Block	X5_Y5/SLO	X5_Y5/LIO	01s/9k ⁻ 9x	X6_Y6/MINERAL REJECT/SUB-GRADE	хе_үе/нго/нмо	X7_Y7/SLO	X7_Y7/MINERAL REJECT/SUB-GRADE
SI. No.	13	14	15	16	17	18	19

Page 44 of 137

PRADIP Digitally signed by PRADIP COMPAR SAHOO DATE: 2022.08.19
SAHOO 10:48.18 +05:30

RABINDRA MANAWAR MOHANT文献



Rantha Iron Ore Mine

Ltd
Ħ
_
5
₽
Corporation
ō
ŏ
Ξ
ರ
b
\subseteq
ᆵ
1inin
Mining
Odisha Minin

	1	r	7			Ţ		-
Method used for resource estimation	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance	Solvania Skillaria Skillar	MASANASINE PROMINING MODIFICATION MODIFICATION MODIFICATION MASANA + 05/30
Grade (%)	57.93	59.36	49.58	57.86	59.6	48.79	\$ 56.8	RABINDRY CONTROL OF THE PARTY O
Name of the radical	Fe	Fe	ъ Э	Fe	Fe	Fe	E C	RABINI
Type of Land	Forest	Forest	Forest	Forest	Forest	Forest	Forest	
Level of Exploration	61	61	61	G 1	61	61	61	
Resource Quantity (t)	61845	6773448	2957043	186858	5301037	2710329	88238	
Bulk Density (t/m³)	3	ю	2.7	Э	æ	2.7	ю	of 137
Volume (m³)	20615	2257816	1095201	62286	1767012	1003826	228913	Page 45 of 137
Depth in mtr	310	26.30	15.00	3.00	21.00	13.20	9.94	
Influence (m)	100	100	100	100	100	100	100	
Sectional Area/Block area (sq mtr)	206	22578	10952	623	17670	10038	2289	Digitally signed by PRADIP KUMAR SAHOO Date: 2022.08.19 10-48.18 + 05:30
Cross section/Block	V7_Y7/LIO	X8_Y8/5LO	X8_Y8/MINERAL REJECT/SUB-GRADE	X8_Y8/LIO	018/6x ⁻ 6x	X9_Y9/MINERAL REJECT/SUB-GRADE	017/6X ⁻ 6X	PRADIP Digital KUMAR KUMAR SAHOO DATE:
SI. No.	20	21	22	23	24	25	26	



Review of Mining Plan & Progressive Mine Closure Plan

			ODISHA NEW OPPORTUNITIES		(2023-2) Rantha Iron Ore Mine	(2023-24 to	(2023-24 to 2027-28) e Mine Odisha Mi	2027-28) Odisha Mining Corporation Ltd	tion Ltd				
SI. No.	Cross section/Block	Sectional Area/Block area (sq mtr)	Influence (m)	Depth in mtr	Volume (m³)	Bulk Density (t/m³)	Resource Quantity (t)	Level of Exploration	Type of Land	Name of the radical	Grade (%)	Method used for resource estimation	
27	омн/олн/бх-бх	2923	100	20.30	292280	m	876840	61	Forest	Fe	61.98	Inverse Square Distance	
28	X10_Y10/SLO	20391	100	31.20	2039077	ю	6117231	G 1	Forest	A e	58.71	Inverse Square Distance Method	
29	X10_Y10/MINERAL REJECT/SUB-GRADE	8387	100	11.25	838694	2.7	2264473		Forest	Fe	48.85	Inverse Square Distance Method	
30	X10_Y10/LIO	1085	100	9.91	108513	8	325540	G1	Forest	Fe	56.61	Inverse Square Distance Method	
31	Х10_Ү10/НСО/НМО	413	100	5.00	41250	3	123750	G1	Forest	Fe	61.24	Inverse Square Distance Method	
32	X11_Y11/MINERAL REJECT/SUB-GRADE	5131	100	14.30	513144	2.7	1385488	G1	Forest	Fe	50.08	Inverse Square Distance Method	
33	X11_Y11/SLO	15310	100	26.95	1530964	3	4592892	G1	Forest	Fe	029025	SZ:6Z:nv Distance	

Digitally signed by PRADIP KUMAR SAHOO Date: 2022.08.19 10:48:18 +05/30* PRADIP KUMAR SAHOO

Page **46** of **137**



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

Grade used for resource estimation	lnverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance	55.8
	63.	55.	51.	62	55
Name of the radical	Fe	Fe	ਜੂ ਗ	Fe	
Type of Land	Forest	Forest	Forest	Forest	
Level of Exploration	61	61	61	61	
Resource Quantity (t)	338923	184822	81501	53813	79560550
Bulk Density (t/m³)	3	3	2.7	3	
Volume (m³)	112974	61607	30188	17938	
Depth in mtr	7.00	7.65	12.00	8.00	
Influence (m)	100	100	100	100	Total
Sectional Area/Block area (sq mtr)	1130	616	302	179	
Cross section/Block	Х11_Ү11/НLО/НМО	X11_Y11/LIO	X12_Y12/MINERAL REJECT/SUB-GRADE	X12_Y12/SL0	
SI. No.	34	35	36	37	

2.2.4.3: Mineral Resource Estimate for Conversion to Mineral Reserve:

Mineral reserve has been calculated deducting the reserve that would be blocked under the pit slope and within the safety zone inclusive of the safety zone of the existing nala.



PRADIP Digitally signed by PRADIP KUMAR KUMAR SAHOO DAR: 2022.08.19 SAHOO

Page 47 of 137



Rantha Iron Ore Mine Odisha

Odisha Mining Corporation Ltd

The Parameters of Reserves calculation by Cross Sectional Method are:

extension of the ore body, specific gravity and the percentage of ore recovery. Surface data, structural interpretation and observation Detailed calculation has been carried out in the lease area through coring boreholes, reserves have been estimated based upon the made in the nearby quarries have also been taken into consideration. As per the direction of dip and strike, an attempt was made to construct cross-section across the strike for calculation of reserves. 12 nos. of such sections have been drawn

With a view to estimate the reserves of iron ore available in the deposit, the following parameters have been considered.

- 1. Cut-off Grade
- 2. Length of influence
- 3. Bulk density
- 4. Recovery factor -100%
- 1. Cut-off Grade:

Based on marketability, the cut-off grade of iron ore has been considered at +55% fe. The Sub-grade ore considered 45 to 55% fe.

2. Length of Influence:

The ore zones are generally flat and tabular in nature. The same have been penetrated by vertical drill holes at a closed spaced grid spacing 200m and 100m interval. Depending on the drill holes spacing at specific grid interval, the length of influence has been considered on either side of the sections and taken in to consideration for computation of ore reserves.

3. Bulk Density:

The bulk density of iron ore has been considered as per actual determined by the authenticated NABL accredited laboratory. The copy of the same is attached as annexure-26.

Recovery Factor:

Recovery factor plays a vital role for estimation of reserve. The factor is considered as per actual determination carried out by an STANDARD TO NABL acrredited laboratory. In the lease area recovery factors has been considered as 100%.

Method of Reserve Estimation:

PRADIP Digitally signed by PRADIP KUMAR SAHOO DATE: 2022:08:19

Page **48** of **137**

RABINDRA KOMINTERSON



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

Systematic geological cross sections are constructed with the surveyed ground profile on which the drill hole inputs and average grade-wise analytical result of different ore zones is plotted and accordingly, the correlation of ore zones are interpreted with respect to grade.

The entire system is calculated through "SURPAC "software. The computed geological reserve is summarized in the table 2.2.4.2

2.2.4.4: Threshold value & Cut off Parameters:

- The threshold value has been considered as per the IBM guidelines is 45% Fe.
 - The Cutoff grade considered for estimation of resource/reserve is >55 % Fe. Ď.
 - The Fe % raised between >45% to <55% is considered as Mineral Reject.

2.2.4.5: Mining Factors or Assumptions:

The mine is not operated since a long back due to want of forest clearance. The various mining operations such as drilling & blasting, excavation & loading and transportation were practiced in this Rantha Opencast Iron Ore Mine after execution of mining lease over 408.8731 hectares on 31.12.1968. Mining was carried out by manual means on single shift basis with the use of pick axe, crow bars, spades, chisels, hammers and baskets etc. for loosening, excavation and loading and 10t capacity tippers for transportation of ore. ROM iron ore produced from the mine was broken, sized, sorted and blended manually. Finally, saleable materials was loaded manually by head load and transported to the consuming industries.

2.2.4.6: Metallurgical Factors or Assumptions:

lump ore (+10 to -40mm) size fraction and fines ore (-10mm) size fraction. The entire ore production including lumps and fines The average grade of Iron ore produced from Rantha Iron Ore Mines is above 55.8% Fe. The mine is supposed to produce calibrated produced from Rantha iron Ore Mines will be consumed in neighbouring steel plant/sponge iron plant of Odisha.

2.2.4.7: Cost & Revenue Factors:

ECONOMIC EVALUATION

Odisha and nearby states. To meet market demand with about 60 % Fe the ore produced can be sold after processing हिन्हें डॉटॉर्गंड बेंग्जे The entire ore production including lumps and fines produced from Rantha Iron Ore Mine will be sold to iron ore consumers of sorting. To meet market demand with 60% Fe, both ore and mineral reject produces are proposed to be blended 🔭 required TIT GILL TA Mineral reject/ Sub-Grade ore can be sold directly, as per market requirement.

MOHANTY Date: 2022/08 19 RABINDRA PARAMENTA

Ly PRADIP KUMAR SAHOO Date: 2022.08.19 10:48:18 +05'30' Digitally signed PRADIP KUMAR SAHOO



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

2.2.4.8: Market Assessment:

The Cash Flow analysis, NPV and IRR for the project has been shown in the pre-feasibility report. As NPV is positive and IRR is 33% The entire ore production including lumps and fines produced from Rantha Iron Ore Mine will be consumed in neighboring steel plants/sponge iron plants of Odisha and nearby states. To meet market demand with about 60 % Fe the ore produced can be sold after processing i.e. sizing and sorting. If required Mineral reject/ Sub-Grade ore can be sold directly, as per market requirement. so the project is an economic viable proposition.

2.2.4.9: Other Modifying Factors:

Public acceptance:

The mining project has been well accepted by the general public of the surrounding villages as evident from no litigation, agitation or complain by general public have so far been recorded by the lessee.

Socio-economic impact studies:

The mining activity in the area has already created direct employment opportunity for the local people both directly and indirectly. Workmen to mines, supervisory staff, mining engineers, geologists, surveyors, engineers etc. are employed in the mine. In addition, it will facilitate in developing indirect employment opportunities in transport sector and work shop facilities in the surrounding areas. The lessee will extends its help and supports to welfare measures like free health checkup camps, provision of bore wells, communication facilities, health & sanitation and overall economic condition of the people of nearby villages. The lessee road repairing, provision of drinking water etc. The continuation of mining work has also augmented the educational status, contributes regularly for peripheral development of the area.

Government factors

All the valid rights, approvals, clearances, licensees has been available in favor of Odisha Mining Corporation Limited. National Park

There is no National Park within 10 km radius of the ML area.

2.2.4.10: Classification:

PROBABLE MINERAL RESERVE (121)

and the existing quarry. Laterally, the proved zone has been extended 50m beyond the quarry limit as per UNFC, Thus geologicals which later on were converted into one big quarry. The proved reserve has been estimated based on the area covered by drill holes. Detailed exploration has been carried out by core boreholes, surface exposures have been found, number of pits were opened which because in the contract of th

修訂め

智是10%

Sparket Shared S

MOHANTY 0ate 2022 08 19

RABINDRA by PARTIESA MOHANIY

104843 +0530

Digitally signed by PRADIP KUMAR SAHOO Date: 2022.08.19 10.48.18 +05'30' PRADIP KUMAR SAHOO



Rantha Iron Ore Mine C

Odisha Mining Corporation Ltd

prepared and approved and thus recoveries and efficiencies have been estimated. Manpower and requirement of machineries have been estimated based on actual need. Infrastructure resources are already available. The forest clearance is available, however tree falling permission from Divisional Forest Office is yet to be materialized. Thus, the resources can be brought under F2 category. On economic front, the materials have already been dispatched to the various consuming industries in past and accordingly the grade of the ore is acceptable to the marked demand, Land use pattern, working plan is already known and designed. Thus the reserves axis for such estimated reserves can be brought under G1 category. As regards feasibility, it stated that the mining plan was can be brought under El category. In view of the above considerations, the reserves can be classified under 121 category.

PROBABLE MINERAL RESERVE (122)

axis can be brought under G2 category. On feasibility axis, mining plan was prepared and approved and thus recoveries and efficiencies estimated. Manpower & machine requirement have been estimated based on actual need. Infrastructure resources are economic front, the materials have already been dispatched to the various consuming industries in past. Accordingly the grade of the ore is suitable for meeting the market demands. Land use pattern, working plan is already known or designed. Therefore, the already available. However, the forest clearance is yet to be obtained. Thus, the resources can be brought under F2 category. On Based on the information gathered from the DTH boreholes, the ore zone has been extended laterally beyond proved zone as per UNFC. This lateral extension of the ore body is kept under probable category due to non-confirmation of grade. Thus, the geological reserves can be brought under El category. In view of the above considerations, reserves can be classified under 122 category.

PREFEASIBLE MINERAL RESOURCES (221 & 222)

The ore which will be blocked and cannot be extracted due to pit slope or safety zone has been put under this category. Probable reserve which cannot be extracted has been categorized as 221 and 222. RABINDRA by RABINDRA

Page **51** of **137**

PRADIP Digitally signed by PRADIP KUMAR SAHOO Date: 2022.08.19
SAHOO 10:48:18 +05:39



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

2.2.4.11: Calculation of blocked resources: >45% Fe to <55% Fe (221)

Method used for resource estimation	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	
Grade (%)	47.93	49.69	48.97	50.6	49.6
Name of the radical	Fe	Fe	Fe	Fe	Fe
Type of Land	Forest	Forest	Forest	Forest	Forest
UNFC	221	221	221	221	221
Resource Quantity (t)	47862	15296	93935	137718	294811
Bulk Density (t/m³)	2.7	2.7	2.7	2.7	
Volume (m³)	17727	5665	34791	51007	
Depth (m)	2.0	1.0	3.0	2.0	
Influence (m)	100	100	100	100	
Sectiona larea/ block area (in Sq mrt)	177.27	56.65	347.91	510.07	Total
Cross section/Blo ck	X7-Y7 /MR/SG	X8-Y8 /MR/SG	X10- Y10/MR/S G	X11- Y11/MR/S G	,
Reserves blocked due to	Ultimate Pit Limit	Ultimate Pit Limit	Ultimate Pit Limit	Ultimate Pit Limit	
SI. No.	-	2	33	4	



Page **52** of **137**

PRADIP Digitally signed by PRADIP KUMAR KUMAR SAHOO DATE: 2022.08.19
SAHOO 10:48:18 +05:30*



Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28) Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

(221)
Fe
> 55%
esources:
blocked r
of
Iculation
Ca

							<u> </u>	्यान ब्य	77	1
A STATE OF THE PARTY OF THE PAR	Method used for resource estimation	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Pistance	Square Sq		RABINDRA by RABINDRA MOHANIY MOHANIY DATE, 2022 08.19 10.48-43 + 05.30
	Grade (%)	56.31	58.42	61.29	57.41	57.58	65.62	LOGITICAL PARTY OF MAIN	58 32	RABINDRA by RABINDRA MOHANTY DATE, 2022, 08.19 10-48-43 + 05.30
	Name of the radical	ਜੂ	ъ	Fe	Ŧ.	Э	Fe	A.	Fe	RABIND
	Type of Land	Forest	Forest	Forest	Forest	Forest	Forest	Forest	Forest	
	UNFC	221	221	221	221	221	221	221	221	
	Resource Quantity (t)	1685	44364	22942	8036	1213246	132985	47381	1470639	
	Bulk Density (t/m³)	æ	m	м	к	m	т	т		137
	Volume (m³)	295	14788	7647	2679	404415	44328	15794		Page 53 of 137
	Depth (m)	0.50	3.00	0.50	0.50	7.00	2.00	1.50		
(551)	Influence (m)	100	100	100	100	100	100	100		
ES. < 33/0	Sectional area/ block area (in Sq mrt)	5.62	147.88	76.47	26.79	4044.15	443.28	157.94	Total	gned HOO .08.19 05:30
alculation of blocked resources, / 33/6 re (221)	Cross section/Bloc k	OTS/9X ⁻ 9X	X8_Y8/SLO	OTS/6A¯6X	X10_Y10/SL O	X11_Y11/SL O	X11_Y11/HL O/HMO	X11_Y11/LI 0		PRADIP Digitally signed by PRADIP WAS KUMAR SHOO DARE 3022.08.19 SAHOO 10-48.18 +05:30*
old to hol	Reserves blocked due to	Ultimate Pit Limit	Ultimate Pit Limit	Ultimate Pit Limit		PRA KUN SAF				
alcala	SI. No.		2	æ	4	2	9	7		



Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28) Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

Calculation of blocked resources: >45% Fe to <55 % Fe

od or cce rtio	e.e. ce	e. e. od	e e ce	e e ce	e e ce	616 m	\$ / a	
Method used for resource estimatio	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	7 Thyere Weten Disten	Square	
Grade (%)	51.97	47.74	48.3	50.34	50.92	As 3 With Badare	97.850	RABINDRA by RABINDRA MOHANTY MOHANTY Date: 2022 08.19 10.48.43 + 05.30
Name of the radical	Fe	Fe	Fe	F Đ	Fe	n O	Fe	RABINDRA MOHANTY
Type of Land	Forest	Forest	Forest	Forest	Forest	Forest	Forest	
UNFC	222	222	222	222	222	222	222	
Resource Quantity (t)	39313	203827	119140	57064	46278	61250	27410	
Bulk Density (t/m³)	2.7	2.7	2.7	2.7	2.7	2.7	2.7	Page 54 of 137
Volume (m³)	14560	75491	44126	21135	17140	22685	10152	Page 5.
Depth (m)	0.50	2.00	2.00	0.50	0.50	2.00	2.00	
Influence (m)	200	200	200	150	100	100	100	
Sectional area/ block area (in Sq mrt)	72.8	377.455	220.63	140.9	171.4	226.85	101.52	gned HOO 208.19 05130°
Cross section/Bl ock	X2_Y2/M R/SG	X1_Y1/M R/SG	X3_Y3/M R/SG	X4_Y4/M R/SG	X5_Y5/M R/SG	X6_Y6/M R/SG	X7_Y7/M R/SG	OIP Digitally signed by PRADIP BY PRADIP COMAR SAHOO Date: 2022.08.19
Reserves blocked due to	Ultimate Pit limit	Ultimate Pit limit	Ultimate Pit limit	Ultimate Pit Iimit	Ultimate Pit limit	Ultimate Pit limit	Ultimate Pit limit	PRADIP KUMAR SAHOO
SI. No.	Н	٧ .	ж	4	5	9	7	



Odisha Mining Corporation Ltd Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28) Rantha Iron Ore Mine

							1	The state of the s	
Method used for resource estimatio n	Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square IT Distance	Inverse Square Distance Method	
Grade (%)		49.03	50.22	49.34	51.59	51.96	47.85	Ty 9 (06 Squai	Ship A
Name of the radical		п	т. Ф	Fe	Fe .	Fe	g.	Đ.	
Type of Land		Forest	Forest	Forest	Forest	Forest	Forest	Forest	
UNFC		222	222	222	222	222	222	222	
Resource Quantity (t)		86801	367761	554388	184663	57164	17765	199151	
Bulk Density (t/m³)		2.7	2.7	2.7	2.7	2.7	2.7	2.7	
Volume (m³)		32148	136208	205329	68394	21172	6580	73760	
Depth (m)		1.00	4.00	3.00	2.00	10.00	2.00	1.00	
Influence (m)		100	100	100	100	100	200	200	
Sectional area/ block area (in Sq mrt)		321.48	1362.08	2053.29	683.94	211.72	32.9	368.8	
Cross section/Bl ock		X8_Y8/M R/SG	X9_Y9/M R/SG	X10_Y10/ MR/SG	X11_Y11/ MR/SG	X12_Y12/ MR/SG	X1_Y1/M R/SG	X3_Y3/M R/SG	
Reserves blocked due to		Ultimate Pit limit	Safety Zone (7.5 m safety barrier)	Safety Zone(50 m both side of nala)					
SI. No.		∞	6	10	11	12	13	14	

Page **55** of **137**

RABINDRA by RABINDRA MOHANTY MOHANTA M

PRADIP Digitally signed by PRADIP KUMAR SAHOO DATE: 2022.08.19
SAHOO 10:48:18 +05:30



isha Min	
Odi	
Mine	
n Ore	
Rantha Iron	
8	

Odisha Mining Corporation Ltd
Odisha
a Iron Ore Mine
σ

for Irce atio			į	1		1	A CONTRACTOR OF THE PARTY OF TH
Method used for resource estimatio n	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance	51.44 Square.
Grade (%)	48.63	47.2	49.02	48.77	48.68	48.69	51.44
Name of the radical	F.	F.	Fe	Fe	a 9	<u>а</u>	ਰ
Type of Land	Forest	Forest	Forest	Forest	Forest	Forest	Forest
UNFC	222	222	223	222	222	222	222
Resource Quantity (t)	21131	7031	2423	16706	8575	149219	18793
Bulk Density (t/m³)	2.7	2.7	2.7	2.7	2.7	2.7	2.7
Volume (m³)	7826	2604	868	6188	3176	55266	0969
Depth (m)	1.00	2.00	2.00	1.00	1.00	3.00	2.00
Influence (m)	150	100	101	100	100	100	100
Sectional area/ block area (in Sq mrt)	52.1733 3	26.04	8.89	61.88	31.76	552.66	9.69
Cross section/Bl ock	X4_Y4/M R/SG	X6_Y6/M R/SG	X7_Y7/M R/SG	X8_Y8/M R/SG	X9_Y9/M R/SG	X10_Y10/ MR/SG	X11_Y11/ MR/SG
Reserves blocked due to	Safety Zone(50 m both side of nala)	Safety Zone(7.5 m safety barrier)	Safety Zone(7.5 m safety	Safety Zone(7.5 m safety barrier)	Safety Zone(7.5 m safety barrier)	Safety Zone(7.5 m safety barrier)	Safety Zone(7.5 m safety
SI. No.	15	16	17	18	19	20	21

Page **56** of **137**

PRADIP Digitally signed by PRADIP BY PRADIP BY PRADIP BY PRADIP BY PRADIP BATE: 2022.08.19

RABINDRA BARGINGE MOHANTY DAE 200



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

for for rrce atio	pot	rse are nce od		
Method used for resource estimatio	Method	Inverse Square Distance Method		
Grade (%)		51.94	49.59	
Name of the radical		Fe	Fe	
Type of Land		Forest	Forest	
UNFC		222	222	
Resource Quantity (t)		24342	2270195	
Bulk Density (t/m³)		2.7		
Volume (m³)		9016		
Depth (m)		2.00		
Influence (m)		100		
Sectional area/ block area (in Sq mrt)		90.16	Total	
Cross section/Bl ock	section/Bl ock X12_Y12/ MR/SG			
Reserves blocked due to	barrier)	Safety Zone(7.5 m safety) January	
SI. No.		22		



Page **57** of **137**

PRADIP Digitally signed by fradit KUMAR KUMAR SAHOO Date: 2022,08.19
SAHOO 10:48:18 +05:30



Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28) Rantha Iron Ore Mine Odisha Mining Corporation Ltd

Calculation of blocked resources: >55% Fe (222)

Method used for resource estimation	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Wethod	diverse Square					
Grad e (%)	59.47	65.05	59.65	56.74	58.44	58.26	58.5	55.32	1000
Name of the radical	Fe	Fe	Fe	Fe	Ъ	ត	Б	Fe	
Type of Land	Forest	Forest	Forest	Forest	Forest	Forest	Forest	Forest	
UNFC code	222	222	222	222	222	222	222	222	T
Resource Quantity (t)	89621	40625	150403	20991	331262	30852	30352	51556	
Bulk Density (t/m³)	м	m	ю	Ж	m	m	m	m	7
Volume (m³)	29874	13542	50134	2669	110421	10284	10117	17185	
Depth (m)	1.00	1.00	2.00	1.00	2.00	1.00	2.00	2.00	
Influen ce (m)	200	200	200	200	200	150	150	100	
Sectional area/ block area (in Sq mtr)	149.37	67.71	250.67	34.985	552.105	68.56	67.44667	171.85	
Cross section/Bl ock	X2_Y2/5L0	X2_Y2/BL UE DUST	X3_Y3/SLO	X3_Y3/HL O/HMO	X3_Y3/SL0	X4_Y4/SLO	X4_Y4/SLO	X5_Y5/SLO	
Reserves blocked due to	Ultimate Pit Limit	Ultimate Pit Limit	Ultimate Pit Limit	Ultimate Pit Limit	Safety Zone(50 m both side of nala)	Ultimate Pit Limit	Safety Zone(50 m both side of nala)	Ultimate Pit	
SI. N	~	2	3	4	2	9	7	∞	

Page **58** of **137**

RABINDRA PANGENDA MOHANTY PARE 2025 FEMALE MOHANTY PARE 2025 FEMALE 10-28-43 +05-30

PRADIP Digitally signed by PRADIP BY PRADIP CONTROL BY PRADIP CONTROL BY PRADIP CONTROL BY PRADIP SAME A 105-38



Rantha Iron Ore Mine Odisha Mi

Odisha Mining Corporation Ltd

Page **59** of **137**

PRADIP Digitally signed by fixed Property By Bradin By Bare 2022,08.19
SAHOO 10:48:18 +05:30

MOHANTY



Iron Ore Mine Odisha Mining Corporation Ltd	
Rantha Iron Ore Mine	

Since the section of the section o
Preserves
Preserves
Preserves
PRADIP Depth Cook Alexandral February Cook Alexandral Alexandral Cook Alexandral Alexandral Cook Alexandral
Note
Note
Note
Neserves
Reserves Cross Sectional area/block blocked due section/Bl area (in Sq to ock mtr) Ultimate Pit X10_Y10/L 36.23 Safety Sarier) Safety barrier) Safety barrier) Safety barrier) Cone(7.5 m
Reserves Cross blocked due section/Bl to ock Ultimate Pit X10_Y10/L Limit lo Safety barrier) Safety barrier) Safety X10_Y10/L Safety barrier) Safety barrier) Safety X11_Y11/S Lo Lo Limit Lo Lo Limit Lo Lo Limit Lo Lo Limit HLO/HMO Safety barrier) Ultimate Pit X11_Y11/L Limit HLO/HMO Safety barrier) Safety X12_Y12/S Limit HLO/HMO Safety barrier) Ultimate Pit X11_Y11/L Lo Lo Lo Lo Limit HLO/HMO Safety barrier) Safety barrier) Vltimate Pit X11_Y11/S Lo Lo Lo Limit Lo Lo Lo Lo Limit Lo Lo Lo Limit Lo Lo Lo Limit Lo Lo Lo Limit Limit Lo Lo Lo Limit Lo Lo Lo Limit Limit Lo Lo Limit Limit Lo
Reserves C blocked due sect to complete to complete to complete to complete the complete to complete to complete the complete to complete the complete to complete the complete to complete to complete the com
Reserv blocked to to Ultimate Limit Safety ba Ultimate Limit Limit Safety ba Ultimate Limit
SI. N O. O. O. 20 22 22 23 23 23 25 25 25 25 25 27 27 27 27 27 27 27 27 27 27 27 27 27







Odisha Mining Corporation Ltd Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28) Rantha Iron Ore Mine

2.2.4.12: Calculation of Reserves: > 45% Fe to <55 %Fe (121)

Method used for resource estimation	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	lnverse Square Square Distance
Grade (%)	48.57	49.92	49.67	49.55	49.86	49.01
Name of the of radical	Fe	Fe	Fe	Fe	Fe	- Fe
Type of Land	Forest	Forest	Forest	Forest	Forest	Forest
UNFC	121	12.1	121	121	121	121
Reserves Quantity (t)	211251	162850	2392193	555842	1837929	1310257
Bulk Density (t/m³)	2.7	2.7	2.7	2.7	2.7	2.7
Volume (m³)	78241	60315	885997	205868	680715	485280
Depth (m)	7.30	3.00	16.90	9.00	14.00	13.20
Influence (m)	150	100	100	100	100	100
Sectional area/block area in Sq. mtr	522	603	8860	2059	6807	4853
Cross Section/Block	X4_Y4/MR/SG	X5_Y5/MR/SG	X6_Y6/MR/SG	X7_Y7/MR/SG	X8_Y8/MR/SG	X9_Y9/MR/SG
SI. No.	Н	2	т	4	ī.	9

RABINDRA DI RAZZONIO E POR MOHANTY DIRECTOR DI RAZZONIO E POR MOHANTY DIRECTOR DE PORTO E PORT

PRADIP Digitally signed by PRADIP KUMAR KUMAR SAHOO Date: 2022.08.19
SAHOO 104818 +05'30'

Page **61** of **137**



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

SI. No.	Cross Section/Block	Sectional area/block area in Sq.	Influence (m)	Depth (m)	Volume (m³)	Bulk Density (t/m³)	Reserves Quantity (t)	UNFC	Type of Land	Name of the of radical	Grade (%)	Method used for resource estimation
7	X10_Y10/MR/S G	4224	100	9.00	422367	2.7	1140390	121	Forest	Fe	48.7	Inverse Square Distance Method
∞	X11_Y11/MR/S G	3783	100	12.30	378275	2.7	1021343	121	Forest	Fe	49.68	Inverse Square Distance Method
				Total			8632055	121	Forest	Ъ	49.45	*

Calculation of Reserves: > 55% Fe (121)

γ				
Method used for resource estimation	Inverse Square Distance Method	Inverse Square Distance	Inverse Square Distance Method	
Grade (%)	58.55	57.07	58.7	
Name of the of radical	Fe	Fe	F.	
Type of Land	Forest	Forest	Forest	
UNFC	121	121	121	
Reserves Quantity (t)	395318	121267	1880743	
Bulk Density (t/m³)	ъ	٣	8	
Volume (m³)	131773	40422	626914	
Depth (m)	9.90	6.00	22.40	
Influence (m)	150	100	100	
Sectional area/block area in Sq. mtr	878.4867	404.22	6269.14	
Cross Section/Block	X4_Y4/SLO	X5_Y5/SLO	X7_Y7/SLO	
SI. No.	Н	2	m	



Page **62** of **137**

PRADIP Digitally signed by PRADIP EN PRADIP CONTRACT CONT



Review Rantha

n of Mining Plan & Progressive Mine Closure Plan	2027-28)	Odisha Mining Corporation Ltd
w of Mining Plan &	(2023-24 to 2027-28)	a Iron Ore Mine

Method used for resource estimation	Inverse Square Distance Method	Inverse Square Distance	Inverse 5 Distan	RABINDRA bytestering of the Mohanty Bate, 2022.08.19						
Grade (%)	57.93	58.53	57.42	58.4	57.86	59.92	61.98	57.08	58.66	RABINDRA by wellowing solid by MOHANTY Date, 2022,08 19
Name of the of radical	Fe	Fe	Fe	ā	Fe	Fe	Fe	Fe	Fe	RAE
Type of Land	Forest	Forest	Forest							
UNFC	121	121	121	121	121	121	121	121	121	
Reserves Quantity (t)	57860	28124	1763827	3971250	186858	2957009	876840	595027	4642215	137
Bulk Density (t/m³)	٣	ж	æ	т	٣	т	к	т	т	Page 63 of 137
Volume (m³)	19287	9375	587942	1323750	62286	985670	292280	198342	1547405	
Depth (m)	3.10	22.40	20.40	26.30	3.00	21.00	20.30	9.50	31.00	
Influence (m)	100	100	100	100	100	100	100	100	100	ned 100 98.19 530°
Sectional area/block area in Sq.	192.87	93.75	5879.42	13237.5	622.86	9856.7	2922.8	1983.42	15474.05	DIP Digitally signed by PRADIP Date: 202208.19 OO 10:48:18 +05:30*
Cross Section/Block	X7_Y7/LIO	X7_Y7/SLO	07S/9X ⁻ 9X	X8_YSLO	X8_Y8/LIO	OTS/6X ⁻ 6X	X9_Y9/НLО/Н МО	017/6X ⁻ 6X	X10_Y10/SLO	PRADIP KUMAR SAHOO
SI. No.	4	70	9	7	80	6	10	H	12	



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

· · · · · · · · · · · · · · · · · · ·			т		r	
Method used for resource estimation	Inverse Square Distance Method					
Grade (%)	61.24	57.15	57.26	62.32	55.7	58.57
Name of the of radical	Б	Fe	Fe	Fe	Fe	
Type of Land	Forest	Forest	Forest	Forest	Forest	
UNFC	121	121	121	121	121	
Reserves Quantity (t)	123750	242764	2991238	186143	125991	21146224
Bulk Density (t/m³)	m	ĸ	ĸ	m	к	
Volume (m³)	41250	80921	997079	62048	41997	
Depth (m)	20.00	9.90	20.00	5.00	6.00	
Influence (m)	100	100	100	100	100	Total
Sectional area/block area in Sq. mtr	412.5	809.21	9970.79	620.48	419.97	
Cross Section/Block	X10_Y10/HLO/ HMO	X10_Y10/LIO	X11_Y11/SLO	X11_Y11/HLO/ HMO	X11_Y11/LIO	
SI. No.	13	14	15	16	17	



Page **64** of **137**

PRADIP Digitally signed by PRADIP KUMAR KUMAR SAHOO DATE, 2022 (8.19 SAHOO TOAR18 +05:30



Odisha Mining Corporation Ltd Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28) Rantha Iron Ore Mine

Calculation of Reserves: > 45% Fe to <55 %Fe (122)

							politica a garage
Method used for resource estimation	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	O.67 Transerse O.67 Method	RABINDRA DY RESIDENCE MOHANTY DATE 2027 08 19 10.48.43 + 08 39
Grade (%)	51.33	47.41	48	50.32	51.04	50.67	ADRA MOHA
Name of the of radical	Fe	Fe	Fe	9.	Fe	Fe	RABIN
Type of Land	Forest	Forest	Forest	Forest	Forest	Forest	
UNFC	122	122	122	122	122	122	
Reserves Quantity (t)	1991465	509852	6231198	1312552	785397	1754037	37
Bulk Density (t/m³)	2.7	2.7	2.7	2.7	2.7	2.7	Page 65 of 137
Volume (m³)	737580	188834	2307851	486130	290888	649643	
Depth (m)	9.00	10.00	13.00	7.30	3.00	16.90	
Influence (m)	200	200	200	150	100	100	
Sectional area/block area in Sq mtr	3687.9	944.17	11539.26	3240.867	2908.88	6496.43	P Digitally signed by PRADIP KUMAR SAHOO Date: 202208.19
Cross Sectinon/Block	X2_Y2/MR/SG	X1_Y1/MR/SG	X3_Y3/MR/SG	X4_Y4/MR/SG	X5_Y5/MR/SG	X6_Y6/MR/SG	PRADIP KUMAR SAHOO
SI. No.	-	2	8	4	72	9	



Odisha Mining Corporation Ltd Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28) Rantha Iron Ore Mine

Method used for resource estimation	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	
Grade (%)	51.11	49.13	48	48.54	51.11	49.29
Name of the of radical	Fe	Ā.	Fe	Fe	ъ Ф	g.
Type of Land	Forest	Forest	Forest	Forest	Forest	Forest
UNFC	122	122	122	122	122	122
Reserves Quantity (t)	806202	1000311	1023737	326542	22971	15764264
Bulk Density (t/m³)	2.7	2.7	2.7	2.7	2.7	
Volume (m³)	298593	370486	379162	120941	8208	
Depth (m)	22.40	14.00	13.20	9.50	12.30	Total
Influence (m)	100	100	100	100	100	
Sectional area/block area in Sq mtr	2985.93	3704.86	3791.62	1209.41	85.08	
Cross Sectinon/Block	X7_Y7/MR/SG	X8_Y8/MR/SG	X9_Y9/MR/SG	X10_Y10/MR/S G	X11_Y11/MR/S G	
SI. No.	7	8	6	10	11	



Page **66** of **137**

PRADIP Digitally signed by PRADIP KUMAR SAHOO DATE: 2022,8819
SAHOO 10:48:18 +05:30



Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28) Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

Calculation of Reserves: > 55% Fe (122)

כמונ	במוכמומנוטוו טו וזכטכו עכט.		/)									
SI. No.	Cross Sectinon/Block	Sectional area/block area in Sq mtr	Influence (m)	Depth (m)	Volume (m³)	Bulk Density (t/m³)	Reserves Quantity (t)	UNFC	Type of Land	Name of the of radical	Grade (%)	Method used for resource estimation
\vdash	X2_Y2/5L0	7171.99	200	10.50	1434398	m	4303195	122	Forest	Fe	58.32	Inverse Square Distance Method
2	X2_Y2/BLUE DUST	7942.91	200	24.70	1588582	3	4765746	123	Forest	Fe	64.75	Inverse Square Distance Method
33	X3_Y3/5L0	7850.495	200	14.50	1570099	E.	4710297	124	Forest	Fe	57.46	Inverse Square Distance Method
4	X3_Y3/HLO/H MO	165.44	200	2.70	33088	8	99263	125	Forest	Fe	56.74	Inverse Square Distance Method
2	X3_Y3/LIO	462.905	200	6.00	92581	æ	277742	126	Forest	Fe	56.55	Inverse Square Distance Method
9	X4_Y4/SLO	2557.787	150	11.20	383668	m	1151003	127	Forest	Fe	58.25	Inverse Square Distance Method
7	X4_Y4/LIO	149.8133	150	2.40	22472	æ	67417	128	Forest	Fe	56.06	Inverse Square Distance Method
∞	X5_Y5/SLO	4693.91	100	7.00	469391	33	1408173	129	Forest	Fe	14 US 56	58.56 Distance
	PRADIP	P Digitally signed by PRADIP AR KUMAR SAHOO DATE: 2022.08.19	D 05			Page 67 of 137	37			RABIN	ANTY POR	RABINDRA IN CHANGE CO.

PRADIP Digitally signed by PRADIP KUMAR KUMAR SAHOO Date: 2022:08.19 SAHOO



Review of Mining Plan & Progressive Mine Closure Plan Ran

	(2023-24 to 2027-28)	Odisha Mining Corporation Ltd
)	(2023-24	ntha Iron Ore Mine

		0)	0.	<i>a</i>)	a)	(1)	(1)	0)	
Method used for resource estimation	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Mẹthod	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	Inverse Square Distance Method	1 5 55.03 C. Distance	RABINDAN FORMANY MOHANTY DARE 2022 08 19 10.48.43 +053 30
Grade (%)	56.06	59	57.63	59.98	57.87	59.88	57.72	55.03	ADRA ESPAGA
Name of the of radical	Fe	Fe	. Б	Б	ъ	Fe	Fe	A FLI	RABINDA
Type of Land	Forest	Forest							
UNFC	130	131	132	133	134	135	136	137	
Reserves Quantity (t)	39920	2886777	250026	1654101	3984	1781752	1263072	91711	37
Bulk Density (t/m³)	æ	æ	æ	m	က	т	co .	ĸ	Page 68 of 137
Volume (m³)	13307	962259	83342	551367	1328	593917	421024	30570	
Depth (m)	0.50	20.40	9.00	22.40	3.10	26.30	21.00	9.50	
Influence (m)	100	100	100	100	100	100	100	100	
Sectional area/block area in Sq mtr	133.07	9622.59	833.42	5513.67	13.28	5939.17	4210.24	305.7	P Digitally signed by Parabili KWARS 84900 Date: 2022.08.19
Cross Sectinon/Block	X5_Y5/LIO	018/9Х-9х	MO MO MO	018/7Y_X	0IJ/LY_X	X8_Y8/5L0	018/6_ex	011/6Y_6X	PRADIP KUMAR SAHOO
SI. No.	6	10	4	12	13	14	15	16	



Rantha Iron Ore Mine Odisha Minin

Odisha Mining Corporation Ltd

SI.	Cross Sectinon/Block	Sectional area/block area in Sq mtr	Influence (m)	Depth (m)	Volume (m³)	Bulk Density (t/m³)	Reserves Quantity (t)	UNFC	Type of Land	Name of the of radical	Grade (%)	Method used for resource estimation
17	X10_Y10/SLO	1703.14	100	31.20	170314	m	510941	138	Forest	Fe	60.72	Inverse Square Distance Method
18	X10_Y10/LIO	191	100	9.50	19100	m	57299	139	Forest	Fe	55.03	Inverse Square Distance Method
19	X11_Y11/SLO	164.2	100	26.00	16420	m	49259	140	Forest	Fe	60.1	Inverse Square Distance Method
20	X11_Y11/LIO	3.32	100	7.50	332	m	995	141	Forest	Fe	55.62	Inverse Square Distance Method
21	X11_Y11/HLO/ HMO	5.99	100	7.00	599		1796	142	Forest	Fe	57.76	Inverse Square Distance Method
			Total				25374469				59.63	,



Mineral	Hematite (Iron Ore)
Reserves/ Resources estimated as on	30/06/2022
UNIT of estimation	Metric Ton



of 137

PRADIP Digitally signed by PRADIP KUMAR KUMAR SAHOO Date: 2022.08.19

Page **69** of **137**



Odisha Mining Corporation Ltd Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28) Rantha Iron Ore Mine

apoo			Qua	Quantity	Total	Ţ.	Grand	Forest	ts	Gra Non-Forest	Grade	Total	le le	
Forest Nor	a	OZ U	<u> </u>	p	e=(a+c)	f=(b+d)	Total g=(e+f)	% e	»q	%	d %	e %	f%	Total g %
Fe>45% to Fe>55% to <55% to <55%		Fe>45% to <55%	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Fe>55%	Fe>45% to <55%	Fe>55%	Fe>45%	Fe>45% to <55%	Fe >55%	Fe>45% to <55%	Fe >55%	Fe>45% to <55%	Fe >55%	Fe >45%
111 Nil Nil		Ë		Nii	Nil	ΞZ	II.	ï.	Z	N.	ΞZ	Ξ	ΞZ	· Z
121 8632055 21146224 Nil		ī. Ž		Ë	8632055	21146224	29778279	49.45	58.57	Z.	ΞZ	49.45	58.56	55.73
122 15764264 25374469 Nil		ΞĒ		ΞΞ	15764264	25374469	41138733	49.29	59.63	ΞΞ	Z	49.29	59.63	55.66
24396319 46520693 Nil		Ē		Ē	24396319	46520693	70917012	49.34	59.16	Ē	Ē	49.34	59.16	55.68
Fe>45% to Fe>55% to <55% to <55%		Fe>45% to <55%		Fe>55%	Fe>45% to <55%	Fe>55%	Fe>45%	Fe>45% to <55%	Fe >55%	Fe>45% to <55%	Fe >55%	Fe>45% to <55%	Fe >55%	Fe >45%
211 Nil Nil		II.		N.	ΞZ	Z	Ë	I.	Ë	Ē	Z	Z.	Z	Z
221 294811 1470639 Nil		Ē		N:	294811	1470639	1765450	49.6	58.32	Ξ	Z E	#3.6.	158:32	56.86
PRADIP Digitally signed KUMAR KUMAR SAHOO SAHOO 10-18:18 +05'30'					Page 70 of 137	ք 137				M R	ABINDRA	RABINDRA With Missing Comments of the Comments	Pannesh Passiva Passiv	र जुरूर



Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28) Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

:	әр				Quantity							Grade			
Classification	100	Forest	est	Non-Forest	orest	Total	tal	Grand Total	Forest	sst	Non-Forest	rest	Total	-a	G. Total
		ø	q	ú	ъ	e=(a+c)	(p+q)=	g=(e+f)	а %	% q	% Э	% p	% ə	% J	% B
3. Prefeasibility Mineral Resource (B)	222	2270195	4607893	ΞΞ	ΞΞ	2270195	4607893	6878088	49.59	60.43	Ë	Ë	49.59	60.43	56.85
4. Measured Mineral Resource (B)	331	ΞZ	Nil	Nil	Ν̈́	Nii	ΞΞ	Ë	Ξ Z	ΞZ	Ë	Ë	Ξ. Z	Ë	Ë
5. Indicated Mineral Resource (B)	332	Nii	ΙΪΝ	Nil	Ë	Nii	ΞΞ	Ë	 Z	Ξ Z	Ë	Ξ Z	Ë	Ë	Ë
6. Inferred Mineral Resource (B)	333	ΞZ	ΙΪΝ	li N	Ξ	Ë	ΞZ	Ë	Z	 Z	Ë	ii.	Ë	II.	Ë
7. Reconnaissance Mineral Resource (B)	334	Nil	Nil	Nil	ïŻ	Ξ	ΞΞ	ΞΞ	Ë	 Z	Ξ Ż	Ë	= Z	ΞZ	Ē
Total (B)		2565006	6078532	ΞZ	Ë	2565006	6078532	8643538	49.59	59.92	Ë	Ë	49.59	59.92	56.85
Grand Total (A + B)		26961325	52599225	li N	Ī	26961325	52599225	79560550	49.36	59.24	Ξ	Nil	49.3617	269.24	55.8
PRA KUN SAH	PRADIP KUMAR SAHOO	Digitally signed by PRADIP KUMAR SAHOO Date: 2022.08.19				Page 71 of 1 37	f 137				A A	GONT OF INDIVATA	RABINDRA BY MOHANTY MO	CALL STATES OF SOURCE S	



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

2.5: Future Exploration Proposal:

2.2.5.1: Geological Mapping:

			The state of the s
Sl. No.	Year	Scale	Area Covered (ha)
		Nil	

2.2.5.2: Ground Geophysical Survey: Not Applicable.

Sl. No.	Type of Survey	Spacing (m)	Total line (km)	Area Covered (ha)	Latitude	Longitude
			Not Applicable.			

2.2.5.3: Pitting: Not Applicable.

Number of pits
Not Applicable.

SI.	Year	Land	Pit ID	Length of Pit	Width of Pit	Depth of Pit	Latitude	Longitude
No.		type		(m)	(m)	(m)		
			· · · · · · · · · · · · · · · · · · ·	Not A _l	oplicable.			

2.2.5.4: Trenching: Not Applicable.

Number of Trenches: Not Applicable.

2.2.5.4.1: Spacing: Not Applicable.

	Spacing	
Min (m)	Max (m)	Avg (m)
	Not Applicable.	

2.2.5.4.2 Area Covered Under Trenching: Not Applicable.

Co-ordinates:

Latitude	Longitude
Not A	oplicable.

S	- 1	Trench ID	Length of Trench (m)	Width of Trench (m)	Depth of Trench (m)	Litho Unit Exposed	Average Grade (%)	Running Meters (m)	From Longitude	To Latitude	To Longitude
						Not a	Applicable.				



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

2.2.5.5: Exploratory Drilling: The future exploration proposal are required only in G2 & G3 area.

2.2.5.5.1:Core/Non-core Drilling: Core Drilling

			In forest are	а			In N	Ion-forest				
SI.No	Year	No. of borehole	Total mtr	Type of boreho le	Grid interva I	No. of bore holes	Total mtr	Type of borehole	Grid interva I	Total borehole	Total Mtr	Attach- ment
1	2023- 24	114	Each borehole @ 100mtrs or till the end of mineralisation /discontinuation of ore body, whichever is earlier.	Core	100 mtr x 100 mtr	Nil	NIL	Nil	NIL	114	Each borehole @ 100mtrs or till the end of mineralisation /discontinuation of ore body, whichever is earlier.	
2	2024- 25	23	Each borehole @ 60 mtrs or till the end of mineralisation /discontinuation of ore body, whichever is earlier.	Core	200 mtr x 200 mtr	Nil	NIL	Nil	NIL	23	Each borehole @ 60mtrs or till the end of mineralisation /discontinuation of ore body, whichever is earlier.	
Total	2 years	137	Each borehole @ 100/60 mtrs or till the end of mineralisation /discontinuation of ore body, whichever is earlier.	Core	100 mtr x 100 mtr & 200 mtr x 200 mtr	Nil	NIL	Nil	NIL	137	Each borehole @ 100/60 mtrs or till the end of mineralisation /discontinuation of ore body, whichever is earlier.	





Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

						T			2 GENNIER	The state of the s
Year						Propose		Forest/Non	Surfaçe	(162 ' 4.1.N)
of	Propose	Northing	Easting	Collar	Core/RC	d Depth	Inclination	Forest:	/ Right/No	for site
drillin	d BH No		20316	RL	/DTH	(In Mtr)		diverted/Non	n surfaçe	,≩electio
g								Diverted	right area	5 x y
								1 4	Non Non Surface	Sonth
	PBH 01	2407900	308366.8	826.8	Core	100	Vertical	Forest	Şürface	Depth
									Right	proving
									Non-	
	PBH 02	2408000	308366.8	815	Core	100	Vertical	Forest	Surface	Depth
									Right	proving
									Non-	
	PBH 03	2408100	308166.8	811	Core	100	Vertical	Forest	Surface	Depth
	1 111 03	2400100	300100.0	011	Corc	100	Vertical	101030	Right	proving
	DDLI O4	2400500	200267	027	C	100		F	Non-	G2 to G1
	PBH 04	2408500	308267	827	Core	100	Vertical	Forest	Surface	potential
									Right	
									Non-	Depth
	PBH 05	2407885	308266.8	829	Core	100	Vertical	Forest	Surface	proving
									Right	proving
									Non-	Depth
	PBH 06	2407888	308166.8	842	Core	100	Vertical	Forest	Surface	
									Right	proving
									Non-	
1st	PBH 07	2407686	308362.7	871	Core	100	Vertical	Forest	Surface	Depth
Year									Right	proving
2023-									Non-	
24	PBH 08	2407788	308466.8	850	Core	100	Vertical	Forest	Surface	Depth
							10.000	, 0, 00	Right	proving
									Non-	
	PBH 09	2407688	308569.9	894	Core	100	Vertical	Forest	Surface	Depth
	FBITUS	2407000	300303.3	054	Core	100	vertical	rorest		proving
									Right	
					_			_	Non-	G2 to G1
	PBH 10	2408100	308667	889	Core	100	Vertical	Forest	Surface	potential
									Right	'
									Non-	G2 to G1
	PBH 11	2408000	308667	876	Core	100	Vertical	Forest	Surface	potential
									Right	potential
									Non-	C2 += C1
	PBH 12	2408500	308067	852	Core	100	Vertical	Forest	Surface	G2 to G1
									Right	potential
									Non-	
	PBH 13	2407588	308366.8	855	Core	100	Vertical	Forest	Surface	Depth
									Right	proving
									Non-	
	PBH 14	2407588	308566.9	846.2	Core	100	Vertical	Forest	Surface	Depth
	FDII 14	240/300	500500.5	040.2	Core	100	VEILICAI	FOLEST		proving
			and the same of th		L		<u> </u>		Right	







Review of Mining Plan & Progressive Mine Closure Plan 2027-28) Odisha Mining Corporation Ltd (2023-24 to 2027-28)

Rantha Iron Ore Mine

Year of	Propose	Northing	Easting	Collar	Core/RC	Propose d Depth	Inclination	Forest/Nor Forest-	Dight /Nin	folgital 1
drillin g	d BH No	Northing	Lusting	RL	/DTH	(In Mtr)	meimation	diverted/Non Diverted	n surface right area	selection of An
	PBH 15	2407488	308466.8	850	Core	100	Vertical	Forest	Non- Surface Right	Depth proving
	PBH 16	2407508	308366.8	818	Core	100	Vertical	Forest	Non- Surface Right	Depth proving
	PBH 17	2408200	308367	880.5	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 18	2408100	308067	860	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 19	2408100	307967	856.5	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 20	2408100	307867	845	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 21	2407588	308666.8	829.2	Core	100	Vertical	Forest	Non- Surface Right	Depth proving
	PBH 22	2407688	308666.8	800	Core	100	Vertical	Forest	Non- Surface Right	Depth proving
	PBH 23	2407788	308555.8	792	Core	100	Vertical	Forest	Non- Surface Right	Depth proving
	PBH 24	2407677	307579.8	792.6	Core	100	Vertical	Forest	Non- Surface Right	Depth proving
	PBH 25	2408000	307367	801.6	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 26	2407288	308367.7	815	Core	100	Vertical	Forest	Non- Surface Right	Depth proving
	PBH 27	2408000	307967	864.3	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 28	2407900	307667	845	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential



rogressive Mine Closure Plan 2027-28) Odisha Mining Corporation Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28)

Rantha Iron Ore Mine

Year				_ 11		Propose		Forest/Non	Surface;(Reason
of drillin	Propose d BH No	Northing	Easting	Collar RL	Core/RC /DTH	d Depth (In Mtr)	Inclination	Forest- diverted/Non	Right/No.	for site
g	4 211 / 10				,	(III IVILI)		Diverted	N 2-	517)
	PBH 29	2407900	307467	823.5	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 30	2407800	307367	809	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 31	2407800	307467	834	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 32	2407800	307567	850.5	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 33	2407800	307667	861.5	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 34	2407800	307767	854.3	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 35	2407800	307845	843	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 36	2407800	307967	863	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 37	2407800	308167	927	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 38	2407700	307667	874	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 39	2407700	307467	842	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
-	PBH 40	2407600	307367	844.7	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 41	2407600	307467	850	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 42	2407600	307567	864.4	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential





Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28) Rantha Iron Ore Mine Odisha Mining Corporation

Year						Propose		Forest/Non	"Surtace	Reason
of	Propose	Northing	Easting	Collar	Core/RC	d Depth	Inclination	Forest-	Right/No -	for site
drillin	d BH No		J	RL	/DTH	(In Mtr)	·	diverted/Non	n surface=	
g								Diverted	right area	n
					_				Non-	G2 to G1
	PBH 43	2407600	307667	881	Core	100	Vertical	Forest	Surface	potential
									Right	
	2211.44	2427500	207767	202 5		100		. .	Non-	G2 to G1
	PBH 44	2407600	307767	893.5	Core	100	Vertical	Forest	Surface	potential
									Right Non-	
	DDII 4E	2407600	200167	007	Coro	100	Vortical	Forest		G2 to G1
	PBH 45	2407600	308167	887	Core	100	Vertical	Forest	Surface Right	potential
									Non-	
	PBH 46	2407500	307767	94.6	Core	100	Vertical	Forest	Surface	G2 to G1
	F B11 40	2407300	307707	54.0	Core	100	Vertical	101630	Right	potential
									Non-	
	PBH 47	2407500	307667	870	Core	100	Vertical	Forest	Surface	G2 to G1
	1 211 17	2107500	30,00.	3.0	00.0				Right	potential
									Non-	
	PBH 48	2407500	307467	850	Core	100	Vertical	Forest	Surface	G2 to G1
									Right	potential
									Non-	60. 64
	PBH 49	2407400	307367	839	Core	100	Vertical	Forest	Surface	G2 to G1
									Right	potential
									Non-	G2 to G1
	PBH 50	2407400	307467	845	Core	100	Vertical	Forest	Surface	1
						5 ()			Right	potential
									Non-	G2 to G1
	PBH 51	2407400	307567	846.7	Core	100	Vertical	Forest	Surface	potential
									Right	potential
									Non-	G2 to G1
	PBH 52	2407400	307667	850	Core	100	Vertical	Forest	Surface	potential
									Right	P • • • • • • • • • • • • • • • • • • •
									Non-	G2 to G1
	PBH 53	2407400	307867	909	Core	100	Vertical	Forest	Surface	potential
									Right	
								_	Non-	G2 to G1
	PBH 54	2407400	308067	927.6	Core	100	Vertical	Forest	Surface	potential
									Right	
		0.40=:==	200:	00==		400			Non-	G2 to G1
	PBH 55	2407400	308167	907.7	Core	100	Vertical	Forest	Surface	potential
					1				Right	
	D011.50	2407400	200267	200		100	V	F 1	Non-	G2 to G1
	PBH 56	2407400	308267	896	Core	100	Vertical	Forest	Surface	potential
									Right	



Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28) Rantha Iron Ore Mine Odisha Mining Corporation Ltd

								1 1	** *** ** ** ************************	1501
Year						Propose		Forest/Non	Surface	Réason
of	Propose	N1 41 1	F+:	Collar	Core/RC	d Depth	Inclination	Forest-	Right/No.	ofor site
drillin	d BH No	Northing	Easting	RL	/DTH	(In Mtr)	inclination	diverted/Non	n surface.	
g						,		Diverted	right area	n
									Non-	
	PBH 57	2407400	308367	900.5	Core	100	Vertical	Forest	Surface	G2 to G1
	1 5/1 5/	2107100	500507	300.0		,			Right	potential
									Non-	
	PBH 58	2407400	308467	900	Core	100	Vertical	Forest	Surface	G2 to G1
	FB11 30	2407400	300407	500	Corc	100	Vertical	101636	Right	potential
									Non-	
	5511.50	2407400	2005.67	014	Cana	100	Vartical	Caract		G2 to G1
	PBH 59	2407400	308567	914	Core	100	Vertical	Forest	Surface	potential
									Right	
								_	Non-	G2 to G1
	PBH 60	2407400	308667	939	Core	100	Vertical	Forest	Surface	potential
									Right	
									Non-	G2 to G1
	PBH 61	2407300	308467	930	Core	100	Vertical	Forest	Surface	potential
									Right	poterreia
									Non-	G2 to G1
	PBH 62	2407300	308267	926	Core	100	Vertical	Forest	Surface	
									Right	potential
									Non-	62 . 64
	PBH 63	2407300	308067	932	Core	100	Vertical	Forest	Surface	G2 to G1
									Right	potential
									Non-	
	PBH 64	2407300	307867	894.5	Core	100	Vertical	Forest	Surface	G2 to G1
	1 517 04	2407300	307007	05 1.5	00.0	100			Right	potential
									Non-	
	חחוו כר	2407200	207767	855	Core	100	Vertical	Forest	Surface	G2 to G1
	PBH 65	2407300	307767	033	Core	100	Vertical	101631	Right	potential
									-	
						100		F	Non-	G2 to G1
	PBH 66	2407300	307667	838	Core	100	Vertical	Forest	Surface	potential
									Right	
									Non-	G2 to G1
	PBH 67	2407300	307467	831	Core	100	Vertical	Forest	Surface	potential
									Right	P
									Non-	G2 to G1
	PBH 68	2407200	307367	807.6	Core	100	Vertical	Forest	Surface	potential
									Right	potential
									Non-	C2+: C1
	PBH 69	2407200	307467	826	Core	100	Vertical	Forest	Surface	G2 to G1
									Right	potential
									Non-	
	PBH 70	2407200	307567	831.6	Core	100	Vertical	Forest	Surface	G2 to G1
	1 511 70	210/200	30,30,	031.0					Right	potential
									1	1



rogressive Mine Closure Plan 2027-28) Odisha Mining Corporation Ltd Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28)

Rantha Iron Ore Mine


Year	· · · · · · · · · · · · · · · · · · ·					Propose		Forest/Non \	Súrface.	Reason
of	Propose		_	Collar	Core/RC	d Depth		Forest-	Right/No	
drillin	d BH No	Northing	Easting	RL	/DTH	(In Mtr)	Inclination	diverted/Non	n surface ;	
g						(Diverted	right area	n
									Non-	C2 += C1
	PBH 7 1	2407200	307667	844	Core	100	Vertical	Forest	Surface	G2 to G1 potential
									Right	potentiai
									Non-	G2 to G1
	PBH 72	2407200	307767	868.4	Core	100	Vertical	Forest	Surface	potential
									Right	
								_	Non-	G2 to G1
	PBH 73	2407200	307867	901	Core	100	Vertical	Forest	Surface	potential
									Right	
	PBH 74	2407200	307967	926.4	Core	100	Vertical	Forest	Non-	G2 to G1
	PDN 74	2407200	307907	920.4	core	100	Vertical	Forest	Surface Right	potential
									Non-	
	PBH 75	2407200	308067	951	Core	100	Vertical	Forest	Surface	G2 to G1
		2.0,200		332	00.0		10.1.00	. 0, 050	Right	potential
									Non-	
	PBH 76	2407200	308167	954.6	Core	100	Vertical	Forest	Surface	G2 to G1
				The same same same same same same same sam					Right	potential
									Non-	G2 to G1
	PBH 77	2407200	308267	960	Core	100	Vertical	Forest	Surface	potential
									Right	potential
									Non-	G2 to G1
	PBH 78	2407200	308367	969	Core	100	Vertical	Forest	Surface	potential
									Right	
	2011.70	2407200	200467	074		100			Non-	G2 to G1
	PBH 79	2407200	308467	974	Core	100	Vertical	Forest	Surface	potential
									Right	
	PBH 80	2407200	308549	968	Core	100	Vertical	Forest	Non- Surface	G2 to G1
	FBITOU	2407200	300343	308	Core	100	Vertical	rorest	Right	potential
									Non-	
	PBH 81	2407100	308467	1002.6	Core	100	Vertical	Forest	Surface	G2 to G1
	7 277 32	2.0.200	200107	2002.0	00.0				Right	potential
									Non-	
	PBH 82	2407100	308267	982	Core	100	Vertical	Forest	Surface	G2 to G1
									Right	potential
									Non-	G2 to C1
	PBH 83	2407100	308067	965.4	Core	100	Vertical	Forest	Surface	G2 to G1 potential
									Right	potential
									Non-	G2 to G1
	PBH 84	2407100	307867	922	Core	100	Vertical	Forest	Surface	potential
								TO THE PROPERTY OF THE PROPERT	Right	,



Odisha Mining Corporation Ltd Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28)

Rantha Iron Ore Mine

Year	D			Callar	Coro/DC	Propose		Forest/Non Forest-	Sunface Right/No n	
of drillin	Propose d BH No	Northing	Easting	Collar RL	Core/RC /DTH	d Depth (In Mtr)	Inclination	diverted/Non	n surface!	selectio
g						(,		Diverted	right area	n
	PBH 85	2407100	307667	855	Core	100	Vertical	Forest	Non- Surface	G2 to G1
									Right	
	PBH 86	2407100	307467	835	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
									Non-	
	PBH 87	2407000	307367	809.5	Core	100	Vertical	Forest	Surface Right	G2 to G1 potential
	DD11 00	2407000	207467	920	Cono	100	Vortical	Forest	Non- Surface	G2 to G1
	PBH 88	2407000	307467	829	Core	100	Vertical	rorest	Right	potential
	PBH 89	2407000	307567	847.6	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 90	2407000	307667	867	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 91	2407000	307767	885	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 92	2407000	307867	857.5	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 93	2407000	307967	935.9	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 94	2407000	308067	952.8	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 95	2407000	308167	971	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 96	2407000	308267	990	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 97	2407000	308367	1004.5	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 98	2407000	308467	1017	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential








Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28) Rantha Iron Ore Mine Odisha Mining Corporation Ltd

Year of	Propose			Collar	Core/RC	Propose d Depth		Forest/Non Forest-	Surface W Right/No	
drillin	d BH No	Northing	Easting	RL	/DTH	(In Mtr)	Inclination	diverted/Non	n surface	selectio
g			,					Diverted	right area Non-	n
	PBH 99	2407000	308549	1012.5	Core	100	Vertical	Forest	Surface Right	G2 to G1 potential
	PBH 100	2406900	308467	1010	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 101	2406900	308267	967	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 102	2406900	308064	922	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 103	2406900	307867	881	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 104	2406900	307767	861.5	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 105	2406800	307867	857	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 106	2406800	307967	869,7	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 107	2406800	308067	889	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 108	2406800	308167	907.7	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 109	2406800	308267	926	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 110	2406800	308367	962	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 111	2406800	308467	996	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential
	PBH 112	2406713	308267	948	Core	100	Vertical	Forest	Non- Surface Right	G2 to G1 potential







Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28) Rantha Iron Ore Mine Odisha Mining Corporation Ltd

								1100 0		311
Year			100			Propose		Forest/Non-	Surface *	Reason
of	Propose	Northing	Easting	Collar	Core/RC	d Depth	Inclination			
drillin	d BH No	110111111111111111111111111111111111111	2031118	RL	/DTH	(In Mtr)		diverted/Non		selectio
g								Diverted	right area	n
									Non-	G2 to G1
	PBH 113	2406713	308067	908.5	Core	100	Vertical	Forest	Surface	potential
								-	Right	poteritiai
									Non-	G2 to G1
	PBH 114	2406713	307967	898.8	Core	100	Vertical	Forest	Surface	potential
									Right	potential
						,			Non-	Barren
	PBH 115	2406800	307367	840	Core	60	Vertical	Forest	Surface	
									Right	proving
									Non-	Barren
	PBH 116	2406800	307567	837.1	Core	60	Vertical	Forest	Surface	
									Right	proving
									Non-	Dawe
	PBH 117	2406800	307767	848.9	Core	60	Vertical	Forest	Surface	Barren
									Right	proving
									Non-	D
	PBH 118	2407700	307967	855.85	Core	60	Vertical	Forest	Surface	Barren
									Right	proving
									Non-	
	PBH 119	2407600	307967	881.89	Core	60	Vertical	Forest	Surface	Barren
		,		8					Right	proving
									Non-	
2 nd	PBH 120	2407500	308067	905.18	Core	60	Vertical	Forest	Surface	Barren
year				7					Right	proving
2024-									Non-	_
25	PBH 121	2407500	308267	888.97	Core	60	Vertical	Forest	Surface	Barren
				8					Right	proving
									Non-	
	PBH 122	2408200	307867	846.44	Core	60	Vertical	Forest	Surface	Barren
				3					Right	proving
								-	Non-	_
	PBH 123	2408200	308067	856.74	Core	60	Vertical	Forest	Surface	Barren
				4					Right	proving
									Non-	
	PBH 124	2408200	308267	882.89	Core	60	Vertical	Forest	Surface	Barren
				6					Right	proving
									Non-	
	PBH 125	2408200	308467	852.22	Core	60	Vertical	Forest	Surface	Barren
	. 5.1125	2.03200	200107	2					Right	proving
									Non-	
	PBH 126	2408400	307867	860	Core	60	Vertical	Forest	Surface	Barren
	1 211 120	2-00+00	307007	000	2016		v Ci cicai	101030	Right	proving
									Migitt	



<u> U Lv.</u>		DOD I/			(2023-2	4 10 2027			A PARTY OF THE PAR	The state of the s
	HEW OP	PORTUNITIES	Ran	tha Iron	Ore Mine	Odis	ha Mining (Corporation L	td S	工分
<u></u>									A NOT MI	
Year of drillin	Propose d BH No	Northing	Easting	Collar RL	Core/RC /DTH	Propose d Depth	Inclination	Forest/Non Forest- diverted/Non	Right/No.	Reason for site of
g	Q BH NO			1/1	/0111	(In Mtr)		Diverted	right orea	
5	PBH 127	2408400	308067	863.90 8	Core	60	Vertical	Forest	Non- Surface Right	Barren proving
!	PBH 128	2408400	308267	845.55 6	Core	60	Vertical	Forest	Non- Surface Right	Barren proving
	PBH 129	2408400	308467	825.48 8	Core	60	Vertical	Forest	Non- Surface Right	Barren proving
	PBH 130	2408300	308667	870.82	Core	60	Vertical	Forest	Non- Surface Right	Barren proving
	PBH 131	2408700	308667	825.70 9	Core	60	Vertical	Forest	Non- Surface Right	Barren proving
	PBH 132	2408900	308667	802.23 7	Core	60	Vertical	Forest	Non- Surface Right	Barren proving
	PBH 133	2409100	308667	811.45 7	Core	60	Vertical	Forest	Non- Surface Right	Barren proving
	PBH 134	2409300	308667	764.87 4	Core	60	Vertical	Forest	Non- Surface Right	Barren proving
	PBH 135	2409500	308667	757.23 7	Core	60	Vertical	Forest	Non- Surface Right	Barren proving
	PBH 136	2409700	308667	719.91 6	Core	60	Vertical	Forest	Non- Surface Right	Barren proving
	PBH 137	2408500	308667	828.11	Core	60	Vertical	Forest	Non- Surface Right	Barren proving

- a. The locations are spaced suitably (in a grid pattern to the extent possible and may be modified depending on structural complexity) for establishing existence of the ore body and its lateral and vertical continuity.
- b. *100 / *60 each borehole drilled @ 100mtrs / @60 mtrs or till the end of mineralization /discontinuation of ore body, whichever is earlier.
- c. If the proposed boreholes found potential mineral during barren proving, then the potential mineralized area will be proved as per Rule 12 (4) of MCDR, 2017.
- d. The no. of boreholes may be decrease or increase depending upon findings of the proposed bore holes.







Rantha Iron Ore Mine

Odisha Mining Corporation Ltd.

OF MINES

e. If the proposed boreholes not completed or drilled in any reason, then the proposal will be carry over to next year.

2.2.5.6: Exploratory Mining: Not Applicable.

SI. No.	year	Pit ID	Length in mtrs	Width in mtrs	Depth in mtrs	Volume (m³)
			Not .	Applicable.	L	

2.2.5.7: Sampling:

Sl. No.	Type of Sample	Number of Samples proposed	Area Covered (ha)	Latitude	Longitude
01	Core	One Sample/Mtr	G2 and G3	As per location of the borehole.	As per location of the borehole.

• The Mineralized portions will sample every one meter or less as per requirement. If the outcome of the boreholes will found non-potential in nature or the borehole drilled in non-mineralized area, then the no of samples will be reduced.

2.2.5.8: Petrology & Mineralogical Studies: Not Applicable.

Sl. No.	Type of Sample	Number of Sample proposed
	Not Appl	icable.



RABINDRA by RABINDRA MOHANTY LOSS COLLUSIONS



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd -

Chapter 3: MINERAL BENEFICIATION / PROCESSING

Name of The Ore/Mineral Iron Ore / Hematite

3.1: Mineralogy of the ROM ore/ Mineral:

S. No.	Valuable Mineral Name	Approx. Mineral %	Gangue Mineral/s Name	Approx. Gangue Mineral %						
	Not Available.									

3.2: Complete Chemical Analysis of the ROM Ore/Mineral:

Sl. No.	Radicals	Wt %	Wt %	Wt %	Wt %
01.		. No	ot Available.		

The mine has been non-operational since long time so Complete chemical analysis of the ROM Ore / Mineral will be carried out after resume of mining operation.

3.3: Crushing Section:

SI. No.	Type of Crusher	Make	Capacity of Crusher (tph)	No. Of	Feed Size	Product Size
31. NO.	Type of Crustier	iviake	capacity of crusher (tph)	Units.	(mm)	(mm)
	Circal Intermedial					0-10 mm,10-
01	Fixed Integrated	Puzzlona/Sandvic/Extec/	350	01	0-600 mm	40 mm , 5-18
01.	Crushing &	Thysenkrup	550			mm & 0-5
	Screening Plant					mm
					0-300 mm	0-10 mm,
	Mobile integrated	Duralana/Sanduia/Eutaa/				10-40 mm,5-
02.	Crushing & Screen	Puzzlona/Sandvic/Extec/	250	02		18 mm & 0-5
	Plant	Power Screen/Fintec				mm

3.3.1: Primary Crushing:

Sl. No.	Type of Crusher	Make	Capacity of Crusher (tph)	No.of Units.	Feed Size (mm)	Product Size (mm)
01.	Fixed Integrated Crushing (Jaw Crusher)	Puzzlona/Sandvic/Extec/ Thysenkrup	350	01	0-600 mm	0-100 mm
02.	Mobile Integrated Crusher Plant (Jaw Crusher)	Puzzlona/Sandvic/Extec	250	02	0-300 mm	0-100 mm

3.3.2: Secondary Crushing:

Sl. No.	Type of Crusher	Make	Capacity of Crusher (tph)	No.of Units.	Feed Size (mm)	Product Size (mm)
01.	Fixed Integrated Crushing (Cone Crusher)	Puzzlona/Sandvic/Extec/ Thysenkrup	300	01	0-100 mm	-100 mm
02.	Mobile Integrated Crusher Plant (Cone Crusher)	Puzzlona/Sandvic/Extec	200	2	0-100 mm	-100 mm

3.3.3: Tertiary Crushing:

Sl. No.	Type of Crusher	Make	Capacity of Crusher (tph)	Feed Size (mm)	Product Size (mm)
 01.		Not Ap	plicable		





Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

3.4: Grinding Section: Not Applicable.

3.4.1: Dry Grinding:

SI. No	Type of Mill	Stages	Make of the mill	Feed Flow Rate (tph)	Feed Size(m m)	Product Size Mill Type of Discharge(mm) screen			
Not Applicable.									

Table continued.....

		Aperture Size of							
SI.		Screen/Classifier(mm),if	Classifier/Screen undersize(tph)	Classifier/Screen oversize(tph)					
No	Make	applicable							
	Not Applicable.								

3.4.2: Wet Grinding: Not Applicable.

SI. No	Type of Mill	Stages	Make of the mill	Feed Flow Rate (tph)	Feed Size(mm)	Product Size(mm)	Type of screen/ Classifier			
	Not Applicable.									

Table continued.....

SI. No.	Aperture Size of Screen/Cl assifier (mm), if applicable	Classifier/Scr een undersize(tph)	Classifier/Sc reen oversize(tph)	WaterRequire ment(I/h)	FreshWaterRequire ment(I/h)	RecirculatedWat er(I/h)				
	Not Applicable.									

3.5: Dry Processing:

3.5.1: Screening and Classification: Screening

SI. No	Type of				Aperture Size of			Product quality
	screen/	Stages	Make	Capacity(tph)	Screen/Classifier	Feed Size(mm)	Product Size(mm)	(if applicable)
	classifiers				(mm),if			
01.	Fixed Integrated Screening Plant	01	Puzzlona/Sand vic/Extec/ Thysenkrup	350	0-10 mm,10-40 mm, 5-18mm & +40mm	-100 mm	0-10 mm,10-40 mm,5-18 mm,0-5 mm & 40-100 mm	Fe % > 45%
02.	Mobile Puzzlona/Sand		250	0-10 mm,10-40 mm	-100 mm	0-10 mm,10-40 mm & 40-100 mm	Fe % > 45%	

3.5.2: Other Operations: Not Applicable.

S.N	Type of equipment /operation	Stages, if applicable	Make	Capacity(tph)	Feed Size(mm)	Product Size(mm)	Product-Mid (tph),if available	Product- Tail (tph)		
	Not Applicable.									



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

3.5.3: Product Quality:

Products	Wt%	In tonnes	Size(range)mm	complete * Chemital Analysis
Concentrate		1 60		
Sub-grade	Fe% 45 ~ 55	23,70,000	0-10 mm & 10-40 mm	The mine has been non- operational since long
Rejects		Not Applicable.		time. The complete chemical analysis will be carried out after the resume of mine operation.

3.6: Wet Processing: Not Applicable.

3.6.1: Scrubbing / Washing: Not Applicable.

3.0.1.	JUI 4 DO 111 B / 111						7			
SI.	Type of	Stages, if	Make	Capacity	Feed	Product	Product quality (if			
No	Scrubbers	applicable		(tph)	Size(mm)	Size(mm)	applicable)			
	/washers									
	Not Applicable.									

Table continued...

Sl. No	Water Requirement(I/h)	Fresh Water Requirement	Re-circulated water(I/h)
		(l/h)	
	N	ot Applicable.	

3.6.2: Screening and Classification: Not Applicable.

SI. No	Type of screen/classifiers	Stages, if applicable	Make		Aperture Size of Screen/Classifier (mm),if applicable	Feed Size(mm)	Product Size(mm)	
	Not Applicable.							

Table continued.....

SI	. No	Product quality(if applicable)	Water Requirement	Fresh Water	Re-circulated water(I/h)
			(I/h)	Requirement	
-				(I/h)	
			Not Applicab	e.	

3.6.3: Gravity Separation: Not Applicable.

SI.	Туре	of	Stages, if	Make	Capacity(tph)	Feed	Product	Product-
No	separators		applicable			Size(mm)	(Conc)	Mid(tph),if
	(jig, t	able,					(tph)	available
	spiral,		de una minerale		:			
	Not Applicable.							

Table continued...

S.N	Product-Tail (tph)	Water Requirement (I/h)	Fresh Water Requirement (I/h)	Re-circulated water(I/h)
	1975 A 47-100 (1974 - 1974	Not App	olicable.	





Review of Mining Plan & Progressive Mine Closure Plan 2027-28) Odisha Mining Corporation Ltd of MINES (2023-24 to 2027-28)

Rantha Iron Ore Mine

3.6.4: Magnetic Separation: Not Applicable.

SI. No	Type of magnetic separators (magnetic intensity)	Stages, if applicable	Make	Capacity(tph)	Feed Size(mm)	Product- Mag (tph)	Product-Miditiph), if available
							77

Table continued....

SI.	Product non-Mag (tph)	Water Requirement	Fresh Water	Re-circulated water(I/h)
No.			Requirement	
		(I/h)	(I/h)	
		Not Applicabl	e.	

3.6.5: Flotation: Not Applicable.

-	Type of	Stages(roughe					
SI.N	flotation	r/cleaner					To deliver the second s
0	equipment(fr	,etc),	Make	Capacity	Feed	Product-	Product non-Float
	oth/column)	if applicable	Make	(tph)	Size(mm)	Float (tph)	(tph)
				Not Applicab	e.		

Table continued....

SI. No	Water Requirement(I/h)	Fresh Water Requirement (I/h)	Re-circulated water(I/h)
	N	lot Applicable.	

3.6.6: Other Operations: Not Applicable.

SI. No	Type of equipment /operation	Stages, if applicable	Make	Capacity (tph)	Feed Size(mm)	Product-Conc (tph)	Product-Mid (tph),if available	
	Not Applicable.							

Table continued....

SI. No	Product-Tail (tph)	Water Requirement (I/h)	Fresh Water Requirement (I/h)	Re-circulated water(I/h)
		Not A	pplicable.	

3.6.7: Product Quality (wet processing): Not Applicable.

Products	Wt%	In tonnes	Size(range)mm	Complete
				chemical
Concentrate				
Sub-grade		1	Not Applicable.	
Rejects				

3.7: Overall Product Quality (Dry cum Wet Processing): Not Applicable.

Products	Wt %	In tonnes	Size (range) mm	Complete chemical analysis
Concentrate				
Sub-grade			Not Applicable.	
Rejects				





Odisha Mining Corporation Ltd Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28)

Rantha Iron Ore Mine



a) Explain the disposal method for tailing or reject from processing plant with detail chemical / mineral analysis of tailing	Not Applicable ਨੇ ਸ
b) Size and capacity of tailing pond, toxic effect of such tailings, process adopted to neutralize its effect (if any)	Not Applicable.
c) Any other data (if available)	Not Applicable.

3.9: Overall water requirement of mining and mineral processing:

Indicate quantity, source of supply, disposal of water and extent of	232 m³/day.	
recycling and chemical analysis of water	Attach at Annexure No:	
recycling and chemical analysis of water	29.	

3.10: Flow sheets and charts:

Material balance chart of mineral processing plant(s) (each stage of process).	Attached at Annexure No: 30.
Attach flow sheet of beneficiation of plant(s)	Attached at Annexure No:30
Any other data (if applicable)	Not Applicable



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

Chapter 4: MINING OPERATIONS

4.1: MINING METHOD (Opencast): Opencast.

4.1.1: Existing Method of Mining- Mechanized.

Specify in the space below:

HEMM with deep hole drilling with Combination of loaders and tippers.

4.1.2: Proposed Method of Mining: Mechanized.

Specify in the space below:

HEMM with deep hole drilling with Combination of loaders and tippers.

Reasons for proposed changes: Not Applicable.

4.2: Operational Parameters:

4.2.1: Inventory of Existing Pits & Dumps:

4.2.1.1: Pits as on 30.06.2022.

Sl. No.	Pit ID	Pit	Area Covered by Pit	Pit Dimension
		Status	(Ha)	(m x m x m)
01.	Quarry-l	Active	2.442	274.44 x 89.0 x 6

4.2.1.2: Dumps & Stack:

4.2.1.2.1: Dump Details as on 30.06.2022:

SI. Dump Dump o No. ID Status Dur	f Dump Quantity	Area covered Height by Dump (m)	Location
--------------------------------------	--------------------	---------------------------------	----------

The mine has been non-operational since long period, so there is no existing dump present with in the ML area.

4.2.1.2.2: Stack Details as on 30.06.2022:

SI.	Stack	Type of Stack	Total Stack	Area covered	Height (m)
No.	ID	Type of Stack	Quantity (t)	by Stack (Ha)	rieight (m)

The mine has been non-operational since long period, so there is no existing stacks present with in the ML area.

4.2.1.3: Details of Stabilized Dumps:

SI. No.	Dump ID	Number of Terraces	Average Height of Terraces (m)	Length of Toe Wall (m)	Length of Garland Drain (m)	Area Stabilized (ha)	Method of Stabilization
	Т	here is no stabilize	ed dump presen	t within the	ML area as on o	late 30.06.2022	••



Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28) Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

4.2.2: Opencast Mining:

4.2.2.1: Bench Parameters:

P					
Year-Wise Development & Production Section	Plate No-7A	Plate No-7B	Plate No-7C	Plate No-7D	Plate No-7E
Year-Wise Development & Production Plan	Plate No-6A	Plate No-6B	Plate No-6C	Plate No-6D	Plate No-6E
Max Slope Angle of Haul Roads (1 in)	16	16	16	16	16
Depth of Water Table (m)		I	813 mRL		
Max Depth of Workings (m)	30	54	36	54	36
Number of Benches in Mineral	02	04	04	03	05
Number of Benches in Over Burden	03	02	01	02	01
Number of of Benches in Top Soil	Ó	0	0	0	0
Overall Slope of Pit (degree)	38	25	25	37	34
Slope of the Bench in Mineral (degree)	70-80	70-80	70-80	70-80	70-80
Minimum Width of the Benches in Mineral (m)	12	12	12	12	12
Max Height of the Benches in Mineral (m)	9	9	9	9	9
Slope of the Bench in Over Burden (degree)	70-80	70-80	70-80	70-80	70-80
Min Width of the Benches in Over Burden (m)	12	12	12	12	12
Max Heigh t of the Bench es in Over Burde n (m)	9	9	9	9	9
Year	2023-24	2024-25	2025-26	2026-27	2027-28
Pit id	Quarry-1	Quarry-1	Quarry-1	Quarry-1	Quarry-1



Page **91** of **137**

PRADIP Digitally signed by FRADIP KUMAR KUMAR SAHOO Date: 2022.08.19



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

4.2.2.2: Year wise Opencast Development:

OB to Ore Ratio (ton/m3)	1:0.15	1:0.17	1:0.31	1:0,70	1:0.20
Location of Advancement	2407688N- 2407988N 308050E- 308438E	2407786N- 2408055N 308033E- 308338E	2407539N- 2408055N 308032E- 308438E	2407539N- 2408055N 307993E- 308438E	2407900N- 2408278N 308209E- 308575F
Production Associated (t)	0	0	0	0	0
Production Main (t)	4,80,000	000'06'9	4,10,000	4,70,000	5,80,000
Mineral Reject/Sub- Grade (t)	5,20,000	3,10,000	2,90,000	5,30,000	4,20,000
Recovery	Production Main- 48% 5,20,000 & SG-52%	Production Main- 69% & SG-31%	Production Main- 41% & SG-59%	Production Main- 47% & SG-53%	Production Main- 58% 4,20,000 & SG-42%
ROM Quantity (t)	10,00,000	10,00,000	10,00,000	10,00,000	10,00,000
ROM Volume (Length x Width x Height) (m3)	3,52,593	3,44,815	3,55,186	3,52,963	3,48,889
Over Burden Quantity (t)	3,00,000	3,40,000	6,20,000	14,00,000	4,00,000
Over Burden Volume (Length x Width x Height) (m3)	1,50,000	1,70,000	3,10,000	7,00,000	2,00,000
Top Soil Volume (Length x Width x Height) (m3)	0	a	0	0	0
Bulk Density of Mineral (BD2) (tonn/m3)		Avg. Bulk Density of Ore: 3.00 &	Sub-Grade Ore/ MR :2.7		
Bulk Density of Overburden (BD1) (ton/m3)		Ç	0.7		
Direction	South- East	North- West	South- East	North- West	North- East
Bench	940 mRL 910 mRL	Quarry-1 886 mRL	Quarry-1 904 mRL	904 mRL 880 mRL	898 mRL 862 mRL
Pit ID	Quarry-1	Quarry-1	Quarry-1	Quarry-1	Quarry-1
Year	2023	2024	2025	2026 -27	2027
Sr. No	01.	02.	03.	04,	05.

Details of section wise calculation of ROM, Salable Ore, Mineral Reject & waste for the Review of mining Plan period i.e. FY 2023-24 to 2027-28 is enclosed at Annexure-31. Recovery Factor of production main with respect to ROM has been considered for calculation of production.

Average Bulk Density of Different Ore Types

	Ore (Fe > 55%)	Sub Grade Ore	Waste
Ore Type		Sub Grade Ore (45 % to 55% Fe)	
Bulk Density, t/cu.m	3.00	2.70	2.0



RABINDRA by RABINDRA MOHANTY DARE: 2022, 08, 19 10.48,43,405.30 Digitally signed

Page **92** of **137**

PRADIP Digitally signed by PRADIP KUMAR KUMAR SAHOO DATE: 2022.08.19
SAHOO 10.48.18 +05'30'



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

Note: The mine has been non-operational since long period, so average bulk density of waste material not available. Average bulk density of material to be derived after resume of mining operation. So for the time being average bulk density of waste material has been taken from nearby mines i.e. Kurmitar Iron & Mn. Ore Mines.

NO NO	OI+IQ	Total Tonsoil Volume (m³)	Total Over Burden	Total Over Burden	Total ROM Volume	Total ROM Volume Total ROM Quantity
	; j		Volume (m³)	Quantity (t)	(m²)	(1)
01.	Quarry-1	0	15,30,000	30,60,000	17,54,446	50,00,000
G. 1	G. Total	0	15,30,000	30,00,000	17,54,446	50,00,000



10,48:43 +05'30

Page **93** of **137**

by PRADIP KUMAR SAHOO Date: 202208.19 10.48.18 +05'30' PRADIP Digitally signed KUMAR SAHOO



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

4.2.2.3: Transportation & Hauling Equipment:

L				
	Туре	Make	Capacity (m³)	No. of Equipments
	Hauling	Volvo/Bharat	10	7.7
	Equipment	Benz/Eicher/ Tata Prima	CT .	77
	Hauling	Volvo/Bharat	77	
	Equipment	Benz/Eicher/ Tata Prima	†	CT

4.3: Material Handling Summary:

4.3.1: Studies Undertaken:

ומכן נמונכון:		
Slope Stability Study Report		Slope Stability Study will be
	No	conduct after Resume of Mining
		Operation.
Recovery Study Report	Yes	Attached in Annexure No:28
Hydrological Study Report		Hydrological Study will be conduct
	No	after Resume of Mining Operation.
Mineral Beneficiation Study Report	1	NA
Underground Rock Displacement Study Report	1	NA
Subsidence Study Report	1	NA
Geotechnical Study Report	1	NA
Blast Induced ground Vibration Study		Blast Induced ground Vibration
	No	Study will be conduct after Resume
		of Mining Operation.
Bulk Density Study Report	Yes	Attached in Annexure No:26

Page **94** of **137**

PRADIP Digitally signed by PRADIP KUMAR KUMAR SAHOO Date: 2022.08.19 SAHOO

RABINDRA by RABINDRA MOHANTY Date, 2022.08.19
10.48.43 + 65.30



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

4.3.2: Insitu Mining:

							ROM	OB to Ore	
. (: :			ROM Quantity	Quantity	Ratio (Waste	
	Year	Pit ID	lotal Handling	waste Quantity	ROM Quantity (t)	Saleable	Mineral	Quantity /	Grade Range (%)
No.			(t)	(1)		Mineral (t)	Reject/ Sub-	ROM	
							Grade (t)	Quantity)	
01.	2023-24	Quarry-1	13,00,000	3,00,000	10,00,000	4,80,000	5,20,000	1:0.3	Fe >55 %
02.	2024-25	Quarry-1	13,40,000	3,40,000	10,00,000	000'06'9	3,10,000	1:0.34	Fe >55 %
03.	2025-26	Quarry-1	16,20,000	6,20,000	10,00,000	4,10,000	5,90,000	1:0.62	Fe >55 %
04.	2026-27	Quarry-1	24,00,000	14,00,000	10,00,000	4,70,000	5,30,000	1:1.4	Fe >55 %
05.	2027-28	Quarry-1	14,00,000	4,00,000	10,00,000	5,80,000	4,20,000	1:0.4	Fe >55 %
	G-Total		80,60,000	30,60,000	50,00,000	26,30,000	23,70,000	1:0.61	Fe >55 %
-			0 0 0 0 0				, c the LV 2022	to 90 7000 0+ 10	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Details of section wise calculation of ROM, Salable Ore, Mineral Reject & waste for the period i.e. for the FY 2023-24 to 2027-28 of the Review of Mining Plan period is enclosed at Annexure-31.

4.3.3: Dump workings:

Justification	
Grade Range (%)	
Proposed Waste Quantity (t) (A-B)	
Proposed Recovery of Saleable Mineral (t)(B)	:0 2027-28.
Proposed Dump Handling Quantity (t) (A)	or dump working during the RMP period i.e. FY 2023-24 to 2027-28.
Total Dump Quantity (t)	RMP period
Volume (m³)	ng during the
Avg Height of Dump (m)	dump worki
Area (m²)	-
Location Longitude	There is no proposal
Location Latitude	
Dump	
Year	
z. S.	

Regional Controller of Mines भारतीय खान व्युरो Indian Bureau of Mines भुवनेश्वर/ Bhubaneswar

Page 95 of 137

RABINDRA by RABINDRA MOHANTY MOHANTY Date: 2022:08.19

10,48:43 +05'30'

by PRADIP KUMAR SAHOO Date: 2022.08.19 PRADIP Digitally signed KUMAR SAHOO

10:48:18 +05'30'



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

4.3.4: Calculation Summary:

Year	2023-24	2024-25	2025-26	2026-27	2027-28	Total
(A) Total ROM quantity (t)	10,00,000	10,00,000	10,00,000	10,00,000	10,00,000	50,00,000
(B) Saleable ore from ROM (t)	4,80,000	000'06'9	4,10,000	4,70,000	5,80,000	26,30,000
(C) Proposed Dump Handling Quantity (t)	0	0	0	0	0	0
(D) Saleable Ore recovered from dump workings (t)	0	0	0	0	0	0
(E) Total Saleable Ore (t) (=B+D)	4,80,000	6,90,000	4,10,000	4,70,000	5,80,000	26,30,000
(F) Total Quantity Handled (t) (=A+C)	10,00,000	10,00,000	10,00,000	10,00,000	10,00,000	50,00,000

4.4: Machine Calculation:

4.4.1: Machine Requirement Summary:

Number of Average Working Days in One Year (A)	300
Number of Shifts per Day (B)	3
Material Handling Required per Day (t) ((D)=Largest of (Q1,Q5)/(A))	8,000
Material to be Handled per Shift (t) ((E)=(D)/(B))	2667
Handling Required per Hour (t) ((F)=(E)/6 hours)	445
Effective Shift Time	6 hr



Page **96** of **137**

Digitally signed by PRADIP KUMAR SAHOO Date: 2022.08.19 10:48:18 +05:30" PRADIP KUMAR

SAHOO

6 Hrs

00 min

Odisha Mining Corporation Ltd

Review of Mining Plan & Progressive Mine Closure Plan

(2023-24 to 2027-28)

Rantha Iron Ore Mine

Standby excavator (L)	-	
Number of excavator machines required (K) = (J / I)	2	2
Maximum handling of the material by this machine during the block period (t) (J)	24,00,000	24,00,000
Yearly handling by one Excavator (t) (I)=(G x H)	17,38,800	12,42,000
Total Hours (H) =Number of working days x Number of shifts/day x Effective shift hours	5400	5400
(G) TPH =TPH (G) =((3600 x A x B x C x D x E x U) / F)/10000	322	230
Cycle time (sec) (F)	50	50
Efficiency (%) (E)	%08	%08
Machine Utilization Factor (%) (U)	%08	%08
Tonnage Factor (m³/t) (D)	2.5	2.5
Swell Factor (C)	Т	Н
Bucket Fill Factor (B)	0.8	0.8
Bucket Capacity (m³)(A)	3.5	2.5
Туре	Excavator	Excavator

SI. No.

01.

02.



Digitally signed by PRADIP KUMAR SAHOO Date: 2022.08.19 10.48.18 +05'30' PRADIP KUMAR SAHOO

Page **97** of **137**



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

4.4.3: Dumper Requirement:

			I		γ
	Plus Standby dumper (xii)	2	က	2	2
	Number of dumpers will be (xi) =(x / ix)	5	7	æ	ю
	Maximum handling of the Number material of by this dumpers machine will be during the (xi) = (x/block ix) (x)	4,72,50 24,00,00 0 0	24,00,00	10,00,00 0	10,00,00 0
	Yearly handling by one dumper (ix) = A x TPH	4,72,50 0	3,37,50	4,72,50 0	3,37,50 0
	Total transport ation per hour (viii) =(B X vii)	87.5	62.5	87.5	62.5
00 mins	No. of Trips / hr (vii) = (60 / vi)	2.5	2.5	2.5	2.5
)	Total Time to complete one trip(vi) = (iii + iv + v)	24	24	24	24
6.00 Hrs	Queuing, Unloadin g Time during unloading (min) (v)	3	3	3	3
	Queuing, Loading Time at Shovel (min) (iv)	3	3	3	3
	Time taken to cover distance in minutes(ii i) = (ii/i) x 60	18	18	18	18
6.	Lead Distanc e (KM) (ii)	9	9	9	9
	Speed of the dumper (KMPH)	20	20	20	20
me:	Capacit y of Dumper s (t) (B)	35	25	35	25
Effective Shift Time:	Total Hours=Nu mber of working days (W)x Number of shifts/day x Effective shift hours (Machine Requireme nt Summary) (A)	5400	5400	5400	5400
	SI. No	01.	02.	03.	04.

Page **98** of **137**

PRADIP Digitally signed by PRADIP KUMAR KUMAR SAHOO Date: 2022.08.19 SAHOO

WINES OF THE PARTY Pingitally sloned CE Digitally sloned CE MOHANIY MOHANIY MOHANIY Date: 2022.08.19 10A8.43 +0530



Rantha Iron Ore Mine O

Odisha Mining Corporation Ltd

4.4.4: Drill Machine Requirement:

	Stand by Drill	Н
	Required Number of Drills (m/c)	4
	Rate of Drilling per Hours (m/hr)	20
	Drilling Requiremen t per Shift (m)	99
S	Drilling Requiremen t per Day (m)	198
0 mins	Annual Target Known (t)	16,80,0 00
	Yield per Mete r (t/m)	31.5
	Yiel d per Hole (t)	189
	Bulk Density of Minera I (t/m³)	3
6.00 hrs	Bulk Densit y of Waste (t/m³)	2.0
90.9	Burde n (m)	3
	Spacin g (m)	3.5
t Time:	Depth of Hole(including Spacin Sub-grade g (m) Drilling (m)	6.6
Effective Shift Time:	01. Mechanical	
	SI. No Type of Drill	01.

70% with respect to the total excavation have been required blasting.



Page **99** of **137**

PRADIP Digitally signed by PRADIP KUMAR SAHOO Date, 2022,08,19
SAHOO 10-48:18 + 05:30*



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

4.4.5: Machine Deployment Details:

4.4.5.1: Excavator & Loading Equipment:

Sl. No.	Type	Make	Capacity (m³)	No. of Equipments	
01.	Excavator	Tata Hitachi/ Volvo/ Kobelco/ Sany	3.5	3	
02.	Excavator	Tata Hitachi/ Volvo/ Kobelco/ Sany	2.5	3	

4.4.5.2: Dozers Details:

Sl. No.	Туре	Make	Capacity (HP)	No. of Equipments
01.	Dozer	BEML/Komatsu/CASE/L&T	324 HP	02

4.4.5.3: Drilling Details:

SI. N	о.	Туре	Make	Capacity (t)	Diameter of Hole (mm)
01	•	Drill Machine	INDUS/Atlas Copco/Sandvik	450	115-150 mm

4.4.5.4: Auxiliary Mining Equipment:

SI. No.	Туре	Make	Capacity	No. of Equipments
01.	Exacvator	· Tata Hitachi/ Volvo/ Kobelco/ Sany	0.9-2.7 CuM	04
02.	Loader	SDLG/LIUGONG/Volvo/Tata	4.5-3.5 CuM	3/4
03.	Loader	HM2021/Volvo	1.5/2CuM	2/2
04.	Diesel Tanker	TATA/Eicher	12KL	1
05.	Water Sprinkler	TATA/Eicher	10KL	3
06.	Motor Grader	Hidromek/ LIUGONG	140HP	1
07.	Explosive Van	TATA/Ashok Leyland	2 ton	1
08.	Pick up Van	Mahindra		3
09.	Rock Breaker	Atlascopco/Volvo	120 ton	1
10.	Portable Tower lights	Kirloskar/Catterpillar /Atlas Copco/Koel		10
11.	Mobile Service Van	TATA/Eicher		1
12.	Crane	Volvo/L&T/Hitachi	100 ton	1
13.	Tyre Handler			1

The proposed equipment shall be sufficient for smooth operation of the Mine for the proposed capacity of 1.0 MTPA of ROM ore during the Review of Mining Plan period. However, exact specification, capacity & numbers of HEMMs proposed may vary as per exact requirement.





Rantha Iron Ore Mine

Odisha Mining Corporation Ltd



4.5.1 Blasting & Explosive Requirement in Waste/Development:

S.N.	Drill	Burde	Numbe	Yield		1	_	Charge	Explosive	Powder	Depth
	Patte	n of	rof	per		Number of	•	per	Requiremen	Factor in	Of
	rn/	Holes	Rows /	Holes	1	Holes	Hole	Round	t Per Month	Developme	Hole
	Spaci ng of	(m)	Rings	in Waste	1	Blasted in a Round	(kg)	(kg)	in	nt / Waste	
	Hole			(m ³)		Nound			Developmen	(kg/t)	
	s (m)			(, , ,					t (kg)		
	Stag										
01.	gere	3	3	63	3	55	30	1,680	19,000	5	6
		_						2,000	13,000	3	
	d/ 3.5						30	1,000	13,000	,	

Blasting has been carried out by third party agency.

4.5.2 Blasting & Explosive Requirement in Mineral / Ore:

Type of Explosive	Type of Explosives used / to be Used
Emulsion, Slurry, SME.	Emulsion, Slurry, SME.
Initiation by NONEL/Detonating Fuse/Electric	Initiation by NONEL/Detonating Fuse/ Electric Detonator.
Detonator.	

SI. No.	Total	Total ROM	Spacing	Burden	Number	Yield	Frequency	Maximum	No of	Charge
	ROM	proposed	of Holes	of Holes	of Rows	per	of Blasting	Number	Holes	per
	proposed	to be	(m)	(m)		Holes	in a Week	of Holes	Require	Hole
	to be	handled in				in		Blasted in	d to be	(kg)
	handled in	CUM/ day				ROM		a Round	Blasted	
	CUM/ann					Zone	***************************************		per	
	um					(m³)			Round	
01	2,48,630	829	3.5	3	3	63	3	30	36	36

Table continued....

SI.	Charge	Explosive	Powder	Pop	Plaster	Use of	Capacity	Secondary	Depth Of
No.	per	Requirement	Factor	Shooting	Shooting	Rock		Blasting	Hole
	Round	Per Month	in Ore	(no of	(no of	breaker		Requirements	
	(kg)	for ROM	(t/kg)	Boulders)	Boulders)				
		Zone							
		Blasting (kg)							
-									
01.	1,080	12,960	6.5	NA	NA	yes	120 ton	Not Required	6







Rantha Iron Ore Mine

2027-28)
Odisha Mining Corporation Ltd of Milliage

4.6: Man Power Deployment:

4.6.1: Managerial:

Sr. No	Particulars	Number of Persons in Shift 1	Number of Persons in Shift 2	Number of Persons in Shift 3	Number of Persons in General Shift	Total No. of Persons per day
1	1st Class	0	0	0	2	2
2	2 nd class Manager	1	1	1	2	5
3	Mining Engineer	0	0	0	1	1
4	Geologist	1	0	0	1	2
5	Mechanical Engineer	0	0	0	1	1
6	Electrical Engineer	0	0	0	1	1
7	Others	0	0	0	10	10
	Total	2	1	1	18	22

4.6.2: Supervisory:

Sl. No.	Particulars	Number of Person in Shift 1	Number of Person in Shift 2	Number of Person in Shift 3	Number of Person in General Shift	Total Number of Person per Day
1.	Mines Foreman	2	2	2	2	8
2.	Mechanical Foreman & JEE	1	1	0	1	3
3.	Electrical Foreman & JEE	1	0	0	1	2
4.	JEE Civil	0	0	0	1	1
5.	Mine mate	3	3	3	3	12
6.	Blaster	0	0	0	1	1
7.	Surveyor	0	0	0	2	2
8.	Others	0	0	0	35	35
	Total	7	6	5	46	64



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd 7 6777

4.6.3: Skilled Workers / Operators:

Number of Number of Number of Stat No. of								
Sr. No	Particulars	Number of Persons in Shift 1	Number of Persons in Shift 2	Number of Persons in Shift 3	Number of Persons in General Shift	Total No of Persons personal		
01.	Excavator Operator	7	7	7	3	24		
02.	Dumper Operator	15	15	15	7	52		
03.	Loader Operator	4	4	4	2	14		
04.	Diesel tanker Operator	1	1	1	1	4		
05.	Water Tanker Operator	3	3	3	0	9		
06.	Dozer Operator	2	2	2	0	6		
07.	Grader Operator	1	1	0	0	2		
09.	Service Van Operator	1	1	1	0	3		
10.	Crane Operator	1	1	О	0	2		
11.	Explosive Van Driver	1	1	0	0	2		
12.	Drill Operator	2	2	2	0	6		
13.	Work Shop Mechanic	6	6	6	0	, 18		
	Total	44	44	41	13	142		

4.6.4: Semi-skilled Workers:

SI. No	Number of	Number of	Number of	Number of Persons	Total No. of Persons
	Persons in Shift 1	Persons in Shift 2	Persons in Shift 3	in General Shift	per day
01.	40	40	40	37	157

4.6.5: Unskilled Workers:

SI. No	Number of	Number of	Number of	Number of Persons	Total No. of Persons
	Persons in Shift 1	Persons in Shift 2	Persons in Shift 3	in General Shift	per day
01.	12	12	12	18	54





Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

4.6.6: No of Persons Engaged Per Day:

Number of Persons in Shift 1	Number of Persons in Shift 2	Number of Persons in Shift 3	Number of Persons in General Shift	Total No. of Control Persons per day
105	103	99	132	439

No of Shifts per Day ((A) = Machine Requirement Summary (B))	3 shifts
Average Daily Employment per Shift ((B) = (Total Number of Person per Day) / (A))	146
Material to be Handled per Shift ((C) = Machine Requirement Summary (E))	2,667

4.6.7: Supervision:

SI. No.	Particulars	Qualification	Requirement / Proposed	In Position / Existing Strength	(-) Shortage / (+) Excess	Remarks
01.	Excavation Point	10 th pass	8	0	Shortage	After Resume of Mine
02.	Loading Point	10 th pass	6	0	Shortage	operation all the
03.	Dumping Point	10 th pass	6	0	Shortage	supervision staff appointed and they will work under Mining Mate / Mines Foreman as per statutory Guidelines.

4.7: Waste Management:

4.7.1: Existing Dump as on 30.06.2022:

Sl. No.	Year	Dump ld	Type of Dump	Proposed Area (ha)	Height (m)	Total Dump Quantity (m³)	Existing Dump Location	
The mine has been non-operational since long period, so there is no existing dump present with in the ML area.								

4.7.2: New Dump:

SI. No.	Year	Dump ld	Type of Dump	Proposed Area (ha)	Height (m)	Total Dump Quantity (m³)	New Dump Location
01.	2023-24	WD-1	Waste Dump	16.464	70	16,000,00	2408194N to 2408703N 308267E to 308734E

The waste generated during the Review of Mining Plan Period i.e. FY 2023-24 to 2027-28 is proposed to be dumped over waste dump WD-1. The waste dump WD-1 will be operated during the RMP period i.e. FY 2023-24 to 2027-28.





Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

4.7.3: Existing Stack as on 30.06.2022.:

SI. No.	Year	Stack ID	Type of Stack	Proposed Area (ha)	Height (m)	Total Stack Quantity (m³)	Existing Stack-Location	
The r	nine has b	een non-oper	ational since	long period, so t	here is no ex	disting stack p	resent with in the ML	
area.								

4.7.4: New Stack

SI. No.	Year	Stack ID	Type of Stack	Proposed Area (ha)	Height (m)	Total Stack Quantity (m³)	New Stack Location
01.		ST-1	Processed Ore	1.174	10	80,000	247965N-2408152N to 307953E-308094E
02.	2023-24	ST-2	Processed Ore	1.622	20	1,50,000	2408202N-2408436N to 307914E-308106E
03.		ST-3	Sub-Grade Ore	6.598	40	6,00,000	2408060N-2408380N to 307685E-308066E

All the above Stack yard have been developed during the FY 202324 of RMP period and all these Stack yard will be operated during the RMP period i.e. FY 2023-24 to 2027-28.

4.8: Mineral Waste Handling To Utilize As Minor Mineral: Not Applicable.

Sl. No.	Year	Dump Id	Type of Dump	Proposed Area (ha)	Quantity Handled (t)	Quantity Recovered (t)	Name Of Minor Mineral	Alternative Waste Utilization (m³)
There is no mineral waste generate for utilizing as minor mineral during the RMP period i.e. from FY 2023-24 to 2027-28.								

4.9: Use of Minerals:

SI. No.	Proposed Use Of Mineral	Name Of Mineral	Relevant Use Of Mineral	Physical Specifications	Chemical Specifications
1	Direct Selling to prospective buyers	Iron Ore	Steel Plant & Spong Iron Plants	0-10 mm,5-18 mm & 10-40 mm	Fe > 55% SiO ₂ - 2% (Max.)
2	Direct Selling to prospective buyers in case of demand for Subgrade Ore/MR	Iron Ore	Steel Plant & Spong Iron Plants	0-10 mm,5-18 mm & 10-40 mm	Fe 45% ~ 55% SiO ₂ - 2% (Max.)





Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

SOUT OF INUIN

Chapter 5: SUSTAINABLE MINING

5.1: Sustainable Mining and SDF Implementations in Compliance of Rule 35 of MCDR'2017-

Odisha Mining Corporation (OMC), incorporated in 1956 as a joint venture between Government of India and the Government of Odisha to harness untapped mineral wealth of the state, is now a Gold category State PSU and a wholly state-owned corporation, with head office at Bhubaneswar.

OMC aspires to become a market leader in the metals & mining industry in India with state-of-the-art infrastructure and world-class operational facilities. At present, OMC focuses its operations on Iron, Chrome, Bauxite and Manganese, but there are plans on expanding the business into coal mining domain as well. OMC believe that high governance standards are imperative to deliver corporate success, and to strategically align business policies with it's long-term goals and targets. OMC operates on principles of equality, fairness, transparency and accountability, that helps strengthen it's relationships with employees, their unions and all stakeholders. These principles also ensures integrated development of not just the organization, but also it's employees and surrounding local communities.

OMC has a vision to become a world class organization with mining as its core activities by providing the best of services in terms of quality, productivity, profitability, customer satisfaction and environmental sustainability


OMC envisions to attain the global leader position in metals and mining industry through sustainable growth and knowledge excellence. It's focus is to contribute to the national and local economy by ensuring good quality mineral production while simultaneously reducing the impacts on the ecosystem, generating employment opportunities for the local communities and fulfilling societal needs.

Odisha Mining Corporation Limited, create values for all stakeholders in a manner that is responsible, transparent and respects the rights of all. This is carried out consciously and responsibly across the life cycle of the projects that drives long-term growth and profitability through the inclusion of environmental, social and corporate governance aspects co-creating harmony between development and ecosystem. Sustainable Development is integral to the company's ethos and OMC is committed to excel on Triple Bottom Line performance.

The Company as per guidelines of Government of India has set its own target to achieve of 5 Star Rating under Sustainable Development Framework as per the provisions of Mineral Conservation and Development Rules, 2017(MCDR).

As per Rule 35 of MCDR 2021, OMC has considered relevant aspects of environmental, economic and social taken into account for sustainable development in the mining lease area. Also OMC have a dedicated cell which looks comparative performance on sustainable development with initiative & implementation for achieving environmental and social goals.

OMC is committed for improvement of its SDF status on a continuous basis. Some of the major initiatives taken on SDF are as follows:







Rantha Iron Ore Mine

Odisha Mining Corporation Ltd



- · Induction of modern equipment.
- Erection of Crated Boulder Wall and construction of concrete garland drains with settling ponds to arrest wash offs from waste dumps / subgrade stacks
- Plantation of tall seedings through Odisha Forest Development Corporation (OFDC) ensuring at least 90% survival and faster growth.
- · Efforts undertaken for Rain water harvesting
- Certification of International Standards and its periodical renewal
- Developing New Park and renovating park at different leases of OMC.
- Green energy initiatives
- · Converting waste to wealth by drum/vermi/continuous composting
- Quality Circle for innovations

Compliance of Vishakha Committee Guidelines for prevention of women harassment at workplace:

Implemented.

5.2: CSR Initiatives:

5.2.1: 2023-24	
Details of Work Proposed during the Year / Measures Planned for the Affected Segment	Cumulative Work done / Measures Taken
5.2.1.1: Area to be Developed for Recreation	
Area (Ha)	Area (Ha)
0.2	0.2
5.2.1.2: Area for Water Storage & Recharge Facility	
Area (Ha)	Area (Ha)
0	0
5.2.1.3: Efforts Made towards Housing for Local Communities	
Number of Houses	Number of Houses
5	5
5.2.1.4: Efforts Made towards Providing Transport to Local Commun	ities
Number of Beneficiaries	Number of Beneficiaries
100	100
5.2.1.5: Efforts Made towards Providing Healthcare to Local Commu	nities
Number of Beneficiaries	Number of Beneficiaries
100	100
5.2.1.6: Efforts Made towards Providing Hygiene & Sanitation to Loc	al Communities
Number of Beneficiaries	Number of Beneficiaries
100	100
5.2.1.7: Efforts Made towards Skill Development Programs to Local	Communities
Number of Beneficiaries	Number of Beneficiaries
10	10
5.2.1.8: Efforts Made to Promote Education & Knowledge Based Init	iatives
Number of Beneficiaries	Number of Beneficiaries







Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

10	10	
5.2.1.9: Communication Facilities Pro	TOF IND	
Number of Ber	neficiaries	Number of Beneficiaries
100		100
5.2.1.10: Any Other Steps Taken for	Improving the Socio-Economic S	standard of Local Communities
Number of Ber	neficiaries	Number of Beneficiaries
10		10
5.2.1.11: Adoption of ODF		
Number of Toilets Built inside the Lease Area:		
2	5	50
5.2.1.12: Awareness Program among	g Mine Workers for Swatchata	
Number of Swatchata Pro	Number of Swatchata Programmes Held:	
01		0
5.2.1.13: Efforts for green energy		
Total energy consumption (KWh)	Green energy consumption (% of total)	
120000 5		
5.2.1.14: Water & recycled use		
Total water consumption (KLD)		
232	10	

5.2.2: 2024-25					
Details of Work Proposed during the Year / Measures Planned for the Affected Segment	Cumulative Work done / Measures Taken				
5.2.2.1: Area to be Developed for Recreation					
Area (Ha)	Area (Ha)				
0.2	0.4				
5.2.2.2: Area for Water Storage & Recharge Facility					
Area (Ha)	Area (Ha)				
0	0				
5.2.2.3: Efforts Made towards Housing for Local Communities					
Number of Houses	Number of Houses				
5	10				
5.2.2.4: Efforts Made towards Providing Transport to Local Communi	ties				
Number of Beneficiaries	Number of Beneficiaries				
100	200				
5.2.2.5: Efforts Made towards Providing Healthcare to Local Commun	nities				
Number of Beneficiaries	Number of Beneficiaries				
100 200					
5.2.2.6: Efforts Made towards Providing Hygiene & Sanitation to Local	al Communities				





OMG ODISHA NEW OPPORTUNITIES	Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28) Rantha Iron Ore Mine Odisha Mining Corporation Ltd				
Numbe	Number of Beneficiaries				
	100		200° CONT. OF INDIA		
5.2.2.7: Efforts Made toward	s Skill D	evelopment Programs to Local			
		eficiaries	Number of Beneficiaries		
	10		20		
5.2.2.8: Efforts Made to Pron	note Ed	ucation & Knowledge Based Ini	tiatives		
Numbe	r of Ber	eficiaries	Number of Beneficiaries		
	10		20		
5.2.2.9: Communication Facil	ities Pr	ovided to Local Communities			
Numbe	r of Ber	eficiaries	Number of Beneficiaries		
	100		200		
	Standard of Local Communities				
Numbe	r of Ber	neficiaries	Number of Beneficiaries		
	10		20		
5.2.2.11: Adoption of ODF					
Number of Toilets Built inside Lease Area:	Number of Toilets Built inside the Lease Area: Number of Toilets Built outside the Lease Area:		Number of Beneficiaries		
0		5	50		
5.2.2.12: Awareness Program	amon	g Mine Workers for Swatchata			
Number of Swatch	Number of Swatchata Programmes Held:				
	0				
5.2.2.13: Efforts for green en					
Total energy consumption (KWh) Green energy consumption (% of total)					
120000	120000 5				
5.2.2.14: Water & recycled us	se				
Total water consumption (KLI	1				
232		10			

5.2.3: 2025-26	
Details of Work Proposed during the Year / Measures Planned for the Affected Segment	Cumulative Work done / Measures Taken
5.2.3.1: Area to be Developed for Recreation	
Area (Ha)	Area (Ha)
0.2	0.6
5.2.3.2: Area for Water Storage & Recharge Facility	
Area (Ha)	Area (Ha)
0	0
5.2.3.3: Efforts Made towards Housing for Local Communities	
Number of Houses	Number of Houses
5	15





	Section 1985		
OMC ODISHA	F	leview of Mining Plan & Pro (2023-24 to 2	
HEW OPPORTUNITIES	!		Odisha Mining Corporation Ltd
			1/C 3/ 38% / \$ IV
		ding Transport to Local Comr	10.67 6389 15
Numb	er of Ber	neficiaries	Number of Beneficiaries
	100		300. 7 THE
		ding Healthcare to Local Com	
Numb		neficiaries	Number of Beneficiaries
	100		300
		ding Hygiene & Sanitation to	
Numb		neficiaries	Number of Beneficiaries
F 2 2 7. Fff B4	100		300
		Development Programs to Loc	
Numb		neficiaries	Number of Beneficiaries
5 2 2 % Efforts Made to Dre	10	usation 8 Knowledge Deced	30
	·····	ucation & Knowledge Based	
Nump	er of Ber 10	ieficiaries	Number of Beneficiaries
5 2 3 9: Communication Fac		ovided to Local Communities	30
		neficiaries	
INUITID	100	ienciaries	Number of Beneficiaries
5.2.3.10: Any Other Stens Ta		Improving the Socia-Foonom	ic Standard of Local Communities
		neficiaries	Number of Beneficiaries
Rumb	10	ichciai ics	
5.2.3.11: Adoption of ODF	10		30
Number of Toilets Built insid Lease Area:	e the	Number of Toilets Built outside the Lease Area:	Number of Beneficiaries
2		5	50
5.2.3.12: Awareness Program	n amon	Mine Workers for Swatchat	
Number of Swatc	Number of Swatchata Programmes Held:		
	0		
5.2.3.13: Efforts for green er	nergy		
Total energy consumption (KWh)		Green energy consumption (% of total)	
120000		5	
5.2.3.14: Water & recycled u	ıse		
Total water consumption (KL	.D)	Water recycled (% of total)	
232	-,	10	





rogressive Mine Closure Plan 2027-28) Odisha Mining Corporation Ltd Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28)

Rantha Iron Ore Mine

Details of Work Proposed during the	Year / Measures Planned for	Cumulative Work done		
the Affected S	Measures Taken			
5.2.4.1: Area to be Developed for Re	creation	· · · · · · · · · · · · · · · · · · ·		
Area (Ha	a)	Area (Ha)		
0.2	0.8			
5.2.4.2: Area for Water Storage & Re	charge Facility			
Area (Ha	Area (Ha)			
0		0		
5.2.4.3: Efforts Made towards Housin	ng for Local Communities			
Number of H	louses	Number of Houses		
5		√20		
5.2.4.4: Efforts Made towards Provid	ing Transport to Local Commun	ities		
Number of Ben	eficiaries	Number of Beneficiaries		
100		400		
5.2.4.5: Efforts Made towards Provid	ling Healthcare to Local Commu	nities		
Number of Ben	eficiaries	Number of Beneficiaries		
100		400		
5.2.4.6: Efforts Made towards Providence	ing Hygiene & Sanitation to Loc	al Communities		
Number of Ben	eficiaries	Number of Beneficiaries		
100		400		
5.2.4.7: Efforts Made towards Skill D	evelopment Programs to Local C	Communities		
Number of Ben	eficiaries	Number of Beneficiaries		
10	40			
5.2.4.8: Efforts Made to Promote Ed	ucation & Knowledge Based Initi	iatives		
Number of Ben	eficiaries	Number of Beneficiaries		
10		40		
5.2.4.9: Communication Facilities Pro	ovided to Local Communities			
Number of Ben	eficiaries	Number of Beneficiaries		
100		400		
5.2.4.10: Any Other Steps Taken for	Improving the Socio-Economic S	tandard of Local Communities		
Number of Ben	eficiaries	Number of Beneficiaries		
10		40		
5.2.4.11: Adoption of ODF				
Number of Toilets Built inside the	Number of Toilets Built	Number of Beneficiaries		
Lease Area: outside the Lease Area:				
0	5	50		
5.2.4.12: Awareness Program among	Mine Workers for Swatchata			
Number of Swatchata Pro	grammes proposed:	Number of Swatchata		
	· 1	Programmes Held:		
01		0		





5.2.4.13: Efforts for green energy

Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28)

Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

5.2.4.13: Efforts for green energy	^	16 E E GEORGE V
Total energy consumption (KWh)	Green energy consumption (% of total)	
120000	E GOVI OF INDIA	
5.2.4.14: Water & recycled use	रेत्र सार्वा	
Total water consumption (KLD)	Water recycled (% of total)	The same and the s
232	10	
5.2.5: 2027-28		
Details of Work Proposed during th	ne Year / Measures Planned for	Cumulative Work done /
the Affected	Segment	Measures Taken
5.2.5.1: Area to be Developed for Ro	ecreation	
Area (F	la)	Area (Ha)
0.2		1.0
5.2.5.2: Area for Water Storage & R	echarge Facility	
Area (F	la)	Area (Ha)
0		0
5.2.5.3: Efforts Made towards Hous	ing for Local Communities	
Number of	Houses	Number of Houses
5		25
5.2.5.4: Efforts Made towards Provi	ding Transport to Local Commun	ities
Number of Be	neficiaries	Number of Beneficiaries
100	500	
5.2.5.5: Efforts Made towards Provi	iding Healthcare to Local Commu	nities
Number of Be	Number of Beneficiaries	
100	500	
5.2.5.6: Efforts Made towards Provi	iding Hygiene & Sanitation to Loc	al Communities
Number of Be	neficiaries	Number of Beneficiaries
100		500
5.2.5.7: Efforts Made towards Skill	Development Programs to Local	Communities
Number of Be	neficiaries	Number of Beneficiaries
10		50
5.2.5.8: Efforts Made to Promote Ed	ducation & Knowledge Based Init	iatives
Number of Be	neficiaries	Number of Beneficiaries
10		50
5.2.5.9: Communication Facilities P	rovided to Local Communities	
Number of Be	Number of Beneficiaries	
100	500	
5.2.5.10: Any Other Steps Taken for	r Improving the Socio-Economic S	Standard of Local Communities
Number of Be	neficiaries	Number of Beneficiaries
10		50
5.2.5.11: Adoption of ODF		
Number of Toilets Built inside the Lease Area:	Number of Beneficiaries	





Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

0	5	50		
5.2.5.12: Awareness Program among	50			
Number of Swatchata Pro	Number of Swatchata Programmes Held:			
01	01			
5.2.5.13: Efforts for green energy				
Total energy consumption (KWh) Green energy consumption (% of total)				
120000				
5.2.5.14: Water & recycled use				
Total water consumption (KLD) Water recycled (% of total)				
232 10				

5.3: Rehabilitation & Resettlement of Affected Persons:

Particular	2023-24	2024-25	2025-26	2026-27	2027-28
Proposed Number of Project Affected Persons(PAP)	Nil	Nil	Nil	Nil	Nil
Proposed Number of Person for Alternate Arrangement for Sustainable Livelihood	Nil	Nil	Nil	Nil	Nil
Proposed Number of Person for Skill Training	Nil	Nil	Nil	Nil	Nil
Proposed Number of Person Likely to get Direct Employment	Nil	Nil	Nil	Nil	Nil
Proposed Number of Person Likely to get Indirect Employment	Nil	Nil	Nil	Nil	Nil
Proposed Project Affected Families Skilled and Absorbed	Nil	Nil	Nil	Nil	Nil
Proposed Number of Project Affected Families	Nil	Nil	Nil	Nil	Nil





Rantha Iron Ore Mine

Odisha Mining Corporation 1td

Chapter 6: PROGRESSIVE MINE CLOSURE PLAN

6.1: Status of Land:

Total Area Degraded		Total mir	ned out area Rec Rehabilitated	laimed and	Other Areas Ro and Rehabil				
Total area excavation lease Area under mining operation	in the	Area under Dumps(in hect)	Area under utility services(in hect)	Area under Stack yards(in hect)	Mined out Area Reclaimed but not rehabilitated (in hect)	Mined out Area fully Rehabilitated from Reclaimed area (in hect)	Area under Water Reservoir considered Rehabilitated (in hect)	Stabilized Waste dump Rehabilitated (in hect)	Virgin area under Green Belt (in hect)
2.857	0.00	0.00	4.524	0.00	0.00	0.00	0.00	0.00	13.126

6.2: Progressive Reclamation and Rehabilitation Plan:

6.2.1: Backfilling:

Quantity of Waste / Fill N	0
Availability of Top	0
Spread	0

			Year Wise Pr	oposal			
SI. No	SI. No Year Pit ID Co-ordinates Area (m²) Top RL Bottom Estimated Expenditure (INR)						
There is no proposal for back filling during the RMP period i.e. FY 2023-24 to 2027-28.							

6.2.2: Water Reservoir:

Average Rainfall of The Area (mm)	1269.1
Proposed Area under Water Storage	0

6.2.2.1: Preparations for Ground Water Recharging:

6.2.2.1.1: Drilling Holes					
Year	Proposed no of Holes to be Drilled				
2023-24	01				
2024-25	01				
2025-26	01				
2026-27	01				
2027-28	01				



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

6.2.2.1.2:Preparation of Course Gravel Bed:	THE S	
Year	Proposed Area of Bed (LxW)	
2023-24	Nil * Z	
2024-25	Nil	OF MOUNT
2025-26	Nil	
2026-27	Nil	
2027-28	Nil	

Please specify, if others: Not Applicable.


6.2.2.2: Protective measures (Please specify running meter)

6.2.2.1: Fencing	g:		
Year	Proposed Fencing Length (m)	Co-ordinates from	Co-ordinates to
2023-24	850 (MLP E1 to G1)	2406717N,308551E	2407366N,308743E
2024-25	900 (MLP G1 to G4)	2407366N,308743E	2408263N,308735E
2025-26	900(MLP G4 to G7)	2408263N,308735E	2409158N,308727E
2026-27	900(MLP G7 to A1)	2409158N,308727E	2409714N,308509E
2027-28	1200(MLP A1 to B)	2409714N,308509E	2408520N,308526E

6.2.2.2: Retaining Wall:							
Year	Proposed Wall Length (m)	Co-ordinates from	Co-ordinates to				
2022.24	440	2408506N to 308520E	2408698N to 308725E				
2023-24	440	Along the OB Dump	Along the OB Dump				
2024.25	250	2408698N to 308725E	2408348N to 308725E				
2024-25	350	Along the OB Dump	Along the OB Dump				
0005.05	100	2408505N to 308447E	2408299N to 308327E				
2025-26	400	Along the OB Dump	Along the OB Dump				
		2408299N to 308327E	2408348N to 308725E				
2026-27	520	Along the OB Dump	Along the OB Dump				
2027-28	Maintenance						
6 2 2 2 2 Carland D	roine.						

6.2.2.2.3: Garland Drains:					
Year	Proposed Bund Length	Co-ordinates from	Co-ordinates to		
	(m)				
2022.24	440	2408511N to 308520E	2408703N to 308725E		
2023-24	440	Along the OB Dump	Along the OB Dump		
2024.25	250	2408703N to 308725E	2408348N to 308730E		
2024-25	350	Along the OB Dump	Along the OB Dump		
		2408509N to 308447E	2408296N to 308323E		
2025-26	400	Along the OB Dump	Along the OB Dump		
		2408296N to 308323E	2408348N to 308730E		
2026-27	520	Along the OB Dump	Along the OB Dump		
2027-28	Maintenance				







Rantha Iron Ore Mine

Odisha Mining Corporation (td् ें

6.2.3: Green Belt Development: As on 30.06.2022

6.2.3.1: Cumulativ	e work done (Up to end	d of previous bloc	ck of five years)	[2] [2] [2]
Sr. No	Total Expenditure Incurred up to Last Year (INR)	Area Covered (Ha)	Number of Plants	Survival Rate 40

The mine has been non-operational since long period due to want of forest clearance, so there is no plantation have been carried out up to end of previous block period.


6.2.3.2: Year Wise Proposal:							
SI. No	Year	Green Belt Location (s)	Area Proposed to be Covered (Ha)	Number of Plants Proposed	Expected Survival Rate (%)	Estimated Expenditure (INR)	
01.	2023-24	Between ML Pillar MLP -E to MLP – G4 (Boundary Safety zone)	1.3	1560	70	4,19,640	
02.	2024-25	Between ML Pillar MLP-G4 to MLP-A1. (Boundary Safety zone)	1.3	1560	70	4,19,640	
03.	2025-26	Between ML Pillar MLP-A1 to MLP- B4/M. (Boundary Safety zone)	1.5	1800	70	4,84,200	
04.	2026-27	Between ML Pillar MLP- B4/M to MLP- O3. (Boundary Safety zone)	1.3	1560	70	4,19,640	
05.	2027-28	Between ML Pillar MLP-O3 to MLP-E. (Boundary Safety zone)	1.3	1560	70	4,19,640	

6.2.4: Use of shallow pits: Not Applicable

6.2.4.1: Cumulative work done (up to end of previous block of five years)					
SI. No	Pit ID	Work Done	Area covered (m²)	Total Expenditure Incurred (up to last five year block) (INR)	
Not Applicable					

6.2.4.2	6.2.4.2: Year Wise Proposal:								
SI. No	Year	Pit ID	Total Area (Ha)	Area Proposed for Crops (Ha)	Suitable Crops	Area Proposed for Grass (Ha)	Total Proposed Expenditure (INR)	Location (s)	Remarks
				No	ot Applicabl	е			







Review of Mining Plan & Progressive Mine Closure Plan 2027-28) Odisha Mining Corporation Ltd of Mines (2023-24 to 2027-28)

Rantha Iron Ore Mine

6.2.5: Pisciculture: Not Applicable

6.2.5.1: Total Expenditure incurred as on Date (INR)			Not Applicable Port OF INST
6.2.5.2: Cumulative v	ork done as on Date:	Not Applicable	ते सार्
Sl. No	Pit ID	Area (m²)	Expenditure (INR)
	No	ot Applicable.	

6.2.5.3: Year Wise Proposal: Not Applicable						
SI. No	Year	Pit ID	Area (m²)	Estimated Expenditure (INR)		
Not Applicable.						

6.2.5.4: Source of Water for Pisciculture	Not Applicable.
6.2.5.5: Whether the quality of water has been assessed & found to be	Not Applicable
suitable for Pisciculture	Not Applicable.

6.2.6: Recreational Facility:

6.2.6.1: Total Expenditure Incurred (up to last five year block) (INR)	Nil
--	-----

6.2.6.2: Cumulative work done as on Date 30.06.2022.								
SI. No	Pit ID	Area (m²)	Expenditure (INR)					
	The mine has been non-operational since long period due to want of forest clearance, so there is no recreational facility have been developed up to end of previous block period.							

Sl. No	Year	Type of Recreational Facility	Area Covered (Ha)	Location	Estimated Expenditure (INR)
01.	2023-24	Park	0.2	2408000N 307843E	10,00,000
02.	2024-25	Park	0.2	2408012N 307819E	10,00,000
03.	2025-26	Park	0.2	2408047N 307840E	10,00,000
04.	2026-27	Park	0.2	2408035N 307778E	10,00,000
05.	2027-28	Park	0.2	2408074N 307800E	10,00,000



Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28) Rantha Iron Ore Mine Odisha Mining Corporation Ltd

6.2.7	: Dump Are	(\$ g	1 660) g a l						
SI. No	Year	Dump ID	No of Terraces	Average Height of Terraces (m)	Length of Toe Wall (m)	Length of Garland Drain (m)	Area Stabilized (Ha)	Method of Stabilization	ZExpenditure (IMR)	No of Check Dams
01.	2023-24		2	20	440	440	Nil	NA	62,47,200	01
02.	2024-25	Waste	2	20	350	350	Nil	NA	55,83,000	01
03.	2025-26	Dump	2	20	400	400	Nil	NA	29,52,000	0
04.	2026-27	WD-1	1	20	520	520	Nil	NA	38,37,600	0
05	2027-28		1	20			Nil	NA	0	0

6.2.8: Other Form of Reclaiming the Area

6.2.8.1: Cumulative work done as on Date 30.06.2022.					
Sl. No	Total Expenditure incurred as on Date (INR)	Work Done			
01.	Nil	Nil			

6.2.8.2: Year Wise Proposal:								
SI. No	Year	Work Proposals	Estimated Expenditure (INR)					
01.	2023-24	Nil	Nil					
02.	2024-25	Nil	Nil					
03.	2025-26	Nil	Nil					
04.	2026-27	Nil	Nil					
05.	2027-28	Nil	Nil					

6.2.9: Topsoil Management:

6.2.9.1: Cumulative Work Done as on Date 30.06.2022								
SI. No.	Top Soil Generate (m³)	td Top Soil Utilized (m³)	Topsoil Stored (m³)	Total expenditure incurred as on date (₹)				
		Nil.						
6.2.9.2: Year Wi	ise Proposal:		X - 1100 d.m.					
Year	Topsoil Generated (m³) (A)	Topsoil Utilized (m³) (B)	Topsoil Stored (m³) (A-B)	Estimated Expenditure (INR)				
2023-24	0	0	0	0				
2024-25	0	0	0	0				
2025-26	0	0	0	0				
2026-27	0	0	0	0				
2027-28	0	0	0	0				





Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

6.2.10: Tailings Dam Management: Not Applicable

Year	Yearly generation of Tailing (m³) (A)	Total capacity of Tailing Pond (m³)	Measures Proposed for Periodic Desilting	Yearly Utilization of Tailing (m³) (B)	Disposal of Tailing to Tailing Pond (m³) (A-B)	Tailing Structural Stability Dam Stability Design Figure Studies			
Not Applicable									

6.2.11 Land Use Of Lease Area at the Expiry of Lease Period (Conceptual Stage):

o.z.11 Lan	u ose oi	Lease	: Area at ti	ne Expiry Oi	Lease Fellou	(Conceptu	ai Stage).			१ ह्य	The second
Т	Total Area Degraded			Non Degraded area		l out area Recl Rehabilitated	aimed and	Othe	er Areas Reclaii /Repabilitate	ned and	
Mined Out area in the lease	Area under Dumps(in hect)	Area under the Tailing Dam	Area under utility services(in hect)	Area undisturbed/virgin	Mined out Area Reclaimed but not rehabilitated(in hect)	Mined out Area fully Rehabilitated from Reclaimed area(in hect)	Area under Water Reservoir considered Rehabilitated (in hect)	Stabililized Waste dump Rehabilitated (in hect)	Virgin area under Green Belt (in wheet) (Rehabilitated Area under Stilling Services (in hect)	FE G
166.555 Ha.	53.343 Ha.	0.00	35.579Ha.	13.363 Ha.	0.00 Ha.	0.00 Ha.	0.00 Ha	0.00 Ha.	13.126 Ha.	0.00	0.00



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd.

Chapter 7: FINANCIAL ASSURANCE/ PERFORMANCE SURETY

(AREA PUT TO USE)

7.1 YEAR (2023-24 to 2027-28) (Separate form for each year as below)

Financial assurance calculation as per Rule 27(1) of MCDR 2021 is given in the table below:

Sl. No.	Particular	Area put to	Additional	Total (ha) (C = A + B)	
		use at Start of	Requirement (ha)		
		Year (ha) (A)*	(B)*		
1	Area under Mining	2.857	21.024	23.881	
2	Topsoil stacking	0.00	0.00	0.00	
3	Overburden/Waste Dumping	0.00	16.464	16.464	
4	Mineral Storage	0.00	9.394	9.394	
5	Infrastructure (Workshop, Administrative Building etc.)	0.345	5.206	5.551	
6	Roads	1.547	3.535	5.082	
7	Railways	0.00	0.00	0.00	
8	Tailing Pond	0.00	0.00	0.00	
9	Effluent Treatment Plant	0.00	0.00	0.00	
10	Mineral Separation Plant	0.00	5.195	5.195	
11	Township Area	0.00	0.00	0.00	
12	Others to Specify (Conveyor Corridor & Encroachment Hutment)	2.632	1.967	4.599	
	TOTAL	7.381	62.785	70.166	
	GRAND TOTAL				

2023-24				
Consolidated Vi	ew of Financial Assurance			
Sl. No.	Particular	Area put to use at Start of Year (ha) (A)*	Additional Requirement (ha) (B)*	Total (ha) (C = A + B)
1	Area under Mining	2.857	6.401	9.258
2	Topsoil stacking	0.00	0.00	0.00
3	Overburden/Waste Dumping	0.00	16.464	16.464
4	Mineral Storage	0.00	9.394	9.394
5	Infrastructure (Workshop, Administrative Building etc.)	0.345	5.206	5.551
6	Roads	1.547	3.535	5.082
7	Railways	0.00	0.00	0.00
8	Tailing Pond	0.00	0.00	0.00
9	Effluent Treatment Plant	0.00	0.00	0.00
10	Mineral Separation Plant	0.00	5.195	5.195
11	Township Area	0.00	0.00	0.00
12	Others to Specify(Conveyor Corridor & Encroachment Hutment)	2.632	1.967	4.599
	Total	7.381	48.162	55.543



and the second seco					
TO DICLIA			Plan & Progressive 023-24 to 2027-28) Mine Odisha M	Mine Closure	
2024-25					
Consolidated View of Financial Assurance					
Sl. No.	Particular		Area put to use at Start of Year (ha) (A)*	Additional Requiremen t (ha) (B)*	total (ha) (EA + Br
1	Area unde	r Mining	9.258	1.00	10.258
2	Topsoil sta	icking	0.00	0.00	0.00
3	Overburde	en/Waste Dumping	16.464	0.00	16.464
4	Mineral St	orage	9.394	0.00	9.394
5	Infrastruct Administra	ure (Workshop, ative Building etc.)	5.551	0.00	5.551
6	Roads		5.082	0.00	5.082
7	Railways		0.00	0.00	0.00
8	Tailing Por	nd	0.00	0.00	0.00
9	Effluent Tr	eatment Plant	0.00	0.00	0.00
10	Mineral Se	paration Plant	5.195	0.00	5.195
11	Township	Area	0.00	0.00	0.00
12	Others to	Specify	4.599	0.00	4.599
	Tot	al	55.543	1.00	56.543

2025-26

Consolidated Vie	Consolidated View of Financial Assurance						
SI. No.	Particular	Area put to use at Start of Year (ha) (A)*	Additional Requiremen t (ha) (B)*	Total (ha) (C = A + B)			
1	Area under Mining	10.258	5.255	15.513			
2	Topsoil stacking	0.00	0.00	0.00			
3	Overburden/Waste Dumping	16.464	0.00	16.464			
4	Mineral Storage	9.394	0.00	9.394			
5	Infrastructure (Workshop, Administrative Building etc.)	5.551	0.00	5.551			
6	Roads	5.082	0.00	5.082			
7	Railways	0.00	0.00	0.00			
8	Tailing Pond	0.00	0.00	0.00			
9	Effluent Treatment Plant	0.00	0.00	0.00			
10	Mineral Separation Plant	5.195	0.00	5.195			
11	Township Area	0.00	0.00	0.00			
12	Others to Specify	4.599	0.00	4.599			
	Total	56.543	5.255	61.798			



Review of Mining Plan & Progressive Mine Closure Plan 2027-28) Odisha Mining Corporation Ltd. of Mines (2023-24 to 2027-28)

Rantha Iron Ore Mine

			1/ / 0	2/ 都級時 / 5 四
2026-27			l house	BY WE THE
Consolidated Vie	w of Financial Assurance		000	到 ()
Sl. No.	Particular	Area put to use at	Additional	Total (ha) (C = A + B)
		Start of Year (ha)	Requirement (ha)	ेत सार्वा
		(A)*	(B)*	The second secon
1	Area under Mining	15.513	1.978	17.491
2	Topsoil stacking	0.00	0.00	0.00
3	Overburden/Waste Dumping	16.464	0.00	16.464
4	Mineral Storage	9.394	0.00	9.394
5	Infrastructure (Workshop,	F FF4	0.00	F FF4
	Administrative Building etc.)	5.551	0.00	5.551
6	Roads	5.082	0.00	5.082
7	Railways	0.00	0.00	0.00
8	Tailing Pond	0.00	0.00	0.00
9	Effluent Treatment Plant	0.00	0.00	0.00
10	Mineral Separation Plant	5.195	0.00	5.195
11	Township Area	0.00	0.00	0.00
12	Others to Specify	4.599	0.00	4.599
	Total	61.798	1.978	63.776

2027-28				
Consolidated Vi	ew of Financial Assurance			
Sl. No.	Particular	Area put to use at Start of Year (ha) (A)*	Additional Requirement (ha) (B)*	Total (ha) (C = A + B)
1,	Area under Mining	17.491	6.390	23.881
2	Topsoil stacking	0.00	0.00	0.00
3	Overburden/Waste Dumping	16.464	0.00	16.464
4	Mineral Storage	9.394	0.00	9.394
5	Infrastructure (Workshop, Administrative Building etc.)	5.551	0.00	5.551
6	Roads	5.082	0.00	5.082
7	Railways	0.00	0.00	0.00
8	Tailing Pond	0.00	0.00	0.00
9	Effluent Treatment Plant	0.00	0.00	0.00
10	Mineral Separation Plant	5.195	0.00	5.195
11	Township Area	0.00	0.00	0.00
12	Others to Specify	4.599	0.00	4.599
	Total	213163.776ADDD	6.390	70.166

क्षेत्रीय खान नियंत्रक Regional Controller of Mines भारतीय खान व्युरो Indian Bureau of Mines भुवनेरवर/Bhubaneswar



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

7.2 Financial Assurance:

Category-A Mining Lease:

Total Area Proposed to be put to use in Hact i.e. from FY 2023-24 to FY 2027-28.	Amount of Bank Guarantee(Lac INR)	Valid till (dd/mm/yyyy)	Upload copy of Bank Guarantee
70.166 Ha.	Rs. 350.83Lakhs	31.03.2028	Total Financial Assurance payable till the end of plan period as per rule 27(1) of MCDR 2021, i.e. up to 31.03.2028 is calculated to be Rs. 3, 50, 83,000/-(Rupees Three Corers Fifty Lakhs Eighty Three Thousand Only) for Category-A fully mechanized mines calculated at Rs. 5, 00,000/-per hectare for an area of 70.166 Ha of ML area put to use. The amount of Rs. 3, 50, 83,000/-(Rupees Three Corers Fifty Lakhs Eighty Three Thousand Only) in shape of Bank Guarantee no. 57500IGL0003022 Valid up to 31.03.2028 has been attached in Annexure-38.

7.3 Performance Security:

	Lease Category (A/B)	Total Resources in tonnes for calculation of Performance Surety*	Existing Performance surety amount in Rs	Valid till (dd/mm/yyyy)	Upload copy of existing Performance Security	
Γ	Not Applicable.					



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

Chapter 8: Review of Previous Proposals

(Not applicable for fresh grant)

8.1: General:

8.1.1: Lease Area Utilization:

	Lease Area Ottil				ित र	Reasons
SI. No.	Type of land use (in ha)	Area at the beginning of the proposal period	Area proposed under activity	Actual Area utilized in the proposal period	Deviation	for deviation
1	Mining	3.612	10.356	2.857		
2	Mineral storage	0.00	7.811	0.00		
3	Mineral Beneficiation plant	0.00	1.400	0.00		
4	Township	0.00	0.00	0.00		
5	Tailing Pond	0	0	0.00		
6	Railways	0	0	0.00		
7	Roads	1.257	3.087	1.547		
8	Infrastructure (Workshop, administrative building etc.)	3.404	6.602	0.345		
9	OB/waste dump	0.434	2.922	0.00		Not Applicable.
10	Top soil preservation	0.00	0.342	0.00	No Deviation	, tppmedzie.
11	Conveyor Corridor	0.00	4.020	0.00	Deviation	
12	Others (Encroachment Hutment	0.00	0.00	2.632		
13	Others (Safety Zone)	13.126	13.126	13.126		
14	Total area put to use	8.707	36.54	7.381		
15	Excavated area reclaimed	0	0	0		
16	Waste dump area reclaimed	0	0	0		
17	Undisturbed Area	260.133	232.300	261.459		
	Total	268.84	268.84	268.84		



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd.

NOT MENES



8.1.2: 3DF and C3K Expenditures:		>			
Activity	Proposals		Achievement	Deviation	Reasons for deviation
Total expenditure incurred for implementation of SDF at mine level including - Environment Protection - CSR & other welfare activities in peripheral area (Explanation: Expenditure is not over and above the statutory levies imposed by the Government; However, THIS EXCLUDES CONTRIBUTION TO DMF & NMET and is over and above the statutory levies imposed by the Government.) CSR (Corporate Social Responsibility) spending at the mine level in Proposal Period (as per Companies Act, 2013 or otherwise)	10% of Royalty (a) Nil	Total Expenditure for SDF & CSR implementation (b) Nil	Nil	No Deviation	Not Applicable.

8.2: Technical Details:

8.2.1: Exploration: As on 30.06.2022.

Particulars	Proposals	Achievement	Deviation	Reasons for deviation
Number of Boreholes/ Pits/ Trenches	192	0	Deviation	Total 192 number of bore holes have been
Boreholes Meterage (If Boreholes selected in first row) (m)	19,200	0	Deviation	proposed in the FY 2018- 19 to 2022-23. No bore
Grid	100 X 100	0	Deviation	holes have been drilled
G Axis up gradation during Proposal Period as per guidelines of MEMC Rule 2015)	100	0	Deviation	during the period from 2018-19 to 2022-23 (As on 30.06.2022) because
Area converted under G1 from G2/G3	57.651	0	Deviation	of non-availability of forest clearance.

Remark: The proposal have been given for 5-year period for the F.Y 2018-19 to 2022-23 and review have been carried out for the F.Y 2018-19 to 2022-23(As on 30.06.2022).

8.2.2: Mine Development (Opencast/ Dump Mining): As on 30.06.2022.

Particulars	Proposed	Actual	Deviation	Reasons for deviation
8.2.2.1: Generation of Ore/Waste While D				
Ore (Tonnes)	2,273,700	0		The development
Waste (Cubic Meters)	1,24,400	0		proposal have been given for 5-year period for the
Generated Waste while ROM recovery	0	. 0	Deviation.	F.Y 2018-19 to 2022-23
Dumping Site (For Surface)	2.922	0		and review have been
Removal of waste/ over burden in cubic	1,24,400	0		carried out for the F.Y





Rantha Iron Ore Mine

Odisha Mining Corporation Ltd Services

8.2.3: Mining operation: Dump Mining: As on 30.06.2022.

Particulars	Proposals	Achievement	Deviation	Reasons for deviation	
Handling of Material					
Waste Generated post recovery	No dump mining has been proposed during the Modification of				
Dumping site for waste	Mining Plan period from 2018-19 to 2022-23.				

8.2.4: Zero Waste Mining: As on 30.06.2022.

Particulars	Proposals	Achievement	Deviation	Reasons for deviation
Alternative use / Disposal of Waste Generated (excluding top soil)		Not A	pplicable.	

8.2.5: Backfilling: As on 30.06.2022.

Particulars	Proposals	Achievement	Deviation	Reasons for deviation
Site (Co-ordinates)	0	0		
Area	0	0		
Depth	0	0		
Volume Backfilled (CuM)	0	0		
Backfilled Area available for Reclamation and Rehabilitation	0	0	No Deviation.	Not Applicable.
Backfilled Area Reclaimed and Rehabilitated	0	0		
Balance Backfilled Area	0	0		

Remark: The proposal have been given for 5-year period for the F.Y 2018-19 to 2022-23 and review have been carried out for the F.Y 2018-19 to 2022-23(As on 30.06.2022).

8.2.6: Production of Mineral(s): As on 30.06.2022.

Particulars	Proposals	Achievement	Deviation	Reasons for deviation
8.2.6.1: ROM (to	nnes)			
Opencast	3,829,710	0	Deviation	The Production proposal have been given for
8.2.6.2: Cleaned Ore (Tonnes)				5-year period for the F.Y 2018-19 to 2022-23
Opencast	2,273,700	0		and review have been carried out for the F.Y 2018-19 to 2022-23(As on 30.06.2022).
Dump Mining	0	0	Deviation	The Production of ROM could not be achieved
Recovery from	0	0	Deviation	as per proposal due to non-availability of
Mineral Rejects	U			forest clearance & other statutory clearances.





Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

or Tailings		
Total	40,10,000	0

The mine has been non-operational since long period due to want of forest clearance other statutory clearances.

Remark: The proposal have been given for 5-year period for the F.Y 2018-19 to 2022-23 and review have been carried out for the F.Y 2018-19 to 2022-23 (As on 30.06.2022).

8.2.7: Handling of Mineral Rejects/ Sub-Grade: As on 30.06.2022.

Particulars	Proposals	Achievement	Deviation	Reasons for deviation	
Generation of mineral rejects (Tonnes)				The Production proposal have been given for	
Opencast	1,556,010	0		5-year period for the F.Y 2018-19 to 2022-23	
Dump mining	0	0	Deviation	Deviation	and review have been carried out for the F.Y 2018-19 to 2022-23(As on 30.06.2022). The
Other recovery	0	0		Production of mineral reject could not be	
				achieved as per proposal due to non-	
Stacking of mineral				availability of forest clearance & other	
rejects/ sub-grade	0	0		statutory clearances. The mine has been non-	
mineral			Deviation	operational since long period due to want of	
Blending of mineral	1 556 010	0		forest clearance & other statutory clearances.	
reject / Sub-grade.	1,556,010	0			

Remark: The proposal have been given for 5-year period for the F.Y 2018-19 to 2022-23 and review have been carried out for the F.Y 2018-19 to 2022-23(As on 30.06.2022).

8.2.8: Environment Compliances: As on 30.06.2022.

Particulars	Proposals	Achievement	Deviation	Reasons for deviation
8.2.8.1: Top soil (Cum.)				
Generation	10,261	0		The mine has been non-operational since long period
Utilization	0	0	Deviation	due to want of forest clearance & other statutory
Stacking (Dump Id)	10,261	0		clearances.
Reclamation	0	0	No	N A I' I I
Rehabilitation	0	0	Deviation	Not Applicable.
8.2.8.2: Afforestation (D	umps/Benche	s/Backfilled Area	etc.) As on 30.0	6.2022.
2018-19	0	0		The mine has been non-operational since long period
2019-20	0	0		due to want of forest clearance & other statutory
2020-21	500	0	Deviation	clearances.
2021-22	625	0		
2022-23	750	0		
8.2.8.3: Afforestation (6	ireen Belt): As	on 30.06.2022.		
2018-19	0	0		
2019-20	0	0	1	
2020-21	0	0	No	Not Applicable.
2021-22	0	0	Deviation	
2022-23	0	0		
Construction of check dams	1	0		The proposal for check dams, Garland Drain & Retaining wall have been given for 5-year period for the F.Y 2018-
Construction of garland drains	460	0	Deviation	19 to 2022-23 and review have been carried out for the F.Y 2018-19 to 2022-23 (as on 30.06.2022). As per
Construction of retaining walls	580	0	Deviation	proposal there is no construction of check dams, Garland Drain & Retaining wall because of the mine has been non-operational since long period due to want of forest clearance & other statutory clearances.
8.2.8.4: Tailings: As on 3	0.06.2022			
Generation	Not Applicable.			



Odisha Mining Corporation (td)

Utilization (Auto fill from production)
Disposal

Remark: The proposal have been given for 5-year period for the F.Y 2018-19 to 2022-23 and review have been carried out for the F.Y 2018-19 to 2022-23 (As on 30.06.2022).

8.3: Socio-Economic Review as on 30.06.2022.

8.3.1: Rehabilitation & Resettlement for Pro	ject Affected Pe	eople as on 30.	06.2022.	
Particulars	Proposals	Actual	Deviation	Reasons for deviation
No. of Project Affected People (PAP)	Nil	Nil		
%age of PAP for whom alternate arrangements made for sustained livelihood	Nil	Nil		
% of project affected families given employment	Nil	Nil	No Deviation	Not Applicable.
% of project affected families who have been skilled by the lessee and absorbed (% of total employment given to affected families)	Nil	Nil		
8.3.2: Grievance Redressal as on 30.06.2022.		2018-19	to 2022-23	
Grievances Received			0	
Grievances Redressed		34-3	0	
8.3.3: Welfare and socio-economic developr	nent programs	for local comm	unities as on 30	0.06.2022.
8.3.3.1: Support for Drinking Water & Agriculture as on 30.06.2022.	2018-19 to 2022-23			
No. of Water Storage Tanks constructed	0			
Drinking Water Facilities provided (Bore wells/ Pumps etc.)	0			
Irrigation Support provided (Canals/ Pumps etc.)	0			
No. of Water tanks De-silted	0			
Water Treatment facilities provided (A/NA)			VA	
Amount of Water treated (in kL) (if selected A in above)		1	NA	-
8.3.3.2: Support to Health & Medical Services as on 30.06.2022.	2018-19 to 2022-23			
No. of persons identified from Occupational health diseases	0			
No. of Health Camps/ Medicine Camps Organized	0			
8.3.3.3: Support to Skill development & Educ	cation as on 30.0	06.2022.		
Vocational Training Provided/ Support Provided as on 30.06.2022.	2018-19 to 2022-23			
No. of employees undergone Vocational training	0			



4

Review of Mining Plan & Progressive Mine Closure Plan (2023-24 to 2027-28)

Rantha Iron Ore Mine Odisha Mining Corporation Ltd 5477

	OF MINES
No. of other persons undergone Vocational training	O LE CONTRACTOR O
Number of Literacy & Education Camps held/ Supported	O E CONT OF MOUNT
8.3.3.4: Support to Transportation Services & Infrastructure as on 30.06.2022.	2018-19 to 2022-23
Expenditure on Transportation Services & Infrastructure in Lakhs	0
Road development (m) in the peripheral area (not lease area)	0
No. of Public transport support provided (Ambulance/Buses/ School Vans etc)	0
0.2.2.5.0	

8.3.3.5: Swatchata Programs: Creating/providing sanitation and healthy condition in and around the mine area as on 30.06.2022.

The Little of the College Land	
Adoption of ODF within mining lease area as on 30.06.2022.	2018-19 to 2022-23
No. of Toilets built in the Lease Area	0
Adoption of ODF in nearby villages as on 30.06.2022.	2018-19 to 2022-23
No. Of Toilets built in the villages	0
Provision for green age recreational facility (Within Lease Area/ Outside) as on 30.06.2022.	2018-19 to 2022-23
Recreational Area Type (Picnic Spot/ tracks/Park Etc)	0
Area covered (For within Lease Area only)	0
Awareness program among Mine workers for Swatchata as on 30.06.2022.	2018-19 to 2022-23
No. of Swatchchta Programmes held	0



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

Chapter 9: IMPACT ASSESSMENT (for fresh grant): Not Applicable

9.1: Baseline Information:

	// * - / wearan / 'a
Whether Area falls under Forest	YES OF HOLD
Whether Area falls under Wildlife Sanctuary	NO तसर
Whether Area falls under Coastal Regulation Zone (CRZ)	NO
Whether Area falls under Defence Land	NO
Any Other Clearance (specify)	NA

Any Significant Objections from any Agency Involved in Stakeholder's Consultation -

9.2: Environment Parameters:

9.2.1: Environment Monitoring:

Monitoring Activity

9.2.1.1: Ambient Air Quality:

	Core Zone (Quarterly Monitoring Planned)	YES
	Buffer Zone (Quarterly Monitoring Planned)	YES
2 1	2. Weter Ovelity	

9.2.1.2: Water Quality:

Core Zone (Quarterly Monitoring Planned)	YES	
Buffer Zone (Quarterly Monitoring Planned)	YES	

9.2.1.3: Noise Level:

Core Zone (Quarterly Monitoring Planned)	YES
Buffer Zone (Quarterly Monitoring Planned)	YES

9.3: Impact Assessment:

9.3.2: Land Environment:

9.3.2.1: BASE / PRESENT STATUS						
Pre Mining Use	AREA (Ha)					
Barren / Waste land with small bushes & shrubs	0					
Land under Agriculture / Crops	0					
Land covered with Plants	0					
Land under Grass Cover	0					
Land under Public Infrastructure / Utilities (water bodies, roads, railways, electric lines, telephone lines etc.)	0					
Land under Habitation	0					
Land under Monuments & places of Historical Importance	0					
Degraded by Pits & Excavation	2.442					
Degraded by Dumps & Material Staking	0					
Covered under Mine Infrastructure (plants, shades, buildings etc.)	6.443					
Land under Forest	268.84					
Historically, Culturally & Ecologically Important Places	0					
Any Other, please specify below	0					
Date of Observation	30.06.2022					

PRADIP Digitally signed by FBADIP KUMAR KUMAR SAHOO Date, OUT 08 118 SAHOO 10 48 18 40 85



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

9.3.2.2: ANTICIPATED IMPACT	विव खान व्य
Post Mining Use	AREA (Ha)
Degradation by Excavation	166.555
Degradation by Dumps & Material Staking	66:839
Covered under Plants, Shades & Buildings	11.622 OF MODEL STORY
Covered by Roads & Approaches	10.461
Any Other, please specify below (Undisturbed Virgin SZ)	13.363

9.3.2.3: Mitigation Measures:

- 9.3.2.3.1: Backfilling: The mined out area of 65.337Ha. have been envisaged for back filling. The back filled area will be re-grassed after end of the lease period.
- 9.3.2.3.2: Area proposed to be covered by Plantation in Backfilled Area: The mined out area of 65.337 Ha. have been envisaged for back filling.
- 9.3.2.3.3: Proposed Area under Agriculture: Nil
- 9.3.2.3.4: Proposed Area to be converted to Grazing Land: The area covered under mineral separation plant & mineral stacking area of 11.622 Ha. shall be converted to grazing land after end of the lease period.
- 9.3.2.3.5: Ground Water Recharging: Nil.
- 9.3.2.3.6: Green Belt Development *: The green belt will be developed over the area covered under dumps, and backfilled area of mined out area and virgin area under safety zone.
- 9.3.2.3.7: Agriculture *: No Proposal for agriculture.

9.3.3: Air Environment:

9.3.3.1: Climate & Meteorology (Please provide average of 10 years):

Temperature (°C)		Relative Humidity (%)	Average Rainfall (mm)
Maximum	Minimum	76	1269.1
42	8	70	1209.1


9.3.3.2: Air Quality Details for Base line Information / Present Status: The Air Quality base line data has been given in environmental monitoring report. Same has been attached as Annexure-32.

Sr. No	Statio n Name	Seaso n	PM10 (μg/m3)	PM10 Excess (μg/m3) 2	PM2.5 (μg/m3)	PM2.5 Excess (μg/m3) 2	SO₂ Value (μg/m3)	SO₂ Excess (µg/m3)	NOx Value (μg/m3)	NO _x Excess (μg/m3)	Date of Observatio n	Actio n

- 9.3.3.3: Impact Assessment & Mitigation Measures:
- 9.3.3.3.1: Anticipated Impact (Give details on Prediction of fugitive dust emissions due to mining activities, crushing & cleaning plants, loading & unloading, transportation by rail, road or conveyor)

There will be generation of dust during hauling of both ore and over burden to stackyard, during transportation of finished ore and during blasting.

9.3.3.3.2: Mitigation Measure Give details on measures to reduce the emissions of pollutants during mining, loading, unloading, transportation, drilling, blasting, crushing etc. to maintain the air quality:





Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

खान

Following measures are proposed for management of air quality: -

- ✓ Water sprinkling on haul roads at regular intervals.
- ✓ Installing of permanent water sprinklers at strategic places.
- Dense plantation along the safety zone/avenue plantation.
- ✓ No overloading of tippers/ Dumpers.
- ✓ Ore shall be covered with tarpaulin during transportation from stockyard to outwards.\(\frac{1}{2}\)
- ✓ Provision of dust extractors with the drill machines/ wet drilling practices.
- ✓ Water spraying in the dump hopper of crusher.
- Provisions of dust masks to the persons exposed to dust.
 - 9.3.4: Water Environment:

Depending upon the drainage pattern of the area where the dump area is located, retaining walls, garland drain with settling tanks will be provided. The garland drains will be dug around 1 m beneath the adjoining contour level at the lower peripheral areas of the dump. The width of the drains shall be around 1.5 m. A series of settling pits along with a main settling tank of 15 m length at the outlet of the garland drains will be provided to arrest the wash-off solid particles. The settling tank will be provided with three compartments each of around 5m width to arrest the suspended solids followed with the chamber to arrest any oil particles. The last chamber shall contain the clean water which will be ultimately discharged. The retaining walls will be of 1.5m height and 1.2 m width at the top and around 1.5m at the base. 9.3.4.1: Rain Water:

9.3.4.1.1: Base / Present Status (Details of Rivers, Springs, Lakes, Reservoirs & Drains up to First Order in Study Area)

The area falls within the watershed area of the Baitarani River. No water/waste water is discharged in to the river.

During rains, the runoff passes through garland drain and series of settling pits before draining into water harvesting pond.

9.3.4.1.2: Anticipated Impact (Impact on Surface Water Bodies / Groundwater Table Regime / Streams / Lake / Springs due to Mining, to be Assessed from Hydro-geological Study Give details about impact on vegetation)

The surface water is not contaminated from the mining waste, as the working quarries is situated far away from any nala and the rain water is usually absorbed in the sub soil before reaching the nala.

9.3.4.1.3: Mitigation Measure (Possibilities of Rain Water Harvesting & Artificial Recharge with in the Mining Lease)

Water harvesting and artificial recharge is done in the form of ponds developed and maintained within the Mining Lease.

9.3.4.2: Water Body:

9.3.4.2.1: Base / Present Status*(Water Bodies Existing & Water Bodies likely to be created due to Mining Activities & their Water Holding Capacity)

The baseline data of water quality has been given in environmental monitoring report. Same has been attached as Annexure-32.

9.3.4.2.2: Anticipated Impact (Ingress of Sea Water, Particularly for Mining Projects in Coastal Areas)



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

OF MINES

Not Applicable.

9.3.4.2.3: Mitigation Measure (Steps to Minimize Impact on Water Table if Mining Intercepts Ground Regime)

During the conceptual period mining intercepts Groundwater Regime, for minimize Impact on Water table the following steps to be proposed.

- Ground water recharge by bore holes.
- Frequent analysis of ground water.

9.3.4.3: Water Balance:

9.3.4.3.1: Base / Present Status (Water Balance (Withdrawal of Surface Water & Release of Mine Drainage Water) Water Requirement & Waste Water Generation from various Activities of Mine, Including Beneficiation)

Water Balance chart attached as Annexure-29.

9.3.4.3.2: Anticipated Impact(Impact of Water Drawl on Surface & Groundwater Resources Impact on Surface & Groundwater Quality due to Discharges from Mining, Tailings Pond, Workshop, Township, & Leach ate from Solid Waste Dumps etc)

There will not be any impact of water drawl on surface as well as ground water resources due to mining activities.

The surface water is not contaminated from the mining waste, as the working quarries is situated far away from any nala and the rain water is usually absorbed in the sub soil before reaching the perennial nala.

9.3.4.3.3: Mitigation Measure (Construction of Check Dams, Sedimentation Ponds, Settling Tanks, Retaining Walls etc. with Design & Site Features for Control of run-off Mine Water Treatment for Meeting the Prescribed Standard Waste Water Treatment for Township Sewage, Workshop(s), Tailing Pond Overflow etc)

The surface runoff shall be diverted through garland drains of around 1 m beneath the adjoining contour level at the lower peripheral areas of the dump. The width of the drains shall be around 1.5 m. A series of settling pits along with a main settling tank of 15 m length at the outlet of the garland drains will be provided to arrest the wash-off solid particles. The settling tank will be provided with three compartments each of around 5m width to arrest the suspended solids followed with the chamber to arrest any oil particles. The last chamber shall contain the clean water which will be ultimately discharged. The retaining walls will be of 1.5m height and 1.2 m width at the top and around 1.5m at the base.

9.3.5: NOISE

9.3.5.1: Critical Locations Identified within Lease Area *

Details of noise monitoring has been given in environmental monitoring report. Same has been attached as Annexure-32.

9.3.5.2: Give Detail about Prediction of Noise Level by using Mathematical Modeling at Different Locations Identified *

Due to operation of the HEMM & plant, ambient noise level is likely to increase but the same will be managed through proper maintenance of the plant & machineries & use of personal protective equipment.

- 9.3.5.3: Measures to Minimize the Impact on Receiving Environment *
- Regular maintenance of vehicles, machinery and other equipment is being done.
- Silencers and mufflers are provided in the exhaust.





Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

- Limiting time exposure of workers to excessive noise.
- PPEs such as ear muffs, ear plugs have been provided to workers.
- Control blasting limits noise generation.

9.3.5.4: Noise Details for Base / Present Status

The copy of noise level baseline data has been given in environmental monitoring report Same has been attached as Annexure-32.

Noise Standards								
Area Code	Category of Area	Limits in	n dB(A)Leq					
71100 0000	category or rica	Day Time	Night Time					
А	Industrial Area	75	70					
В	Commercial Area	65	55					
С	Residential Area	55	45					
D	Silence Area	50	40					

Sl. No.	Station Name	Season	Type of Area	Noise At Day Time:	Excess Noise At Day	Noise At Night Time:	Excess Noise at Night	Date of Observa tion

9.3.5.5: Impact Assessment & Mitigation Measures:

9.3.5.5.1: Anticipated Impact (Give details on impact on ambient noise level due to rock excavation, transportation, processing equipment's & ancillaries):

The impact of noise on the workers due to rock excavation, transportation, processing equipment is very low.

- 9.3.5.5.2: Mitigation Measure (Give details on measures for noise abatement including point source & line source)
- 9.3.6: Vibration:
- 9.3.6.1: Vibration Details for Base / Present Status

The blast induced ground Vibration Study shall be carried out after resume of mining operation.

Sl. No	Station	Season	Distance from	Peak Particle	Air over	Frequency	Date of
			Blasting Site(m)	Velocity(mm/sec)	Pressure(DB)	(Hz)	Observation

9.3.6.2.1: Anticipated Impact (Give details on impact of vibrations including damage to materials/structures due to blasting)

The residential houses/structures were located far away from the present workings. Thus no impact of blasting. Further control blasting as per the ground vibration study limits the vibration level.



Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

OF MINIES

CONT. OF INDIV

9.3.6.2.2: Mitigation Measure (Give details on measures for noise abatement including point source & line source)

The blast induced ground vibrations will be controlled through limiting the charge per delay and use of in-hole delay by NONEL means of initiation. The blast induced ground Vibration Study shall be carried out after resume of mining operation.

9.3.7: Socio-Economic Environment:

9.3.7.1: Demographic Profile: The demographic data attached as Annexure-35.

Sl. No.	Type of Area	Name of Village	Total Population	Male to Female Ratio	Literacy Rate (%)	Employment Rate (%)		
The demographic data attached as Annexure-35.								

9.3.7.1.1: Anticipated Impact (Give details about impact on the cropping pattern & crop productivity in the core zone)

There shall be no impact on the cropping pattern & crop productivity in the core zone as the ore-bearing zone contains mainly shrub forest.

9.3.7.1.2: Mitigation Measure (Give details about compensation for loss of land & crops)

The compensatory afforestation plan will be implemented by the Forest Department.

9.3.7.2: Traditional Skills & Source of Livelihood-

9.3.7.2.1: Base / Present Status (Give details about present status on traditional skills & source of livelihood)

The mining employment has greatly increased the income levels of the natives. In addition, creation of comparatively well-paid jobs in the area has generated not only sizeable trade in household supplies (including vegetables, milk, food, textile, etc) but also some household employment. It has also generated demand for tertiary services like transport and repair shops. The impact of mining operations in the area on socio-economic has been a positive one. The infrastructure of the area roads, public transport and electricity supply, has also improved after the advent of mining operation in the area.

9.3.7.2.2: Anticipated Impact (Give details about positive & negative impacts on present status of livelihood in the area)

There will be no impact on the lively hood in the area.

9.3.7.2.3: Mitigation Measure (Give details about training to locals for employment in the project training for making them self-employable or elsewhere)

Employment generation in mining, transporting activities will be sustainable for the lively hood of nearby area.

9.3.7.3: Economic Profile of the Population in Core & Buffer Zone

9.3.7.3.1: Base / Present Status (Give details about economic profile of the population in core & buffer zone)

Occupational structure of the people of the study area reveals that about 14% have cultivation as primary source of income. Majority of them are engaged in service (28%). Substantial portion of the respondents have private business (14%). Wage labours constitute 44%.

- 9.3.7.3.2: Anticipated Impact (Give details about impact on community resources such as grazing land) There is no impact on community resources such as grazing land due to mining activity.
 - 9.3.7.3.3: Mitigation Measure (Give details about employment opportunities & access to other amenities such as education, health care facilities to be extended to locals, addressing local unemployment, tourism or recreation opportunities, efforts for sustainable development of the local community)

During the phase of mine expansion, substantial amount of employment and income are going to be created. A large portion of these is likely to trickle down to the local people. Besides this it is expected that for yearly







Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

operation of the project local people will get employment in various mining activities in accordance with their qualification, skill and experience. Besides direct employment, the project is expected to generate substantial indirect employment in semi-skilled labour, casual labour as also skilled labour in other sectors e.g. in the small scale industrial units and service centers etc. which are existing at present and also expected to come in the vicinity of the Projects. The indirect employment and income effects are likely to be much larger than the direct effects of the project. Overall assessment of the employment and income effects indicates that the project has strong positive direct as well as indirect impact on employment and income generation.

- 9.3.7.4: Human Settlement in Core & Buffer Zone
- 9.3.7.4.1: Base / Present Status*(Give details about human settlement in core & buffer zone) Only Rantha, KhandadharR.F villages have been found in the 500 m buffer zone of the area.
- 9.3.7.4.2: Anticipated Impact *(Give details about any displacement of human settlements during the life of the mine)

There shall be no displacement of any human settlement during the life of the mine.

9.3.7.4.3: Mitigation Measure *(Give details about rehabilitation & resettlement of land ousters & displaced people)

There shall be no displacement of any human settlement during the life of the mine.

- 9.3.7.5: Health Profile of Population in Core & Buffer Zone
- 9.3.7.5.1: Base / Present Status* (Give details about health profile of population in core & buffer zone)

Occupational safety and health is very closely related to productivity and good employer-employee relationship. The factors of occupational health for the project are mainly dust, siltation etc. Safety of employees during operation and maintenance etc. shall be as per mines rules and regulations. To avoid any adverse effects on the health of workers due to various pollutants, sufficient measures have already been addressed in this chapter. The following measures relating to safety and health shall also be practiced:

- Provision of rest shelters for mine workers with amenities like drinking water etc.
- All safety measures like use of safety appliances, safety awards, posters, slogans related to safety etc.
- > Training of employees for use of safety appliances and first aid.
- > Regular maintenance and testing of all equipment as per manufacturers' guidelines.
- Periodical Medical Examination (PME) of all workers by a medical specialist so that any adverse effect may be detected in its early stage.
- First Aid organization in mines including training and retraining of First Aiders.
- Close surveillance of the factors in working environment and work practices, which may affect environment and worker's health. Monitoring of the values of various factors which may lead to occupational health hazards.
- Working of mine as per approved mining and environmental plans.
 - 9.3.7.5.2: Anticipated Impact *(Give details about any adverse impact on the general health condition of the population in core & buffer zone)

The population in core and buffer will not have any adverse impact on the general health condition as the mining site is far away.







Rantha Iron Ore Mine

Odisha Mining Corporation Ltd

9.3.7.5.3: Mitigation Measure *(Give details about avenues like dispensaries, hospitals, maternity-homes like dispensaries)

Not Applicable.

9.3.7.6: Historically, Culturally & Ecologically Important Places in Core & Buffer Zone-

9.3.7.6.1: Base / Present Status*(Give details about historically, culturally & ecologically important places in core & buffer zone)

There is no historically, culturally & ecologically important places in core & buffer zone of the lease. 9.3.7.6.2: Anticipated Impact *(Give details about risk profiling).

Not Applicable.

9.3.7.6.3: Mitigation Measure *(Give details about public health benefits (e.g. clean water to an aboriginal community), measure for safeguard against damage etc.)

Not Applicable.

