


Ref. : BGRL/AA GA/RF – 0.10 Ha./Compliance Report/2021

Date : 05/07/2021

To,
The Deputy Conservator of Forest
Forest Division,
Ahmednagar.



Sub : Diversion of 0.10 ha. Reserved and Unclass Forest land under Forest (Conservation) Act 1980 in favor of Chief Manager, City Gas Distribution Head, Bharat Gas Resources Ltd., Bandra-Kurla Complex (East), Mumbai for laying of underground Natural Gas Pipeline in right of way (ROW) of SH-27 from route Kedgaon to Supe in Taluka-Parner in Ahmednagar District. Compliance Report reg.

- Ref. : 1) Online Application FP/MH/PIPELINE/42387/2019.
2) In-Principal Permission No. FLD-1820/CR-182/F-10 – Dt. 25/03/2021.
3) Office of Dy. Conservator of Forests, Ahmednagar – Demand Note No. A/Survey/144/2021-22 Dt. 28/04/2021.
4) Online Challan No. 7242387161 Dtd. 27/05/2021.
5) BGRL Payment Advice on Dtd. .

Dear Sir,

We appreciate for granting us Stage-I "In-Principle permission" vide letter no. FLD-1820/CR-182/F-10 – Dtd. 25.03.2021 for Laying of Proposed 4"Ø, 6Ø Steel Gas Pipeline Along & Across SH-27(Kedgaon-Supe) Road for various connectivity in Parner Taluka of Ahmednagar district.

Further, in order to obtain Stage-II permission for the said proposal, we hereby submit the compliance report of conditions stipulated in the aforesaid Stage-I permission letter:

Condition No.	Conditions of In-Principal Permission	Compliance of Conditions by Bharat Gas Resources Limited
1	The legal status of the land will remain unchanged.	Undertaking for accepting the condition is enclosed herewith.
2	The Forest land shall not be used for any purpose other than specified in the project.	Undertaking for accepting the condition is enclosed herewith.
3	The User Agency will defray the cost of Net Present Value of 0.10 Ha. of Forest Land as per latest guidelines of Government of India.	Undertaking for accepting the condition is enclosed herewith.
4	The User Agency will defray the additional/ revised cost of Net Present Value as per latest guidelines of Government of India.	b) Undertaking for accepting the condition is enclosed herewith.
5	The User Agency shall obtain the permission of concerned competent authority for laying of Natural Gas Pipeline within the ROW.	Undertaking for accepting the condition is enclosed herewith.

4

दुसरा मजला, डीटीओ कार्यालय, बीएसएनएल सीएससी इमारत, एसबीआय चौक, नगर-औरंगाबाद रस्ता, अहमदनगर 414 00

2nd floor, DTO office, BSNL CSC building, SBI Chowk, Nagar -Aurangabad road, Ahmednagar 414 00





6	The User Agency will obtain the Environmental Clearance from competent authority, if required.	Undertaking for accepting the condition is enclosed herewith.
7	The Natural Gas Pipeline will be laid well below as per the norms the ground level all along its length through forest and adequate safety measures to be adopted.	Undertaking for accepting the condition is enclosed herewith.
8	No additional or new path will be constructed inside the forest area for transportation of construction materials for the execution of the project work.	Undertaking for accepting the condition is enclosed herewith.
9	It will be the responsibility of the User Agency to ensure that the laborers, staffs engaged in construction activity do not damages nearby forest flora and fauna.	Undertaking for accepting the condition is enclosed herewith.
10	The User Agency will fulfill the complete compliance of the Scheduled Tribes and Other Traditional Forest Dwellers (Recognition of Forests Rights) Act, 2006 before final approval.	Agreed. FRA Certificate to be issued by District Collector-Ahmednagar is in process and will be submitted after receipt.
11	The User Agency will make good the forest land after laying underground natural gas pipeline.	Undertaking for accepting the condition is enclosed herewith.
12	No trees shall be felled in the area proposed for diversion.	Undertaking for accepting the condition is enclosed herewith.
13	For further maintenance of the project, the agency shall obtain permission from the concerned Deputy Conservator of Forests as and when required.	Undertaking for accepting the condition is enclosed herewith.
14	No new forest area beyond the Right of Way of existing road should be broken for laying Optical Fiber Cable.	Undertaking for accepting the condition is enclosed herewith.
15	The Chief Conservator of Forest (T), Nashik shall report the details of amount recovered from the Project Authority at prevalent rate and all other cost required as per the rules in due course of time.	Pertaining to Forest Department
16	All the amount received from the User Agency under the project shall be transferred to the account of Ad-hoc CAMPA and compliance will be reported to this office.	Pertaining to Forest Department



17	The User Agency will be authorized to lay the Natural Gas Pipeline outside the confines of the protected area after compliance of this order. Any breach of the conditions by the User Agency will be treated as violation of the provision of the Forest (Conservation) Act, 1980.	Undertaking for accepting the condition is enclosed herewith.
18	Provision of all relevant Acts, Rules made there under and guidelines applicable to the project shall have to be strictly followed.	Undertaking for accepting the condition is enclosed herewith.
19	All the conditions stipulated by the Forest Department shall be binding on User Agency	Undertaking for accepting the condition is enclosed herewith.
20	Any other condition which Principal Chief Conservator of Forests (Head of Forest Force), Maharashtra State, Nagpur may impose.	Undertaking for accepting the condition is enclosed herewith.
21	The Final approval shall be granted by the State Government after fulfillment of the above conditions by the User Agency. The actual diversion of forest land shall be effected thereafter by the Chief Conservator of Forests (T), Nashik.	Undertaking for accepting the condition is enclosed herewith.

Rs. 62,600/- (Rs. Sixty two thousand six hundred only) amount as per Demand Note issued by your office vide letter no. A/Survey/144/2021-22 Dt. 28/04/2021 has been paid vide challan/application no. 7242387161.

Considering above facts, it is requested to kindly process the proposal for issuing formal permission.

Enclosures:

1. Undertaking for conditions laid.
2. NPV Demand Note
3. E-Challan
4. NPV Payment Advice

In view of the above, it is requested to process the proposal for Stage-II and grant working permission.

Thanking you,

Yours Sincerely

For Bharat Gas Resources Limited


Shripad Mandake
Chief Manager - CGD
Ahmednagar & Aurangabad



Condition 1

UNDERTAKING

We Bharat Gas Resources Limited, Ahmednagar and Aurangabad GA, hereby undertake to agree that the legal status of the land for laying of proposed Gas pipeline for supply of natural gas at Village Supe and Waghunde Khurd in Taluka Parner of Ahmednagar District, located in Gat no 503 and 8 for area 0.1ha will remain unchanged.

Yours Sincerely
For Bharat Gas Resources Limited


Shripad Mandak
Chief Manager - C&D Head
Ahmednagar & Aurangabad GA




0.5 JUL 2021


O.F.A. Nagar

उपवनसंरक्षक अहमदनगर
यांचे कार्यालय
आवक क्र. १६२२
दिनांक- ०६/०७/२१
दिभाग-

Condition 2

UNDERTAKING

We Bharat Gas Resources Limited, Ahmednagar and Aurangabad GA, hereby agree and give undertaking that, the Forest land shall not be used for any purpose other than specified in the project.

Yours Sincerely
For Bharat Gas Resources Limited


Shripad Mandake
Chief Manager - CGD Head
Ahmednagar & Aurangabad GA




Condition 3

UNDERTAKING

We Bharat Gas Resources Limited, Ahmednagar and Aurangabad GA, hereby agree and give undertaking that, the proposed 0.10ha diverted Forest Area having the Density of RF land proposed for Diversion is 0.01% Eco Value class-III, open Forest therefore NPV of 0.10ha area has been calculated as Rs.6,26,000/-per ha .and Total NPV amount of Rs.62,600/- (Sixty two Thousand six hundred rupees only) has been deposited by PA in Campa account by NEFT UTR NO SBIN221153736062. Dt.02/06/2021 (Ref No:CNABMCNBZ4 TRANSFER TO 3197942044308 / MAHARASHTRA CAMPA FOREST AUTHORITY). Information in prescribed Performa is enclosed herewith.

Yours Sincerely

For Bharat Gas Resources Limited


Shripad Mandake
Chief Manager - CGD Head
Ahmednagar & Aurangabad GA



AGENCY COPY

यूनियन बैंक Union Bank of India



NEFT / RTGS CHALLAN for CAMPA Funds

Date : 27-05-2021

Agency Name.	BHARAT GAS RESOURCES LIMITED
Application No.	7242387161
MoEF/SG File No.	FLD-1820/CR-182/F-10
Location.	MAHARASHTRA
Address.	5th Floor , The IL & FS Financial Centre, Plot C-22, G Block , Bandra Kurla Complex(E) , Mumbai/Mumbai City
Amount(in Rs)	62600/-

Amount in Words :Sixty-Two Thousand Six Hundred Rupees Only

NEFT/RTGS to be made as per following details;

Beneficiary Name:	MAHARASHTRA CAMPA
IFSC Code:	UBIN0903710
Pay to Account No.	150787242387161 Valid only for this challan amount.
Bank Name & Address:	Union Bank Of India Lodhi Complex Branch, Block 11,CGO Complex, Phase I, Lodhi Road, New Delhi -110003

• This Challan is strictly to be used for making payment to CAMPA by NEFT/RTGS only

BANK COPY

यूनियन बैंक Union Bank of India



NEFT / RTGS CHALLAN for CAMPA Funds

Date : 27-05-2021

Agency Name.	BHARAT GAS RESOURCES LIMITED
Application No.	7242387161
MoEF/SG File No.	FLD-1820/CR-182/F-10
Location.	MAHARASHTRA
Address:	5th Floor , The IL & FS Financial Centre, Plot C-22, G Block , Bandra Kurla Complex(E) , Mumbai Mumbai City
Amount(in Rs)	62600/-

Amount in Words :Sixty-Two Thousand Six Hundred Rupees Only

NEFT/RTGS to be made as per following details;

Beneficiary Name:	MAHARASHTRA CAMPA
IFSC Code:	UBIN0903710
Pay to Account No.	150787242387161 Valid only for this challan amount.
Bank Name & Address:	Union Bank Of India Lodhi Complex Branch, Block 11,CGO Complex, Phase I, Lodhi Road, New Delhi -110003

• This Challan is strictly to be used for making payment to CAMPA by NEFT/RTGS only

After making successful payment, User Agencies may send a line of confirmation through Email: helpdeskampa@corpbank.co.in

Note:After making the required payment through challan, if the payment status has not been updated even after 7 working days, then kindly mail a copy of your challan with transaction date to Email: cb0371@unionbankofindia.com



उपवनसंरक्षक अहमदनगर

राष्ट्रीय वन विभाग

आवक क्र.

१६७८

दिनांक-

२७/०५/२०२१

दिभाग-

0.5 JUL 2021

Dr. O. F. A. Nagar

11

For any Technical support, Please Contact ECDQ, INC. New Data, monitoring-
ic(dot)mc(dot)in

Condition 4

UNDERTAKING

We Bharat Gas Resources Limited, Ahmednagar and Aurangabad GA, hereby agree and give undertaking that, the User Agency will defray the additional/ revised cost of Net Present Value as per latest guidelines of Government of India.

Yours Sincerely
For Bharat Gas Resources Limited


Shripad Mandake
Chief Manager - CGD Head
Ahmednagar & Aurangabad GA



Condition 5

UNDERTAKING

We Bharat Gas Resources Limited, Ahmednagar and Aurangabad GA, hereby agree and give undertaking that, the User Agency has obtained the permission of PWD, Ahmednagar for laying of Natural Gas Pipeline within the ROW of SH-27 road.

Yours Sincerely
For Bharat Gas Resources Limited

Shripad Mandake
Shripad Mandake
Chief Manager - CGD Head
Ahmednagar & Aurangabad GA





No. e-per/DB/G-P-1 386/2019
Office of the Executive Engineer
Public Works Division
Ahmednagar Date 09/09/20

GOVERNMENT OF MAHARASHTRA
OFFICE OF THE EXECUTIVE ENGINEER
P.W. Division, Ahmednagar
Public Works Department

Permission for laying utility

To
✓ BHARAT GAS RESOURCES LTD.
BHARAT GAS RESOURCES LIMITED, 5TH FLOOR, THE IL&FS FINANCIAL CENTRE, PLOT C-22, G BLOCK BANDRA
KURLA COMPLEX BANDRA (E) MUMBAI-400051,
MUMBAI 400051

Subject :- Permission for laying GAS Pipeline on ALONG & ACROSS
MSH-05

Reference :- Your Online Application No 3263, Dated 2019-05-30 12:24:56

With reference to your application for obtaining permission for laying GAS Pipeline, this office has received online amount for
Rs 39,920,750 (Transaction No.:108650874783 dated 22-08-2019 02:00:01) as restoration charges for ALONG & ACROSS
MSH-05

Based on the above, you are hereby granted permission with following terms and conditions, attached herewith.

[Click here for printing Terms and Conditions document separately.](#)



ACQ2JPUE1483GL



Executive Engineer
P.W. Division, Ahmednagar
Executive Engineer

Copy to Project Director, MHAD, Ahmednagar for information.

Copy to Sub-Divisional Engineer, Construction Sub-Division, Ahmednagar
for information.

कार्यकारी अभियंता यांचे कार्यालय, सार्वजनिक बांधकाम विभाग,
अहमदनगर - ४१४००१

विषय- अहमदनगर शिहर रस्ता प्र. रा.मा.-५ (नविन रा.मा.मा. क्र.७५३ एफ) या रस्त्यावरील भाग केंडगाव ते सुपा एमआयडीसी कि.मी. ८३/८०० ते १११/०५० मध्ये रस्त्याचे कडेने व रस्त्यास छेदून गॅस पाईपलाईन टाकणेबाबत.
Online Application ID:- EP 3263

- संदर्भ- १) मे. भारत गॅस रिसोर्सेस लि.मुंबई यांचेकडील ऑनलाईन प्रस्ताव (Online Application ID:- EP ३२६३)
२) मे. भारत गॅस रिसोर्सेस लि.मुंबई यांचेकडील इंग्रजी पत्र जा.क्र. BGRL/०१ दिनांक २९/०५/२०१९
३) या कार्यालयाचे पत्र जा.क्र. रेशा/५३७४/सन.२०१९ दिनांक २८/०६/२०१९
४) प्रकल्प संचालक भारतीय राष्ट्रीय राजमार्ग प्राधिकरण, अहमदनगर यांचेकडील पत्र जा.क्र. ७०९ दि. १२/०७/२०१९
५) मा.मुख्य अभियंता, सा.बां. प्रादेशिक विभाग, नाशिक यांचेकडील मंजूरी जा.क्र. का-५/साबांप्राविना/प्रथा/c-G.L./अहमदनगर शिहर/प्र.क्र./४३१४/२०१९
६) मे. भारत गॅस रिसोर्सेस लि.मुंबई यांचेकडील इंग्रजी पत्र जा.क्र.- दिनांक ०४/०९/२०१९
७) मे. भारत गॅस रिसोर्सेस लि.मुंबई यांचेकडील इंग्रजी पत्र जा.क्र.- दिनांक ०५/०९/२०१९

उपरोक्त विषयान्वये या सा.बां. विभागाचे अखत्यारीतील अहमदनगर शिहर रस्ता प्र. रा.मा.-५ (नविन रा.मा.मा. क्र.७५३ एफ) या रस्त्यावरील भाग केंडगाव ते सुपा एमआयडीसी कि.मी. ८३/८०० ते १११/०५० मध्ये रस्त्याचे कडेने व रस्त्यास छेदून गॅस पाईपलाईन टाकणेबाबतचे मे. भारत गॅस रिसोर्सेस लि.मुंबई यांचेकडील ऑनलाईन प्रस्तावास संदर्भ ५ अन्यथे मंजूरी प्राप्त झाली असून सदर कामापोटी मे. भारत गॅस रिसोर्सेस लि.मुंबई यांनी असून रस्तापुनर्स्थापना खर्च व अनामत रक्कम रु. ३,९९,२०,७५०/- चा Transaction No. 108650874783 दिनांक २२/०८/२०१९ रोजी ऑनलाईन भरणा केला असून संदर्भ ६ अन्यथे सदर कामापोटी बँक गॅरंटी रक्कम रुपये ६,८१,२५०/-, करारनामा, हमीपत्र व इतर कागदपत्रे सा.बां. विभागास सादर करण्यात आलेली असून मे. भारत गॅस रिसोर्सेस लि.मुंबई यांना खालिल अटी व शर्तीवर अधीन राहून ऑनलाईन मंजूरी/परवानगी देण्यात येत आहे.

*** अटी व शर्ती ***

- विषयांकित रस्ता केंद्र शासनाचे अधिसूचनेद्वारे राष्ट्रीय महामार्ग ७५३ एफ म्हणून घोषित झाला सदरस्थितीत फक्त हस्तांतरण झालेली नाही तरी सदर रस्ता भविष्यात सदर रस्ता राष्ट्रीय महामार्ग विभाग. ठेके हस्तांतरण झाल्यास MORTH धोरणानुसार व त्यांचे कडील पत्र क्र. NH-१५०१७/२१/२०१८-P&M च्या निर्देशानुसार सदर गॅस पाईप लाईन भविष्यातील आर.ओ डब्ल्यूच्या अंतराच्या पुढे किंवा हद्दीला खेदून जे जास्त अंतर असेल त्या अंतरावर गॅस पाईप लाईन आपले अथवा वृत्तिलिटीची मालकी घेणाऱ्या एजन्सी/परवानगी धारक यांचे जोखमीवर आणि त्यांच्या स्वखर्चांने स्थलांतरीत करावे लागेल.
- भविष्यातील रस्ता रुंदीकरणाच्या दृष्टीने उपयोगिता हलविण्याकरीता नुकसान भरपाई सा.बां.विभाग/ राष्ट्रीय महामार्ग ७५३ एफ च्या रस्ता रुंदीकरणात सामील असलेल्या कोणत्याही सरकारी एजन्सीकडून देय असणार नाही.
- सा.बां.विभाग/ राष्ट्रीय महामार्ग विभाग/भारतीय राजमार्ग प्राधिकरणासह कोणत्याही सरकारी एजन्सीमार्फत ३ महिने आगोदर नोटीस वजावून अटीमध्येही आवश्यक दुरुस्त्या केल्या जाऊ शकतात.
- गॅस पाईप लाईन ज्या ठिकाणी रस्त्यांना छेदून टाकण्याचे प्रस्तावीत आहे. त्या ठिकाणी Horizontal Drilling करून आर.सी.सी. Conduit Pipe टाकून काम करावे.
- विषयांकित प्रस्तावित भूमिगत गॅस पाईपलाईन ही रस्त्याच्या कडेने रस्त्याच्या मध्येरेगेपासून १५.०० मीटर अंतराच्या पुढे किंवा हद्दीलगत जमीन खोदून रालोह सिमेंट कॉंक्रीटच्या ३०० मीमी पेक्षा जास्त व्यासाच्या केसिंग पाईप मधून जमीनीच्या पृष्ठभागापासून (Ground level) १.२० मी. पेक्षा जास्त खोलीवर टाकण्यात यावी. केसिंग पाईपचा वरील फुलभाग (Top Portion) हा १.२० मीटर खोलीवर असावा. केसिंग पाईप ड्रेनेजचा मार्ग होणार नाही याची दक्षता घ्यावी प्रस्तावित गॅस पाईप ही रस्त्यावरील रस्त्यावरील मोन्या लहान पुल व मोठे पुल यांचेवरून टाकु नये, तसेच आवश्यक त्या ठिकाणी या करीता पुर्य परवानगी घेणे बंधनकारक आहे.
- प्रस्तावित काम कार्यकारी अभियंता, सा.बां.विभाग, अहमदनगर यांचे नरोच उपविभागीय अभियंता, नाशिक उपविभाग, अहमदनगर यांचे मार्गदर्शनाखाली / देखरेखखाली व त्यांच्या सूचनांनुसार करण्यात यावे.
- अहमदनगर बागायतच्या चौपटरीकरण प्रस्तावित उद्घाटनपुलाचा विचार करता केंडगाव येथील गॅस पाईप लाईनचा प्रारंभ १०० मीटरने शिहरच्या दिशेने वळवावण्यात यावा.

८. गॅस पाईप लाईन डक्टसाठी खोदकाम करताना उपयुक्त अशा गुरूम, खडो, एगड इ. सारखे गोण एजिनज मागल्यास त्यावर सा.बां.विभागाची मालकी असेल असे गोण एजिनज योग्य प्रकारे सादरून ते संबंधीत कार्यकारी अभियंता/शासकीय यंत्रणेकडे सादर करण्याची जबाबदारी संबंधीत अनुज्ञप्तीधारक कंपनीची राहिल.
९. विषयांकित भुमिगत गॅस पाईप लाईन पूर्णपणे सुरक्षित असावी, जेणे करून भविष्य काळात जीवित अथवा वित्तहानी होऊ नये, त्याची संपूर्ण जबाबदारी संबंधीत अनुज्ञप्तीधारक कंपनीवर राहिल.
१०. खोदकाम चालू असताना रस्त्याच्या कडेची झाडे तोडणे अनिवार्य असल्यास अनुज्ञप्तीधारक कंपनीने संबंधीत सक्षम प्राधिकरणाची स्वातंत्र्यपणे पुर्य परवानगी मिळवावी तसेच पर्यावरणाचा समतोल राखण्यासाठी कार्यकारी अभियंता/यंत्रांविभाग यांनी ठरवून दिलेले वृक्ष लावकड व रक्षणाचे उद्दिष्ट साध्य करणे बंधनकारक राहिल.
११. करारातील कोणतोही शर्तीचे मे. भारत गॅस रिसोर्सेस लि.मुंबई अथवा युटीलिटीची मालकी घेणाऱ्या एजन्सी यांनी पालन न केल्यास तीन महिने आगाऊ दिलेल्या नोटीसची मुदत संपल्यावर जमिनीखालील गॅसपाईपलाईन काढून टाकण्याची कार्यकारी अभियंता, सा.बां.विभाग यांना मोकळीक असेल आणि कार्यकारी अभियंता यांच्या दारे करण्यात आलेल्या खर्चास संबंधीत कंपनी जबाबदार असेल.
१२. अभिकर्ता कंपनी आणि संबंधीत कार्यकारी अभियंता यांच्यामध्ये गॅस पाईप लाईन टाकण्यासंबंधात कोणत्याही प्रकारचा वाद निर्माण झाल्यास या कोणतीही तक्रार असल्यास त्याचे निवारण करण्यासाठी मुख्य अभियंता हे सक्षम असतील व त्यांनी दिलेला निर्णय हा अंतिम असेल व सोपानाही बंधनकारक असेल.
१३. महाराष्ट्र सरकार व केंद्रीय जल भुतल परिवहन मंत्रालयाने पवित्र्यत नवीन नियम, अटी/शर्ती प्रसूत केल्यास त्या अनुज्ञप्तीधारक कंपनीस बंधनकारक राहतील.
१४. प्रस्तावित भुमिगत गॅस पाईपलाईन टाकण्याचे काम केलेल्या जागेचे रस्त्याच्या सुधारणेच्या कामासाठी किंवा रेल्वेकरणास आवश्यकता भासल्यास सरदरची भुमिगत गॅस पाईपलाईन काढून टाकणे किंवा स्थलांतरीत करणे, आवश्यक असेल तेव्हा कार्यकारी अभियंता सा.बां.विभाग यांनी तीन महिन्यांचे नोटीस पाठविल्यानंतर सरदरची प्रस्तावित भुमिगत गॅस पाईपलाईन कोणतोही नुकसान भरपाई न मागता किंवा कोणताही दावा न करता तीन महिन्यांचे आत स्वखर्चाने काढून टाकणे मे. भारत गॅस रिसोर्सेस लि.मुंबई अथवा युटीलिटीची मालकी घेणाऱ्या एजन्सी / परवानगी धारकाचे बंधनकारक राहिल.
१५. विषयांकित रस्त्याच्या मध्यापासून १५.०० मीटर अंतराच्या पुढे किंवा जेथे प्रत्यक्ष रस्त्याची शासकीय हद्द अस्तित्वात आहे या ठिकाणी रस्त्याच्या हद्दी लागत रस्ता जमीन खोदून त्या ठिकाणी रस्त्याच्या पृष्ठभागापासून १.२० मीटर खोल किंवा त्यापेक्षा जास्त खोदून भुमिगत गॅस पाईपलाईन टाकण्यात यावी.
१६. गॅस पाईपलाईन टाकताना अस्तित्वातील इतर कोणत्याही कॅबल अथवा जलवाहीन स अथवा विद्युत वाहिनीस किंवा गॅस वाहिनीस इजा पोहोचता कामा नये, इजा झाल्यास अथवा नुकसान केल्यास त्याची संपूर्ण भरपाई मे. भारत गॅस रिसोर्सेस लि.मुंबई अथवा युटीलिटीची मालकी घेणाऱ्या एजन्सी यांना करावी लागेल व होणाऱ्या नुकसानीस सा.बां.विभाग जबाबदार राहणार नाही.
१७. रस्त्याखालून गॅस पाईपलाईन टाकण्याचे कामास सुरुवात करण्यापूर्वी कामाच्या ठिकाणापासून दोन्ही दिशेला १००.०० मीटर अंतरावर सावधानतेच्या झाल्याचे फ्लक, रिफ्लेक्टिंग स्ट्रीपचा वापर करून लावण्यात यावेत. तसेच रात्रीच्यावेळी काम सुरू किंवा अपूर्ण राहिल्यास माहितीभार तंत्रज्ञानासह सत्र भर तेवत राहणारा लाल प्रकाशझोताचा दिवा लावण्याची या तत्सम व्यवस्था मे. भारत गॅस रिसोर्सेस लि.मुंबई अथवा युटीलिटीची मालकी घेणाऱ्या एजन्सी यांनी करावी.
१८. रस्त्याचा पृष्ठभाग गॅस पाईपलाईन टाकण्यासाठी खोदला असता मोकळा होऊन पोकळी निर्माण झालेल्या व पाईपलाईन टाकलेल्या लाईन व्यतिरीक्त इतर सर्व भागामध्ये मे. भारत गॅस रिसोर्सेस लि.मुंबई अथवा युटीलिटीची मालकी घेणाऱ्या एजन्सी यांनी स्वखर्चाने सिमेंट कॉक्रीट अथवा तत्सम समांतर पातळीने बांधकाम साहित्याने भराव करून रस्त्याच्या पृष्ठभागाची Rigidity कायम ठेवावयाची आहे.
१९. प्रस्तावित केलेल्या कामाव्यतिरीक्त इतर काही यादीव काम करावयाचे झाल्यास सा.बां.खात्याची पूर्वपरवानगी घेणे बंधनकारक आहे.
२०. गॅस पाईपलाईन टाकल्यानंतर या पाईपलाईन टाकण्याचे काम चालू असतानाचे दरम्यान २४x७ महामार्ग सहदारी वायत घ्या सुरक्षीत वाहतुकीसाठी सर्व आवश्यक खबरदारी घेण्याची यावी. सरदर पाईपलाईनमुळे कोणतोही अनचित घटना घडल्यास अथवा सहदारीस कोणत्याही प्रकारचा त्रास झालेला त्यासाठी फक्त मेसर्स भारत गॅस रिसोर्सेस लिमिटेड, मुंबई अथवा युटीलिटीची मालकी घेणाऱ्या एजन्सी जबाबदार राहतील यांची राहिल त्यास सा.बां.विभाग जबाबदार राहणार नाही.

- गॅस पाईपलाईन टाकण्याचे काम पूर्ण झाल्यानंतर कामाच्या ठिकाणी सा.बो.च्या मालकीच्या जमिन आप ती अथवा युटिलिटीची मालकी घेणाऱ्या एजन्सी यांच्या मालकीचे किंवा त्यांच्या सर्व्हेराल डेव्हलपर्सच्या मालकीचे कोणतेही अतिरिक्त सोपविले जाणारी अथवा जेड गडबड नाही याची दखता ये. भारत गॅस रिसोर्सेस लि.मुंबई अथवा युटिलिटीची मालकी घेणाऱ्या एजन्सी यांनी घ्यावी.
२२. मे. भारत गॅस रिसोर्सेस लि.मुंबई अथवा युटिलिटीची मालकी घेणाऱ्या एजन्सी यांच्या मालकीच्या जमिनी यांमून साक्ष्य करणाऱ्या हमी शासन देत नाही व सा.बो. विभाग त्यात जबाबदार राहणार नाही.
२३. मे. भारत गॅस रिसोर्सेस लि.मुंबई अथवा युटिलिटीची मालकी घेणाऱ्या एजन्सी यांनी स्वतः त्यांच्या रस्त्याच्या वरून गॅस पाईपलाईन देवघाल व दुरुस्ती करून जी गोचर मिश्रित ठेवावी. आणि रस्त्याच्या बाजूकडून जाईल त्या पद्धतीने किंवा शासनाच्या सा.बो.च्या मालकीच्या जमिनी वरून गॅस पाईपलाईन देवघाल व दुरुस्ती करून जी गोचर मिश्रित ठेवावी. आणि रस्त्याच्या बाजूकडून जाईल त्या पद्धतीने नागेल.
२४. मे. भारत गॅस रिसोर्सेस लि.मुंबई अथवा युटिलिटीची मालकी घेणाऱ्या एजन्सी यांच्याकडून करावा लागणारी शर्तीचे शासन ने केलेल्यास तोन मतिने आगाऊ नोंदीसहीत गॅस पाईपलाईन देवघाल व दुरुस्ती करून जी गोचर मिश्रित ठेवावी. आणि रस्त्याच्या बाजूकडून जाईल त्या पद्धतीने किंवा शासनाच्या सा.बो. विभाग, अहमदनगर अहमदनगर जिल्ह्याच्या यंत्रणेकडे रस्ता दुरुस्तीसाठी यांच्या मालकीच्या जमिनी वरून गॅस पाईपलाईन देवघाल व दुरुस्ती करून जी गोचर मिश्रित ठेवावी. आणि रस्त्याच्या बाजूकडून जाईल त्या पद्धतीने नागेल.
२५. सदर गॅस पाईपलाईन टाकण्याचे काम सुरु करण्यापूर्वी व गॅस पाईपलाईन टाकल्यानंतर केवळ टाकण्याच्या पद्धतीने आलेली रस्त्याची जमिन खोदने इत्यादी सारखी घटना भविष्यात घडल्यास ती जमीन व रस्त्याच्या पृष्ठभाग सुविधेने पूर्ववत आणण्यासाठी संबंधीत कंपनोने अनामत शुल्कातून (Restoration Charges) भागविण्यात येईल.
२६. सदर रस्त्याच्या लांबीमध्ये रोकरी, संस्था व इतर खाजगी कंपनी अथवा इतर खात्याची व इतर कोणाच्या ही दस्त्याची जमिन येत असल्यास गॅस पाईपलाईन टाकण्याकरिता त्यांची स्वतंत्र परवानगी घेणे आवश्यक आहे व त्यांच्या सहमतीने गॅस पाईपलाईन टाकण्याचे काम करण्यात यावे, अन्यथा काही तक्रारी उद्भवल्यास सा.बो. विभाग जबाबदार राहणार नाही.
२७. परवानगी प्राप्त झाल्यानंतर पुढील १५ दिवसांत काम सुरु करणे बंधनकारक राहिल.
२८. सार्वजनिक बांधकाम विभागाचे तहोतील रस्ते व क्षेत्रातल्या वनजमीनीतून व प्रतिबंधीत क्षेत्रातून रस्ता जात असल्यास गॅस पाईपलाईन खोदाईसाठी अधिकता वन विभाग व संबंधीत नियतित विभागाची परवानगी घ्यावी.
२९. विषयवस्तु कामाबाबत काही न्यायालयीन प्रकरण उद्भवल्यास अधिकता कंपनी जबाबदार राहिल.
३०. मे. भारत गॅस रिसोर्सेस लि.मुंबई यांनी अथवा युटिलिटीची मालकी घेणाऱ्या एजन्सी कि.मी. निहाय विषयवस्तु रस्त्याच्या गॅस पाईपलाईन टाकल्यानंतर पूर्ववत केलेल्या रस्त्याचे किमान २ ते ३ फीटो सा.बो. विभागाकडे सादर करण्यात यावे.
३१. सदर गॅस पाईपलाईन प्रकरणांचे प्रस्तावां सोबत आपण तसेच आपले एजन्सीने पुरविलेले कागदपत्रे खोटे अगर त्रुटिपूर्ण करणारी आढळून आल्यास तसेच बरील अटी व शर्तीचे उल्लंघन झालेस देण्यात येणारी सदरची ऑनलाईन परवानगी तात्काळ रद्द करण्यात येईल, याची नोंद घेण्यात यावी.




(सुरेश राऊत)
कार्यकारी अभियंता
सार्वजनिक बांधकाम विभाग
अहमदनगर

Condition 6

UNDERTAKING

We Bharat Gas Resources Limited, Ahmednagar and Aurangabad GA, hereby agree and give undertaking that, the User Agency will obtain the Environmental Clearance from competent authority, if required.

Yours Sincerely
For Bharat Gas Resources Limited


Shripad Mandake
Chief Manager - CCG Head
Ahmednagar & Aurangabad GA



Condition 7

UNDERTAKING

We Bharat Gas Resources Limited, Ahmednagar and Aurangabad GA, hereby agree and give undertaking that, the Natural Gas Pipeline will be laid well below the ground as per the norms all along its length through forest and adequate safety measures to be adopted.

Yours Sincerely
For Bharat Gas Resources Limited


Shripad Mandake
Chief Manager - CGD Head
Ahmednagar & Aurangabad GA 




Condition 8

UNDERTAKING

We Bharat Gas Resources Limited, Ahmednagar and Aurangabad GA, hereby agree and give undertaking that, no additional or new path will be constructed inside the forest area for transportation of construction materials for the execution of the project work.

Yours Sincerely
For Bharat Gas Resources Limited


Shripad Mandake
Chief Manager - CGD Head
Ahmednagar & Aurangabad




Condition 9

UNDERTAKING

We Bharat Gas Resources Limited, Ahmednagar and Aurangabad GA, hereby agree and give undertaking that, it will be the responsibility of the User Agency to ensure that the laborers, staffs engaged in construction activity do not damages nearby forest flora and fauna.

Yours Sincerely
For Bharat Gas Resources Limited


Shripad Mandake
Chief Manager - CGD Head
Ahmednagar & Aurangabad




Condition 10

UNDERTAKING

We Bharat Gas Resources Limited, Ahmednagar and Aurangabad GA, hereby agree and give undertaking that, The FRA certificate to be issued by District Collector-Ahmednagar is in process and it will take more time because current covid-19 situation and will be submitted after receipt.

Yours Sincerely
For Bharat Gas Resources Limited


Shripad Mandake
Chief Manager - CGD Head
Ahmednagar & Aurangabad GA



Condition 11

UNDERTAKING

We Bharat Gas Resources Limited, Ahmednagar and Aurangabad GA, hereby agree and give undertaking that, the User Agency will make good the forest land after laying underground natural gas pipeline.

Yours Sincerely
For Bharat Gas Resources Limited

Shripad Mandake
Shripad Mandake
Chief Manager - CCPL Head
Ahmednagar & Aurangabad GA



Condition 12

UNDERTAKING

We Bharat Gas Resources Limited, Ahmednagar and Aurangabad GA, hereby agree and give undertaking that, no trees shall be felled in the area proposed for diversion.

Yours Sincerely
For Bharat Gas Resources Limited

Shripad Mandake

Shripad Mandake
Chief Manager - CGD Head
Ahmednagar & Aurangabad



Condition 13

UNDERTAKING

We Bharat Gas Resources Limited, Ahmednagar and Aurangabad GA, hereby agree and give undertaking that, for further maintenance of the project, the agency shall obtain permission from Deputy Conservator of Forests, Ahmednagar as and when required.

Yours Sincerely
For Bharat Gas Resources Limited


Shripad Mandake
Chief Manager - CGD Head
Ahmednagar & Aurangabad GA



Condition 14

UNDERTAKING

We Bharat Gas Resources Limited, Ahmednagar and Aurangabad GA, hereby agree and give undertaking that, no new forest area beyond the Right of Way of existing road should be broken for laying Natural Gas Pipeline.

Yours Sincerely
For Bharat Gas Resources Limited



Shripad Mandake
Chief Manager - CGD Head
Ahmednagar & Aurangabad GA 



Condition 16

Certificate

Certified that, this office issue the Demand note under the project to the User Agency and regarding that user agency has transferred entire amount to the account of Ad-hoc CAMPA and compliance will be reported to this office. (Reference condition no.3)


(Suvarna Mane)
Deputy Conservator of Forests,
Forest Division, Ahmednagar

Date:- 23/7/2021

Place:- Ahmednagar.

Condition 17

UNDERTAKING

We Bharat Gas Resources Limited, Ahmednagar and Aurangabad GA, hereby agree and give undertaking that, the User Agency will be authorized to lay the Natural Gas Pipeline outside the confines of the protected area after compliance of this order. Any breach of the conditions by the User Agency will be treated as violation of the provision of the Forest (Conservation) Act, 1980.

Yours Sincerely
For Bharat Gas Resources Limited


Shripad Mandake
Chief Manager - CGD Head
Ahmednagar & Aurangabad GA



Condition 18

UNDERTAKING

We Bharat Gas Resources Limited, Ahmednagar and Aurangabad GA, hereby agree and give undertaking that, provision of all relevant Acts, Rules made there under and guidelines applicable to the project will be strictly followed.

Yours Sincerely
For Bharat Gas Resources Limited


Shripad Mandake
Chief Manager - CGD Head
Ahmednagar & Aurangabad



Condition 19

UNDERTAKING

We Bharat Gas Resources Limited, Ahmednagar and Aurangabad GA, hereby agree and give undertaking that, all the conditions stipulated by the Forest Department shall be binding on us.

Yours Sincerely
For Bharat Gas Resources Limited


Shripad Mandake
Chief Manager - CGD Head
Ahmednagar & Aurangabad



Condition 20

UNDERTAKING

We Bharat Gas Resources Limited, Ahmednagar and Aurangabad GA, hereby agree and give undertaking that, any other condition which Principal Chief Conservator of Forests (Head of Forest Force), Maharashtra State, Nagpur may impose.

Yours Sincerely
For Bharat Gas Resources Limited


Shripad Mandake
Chief Manager - CGD Head
Ahmednagar & Aurangabad GA



FORM - I
(for linear project)
Government of Maharashtra
Office of the District Collector Ahmednagar

No.RB/Desk-LND-4B/ 493 /2021

Dated :24/12/2021

TO WHOMSOEVER IT MAY CONCERN

In Compliance of the Ministry of Environment and Forests (MoEF), Government of India's Letter No.11-9/98-FC (pt.) Dated 3rd August 2009 wherein the MoEF issued guidelines on submission of evidences for having initiated and completed the process of settlement of rights under the Scheduled Tribes and Other Traditional Forest Dwellers (Recognition of Forest Rights) Act, 2006 ('FRA', for short) on the forest land proposed to be diverted for non-forest purposes, read with MoEF's letter dated 5th February 2013 wherein MoEF issued certain relaxation in respect of linear projects, it is certified that 0.10 hectares of forest land proposed to be diverted in favour of Chief Manager, City Gas Distribution Head, Bharat Gas Resources Limited, Ahmednagar for laying underground natural Gas pipeline in Ahmednagar district fall within jurisdiction of village 1.Supa, Gat no. 503, Area 0.05 Ha, village 2. Waghunde Khurd, Gat No. 8, Area 0.05 in Parner Tahsil.

It is further Certified that :

- (a) The complete process for identification and settlement of rights under the FRA has been carried out for the entire 0.10 Ha. of forest area proposed for diversion A copy of records of all consultations of the Deputy Conservator of Forest, Ahmednagar and Sub Divisional officer Shrigonda-Parner Division Dist -Ahmednagar and Sub Divisional Level Committee FRA, is enclosed as annexure A (page-1&2) to annexure B (page- 1 to 8) .

(b) The diversion of forest land for facilities managed by the Government as required under section 3(2) of the FRA have been completed.

(c) The proposal does not involve recognized rights of Primitive Tribal Groups and Pre-Agricultural Communities.


Vide F.no.11-9/98(pt) dt. 5th Feb 2013 Ministry of Forest and Environment, Govt. of

India has directed that Proposals for Projects like construction of roads, canals, laying of pipelines / optical fibres and transmission lines etc where linear diversion of use of forest land in several villages are involved, unless recognised rights of PTG/PAC are being affected, are exempted from the requirement of obtaining consent of the concerned Gram

Sabha(s)

Encl.: As above.




(Dr. Rajendra B. Bhosale)
Collector Ahmednagar

Copy to : Chief Manager, City Gas Distribution Head, Bharat Gas Resources Limited,
Second Floor D.T.O. office, BSNL, CSC Building, Near State Bank
Ahmednagar - 414 001