

தமிழ்நாடு



வனத்துறை

அனுப்பி நாள்
திருச்சிங்கேணி,
மாவட்ட வன அலுவலர்(ஆ/பொ.),
அரியலூர் வனக்கோட்டம்,
அரியலூர்.

பெறுநர்
முதன்மை தலைமை வனப்பாதுகாவலர்,
சென்னை.

ந.க.எண். வ/1814/2018 நாள். 09.03.2022

ஐயா,

பொருள்: வனம் - அரியலூர் வனக்கோட்டம் - காங்குழி காப்புக்காடு மற்றும் திருக்கோணம் காப்புக்காடு வழியாக அய்யூர்-புக்குழி கிராமம் வரை மின்கம்பங்கள் நட்பு மின்பாதை அமைக்க - 0.0768 ஹெக்டேர் வன நிலம் ஆண்டிமடம் தமிழ்நாடு மின் வாரியத்திற்கு மாற்றம் செய்ய Stage-I approval அளிக்கப்பட்டுள்ளது - நிபந்தனைகளை நிறைவேற்றக் கோருதல் - தொடர்பாக.

- பார்வை:
1. உதவி செயற்பொறியாளர், தெற்கு ஆண்டிமடம், தமிழ்நாடு மின்சார வாரியம், Online application uploaded on 16.05.2020 (FP/TN/ OTHERS/45416/2020)
 2. அரசு கூடுதல் தலைமை செயலர், சுற்றுச்சூழல் பருவநிலை மாற்றம் மற்றும் வனத்துறை, சென்னை, கடித எண். 22809/FR.10/2021-1, நாள். 09.02.2022.
 3. முதன்மை தலைமை வனப்பாதுகாவலர்(துறைத் தலைவர்), சென்னை, ந.க.எண். TS4/13226/2021, நாள். 11.02.2021.
 4. Government of India Ministry of E&F and Forest Climate Change (Forest Conservation Division) New Delhi File No.5-3/2011-FC (Vol-I).
 5. மாவட்ட வன அலுவலர், அரியலூர் ந.க.எண். வ/1814/2018 நாள். 021.03.2022.

அரியலூர் மாவட்டம், காங்குழி காப்புக்காடு மற்றும் திருக்கோணம் காப்புக்காடு வழியாக 0.0768 ஹெக்டேர் வன நிலத்தில் அய்யூர்-புக்குழி கிராமம் வரை மின்கம்பங்கள் நட்பு மின்பாதை அமைக்க, பார்வை 1-இல் காணும் விண்ணப்பத்தில் (Online) அனுமதி கோரப்பட்டது. மேற்கண்ட விண்ணப்பம், சென்னை, முதன்மை தலைமை வனப்பாதுகாவலரின் அறிவுரைகளின்படி, களத்தணிக்கை மேற்கொள்ளப்பட்டு உரிய பரிந்துரைகளின்படி, பிரேரணை சமர்ப்பிக்கப்பட்டது.

தற்போது பார்வை 2-இல் காணும் அரசு கடிதத்தில், காங்குழி காப்புக்காடு மற்றும் திருக்கோணம் வழியாக 0.0768 ஹெக்டேர் வன நிலத்தில் ஆண்டிமடம் தமிழ்நாடு மின் வாரியத்தினால் மின்கம்பங்கள் நட்பு மின்பாதை அமைக்க Stage-I approval வழங்கப்பட்டுள்ளது.

Net present value:

பார்வை 4-ல் காணும் மத்திய அமைச்சகம் சுற்றுச்சூழல் மற்றும் காலநிலை மாற்றம் கடித நாள் 06.01.2022-ல் கிராம புறங்களுக்கு மின்சாரம் பகிர்ந்தளிக்கும் மின்பாதைகளுக்கு 22 KV வரை (வன நிலம் 1.00 ஏக்கர்) Net present value கட்டுவதிலிருந்து முழு விலக்கு அளிக்கப்பட்டுள்ளது (நுகல் இத்துடன் அடக்கம்)

மேற்கண்ட திட்டப் பிரேரணையில் அய்யூர்-புக்குழி வரையிலான கிராமங்களுக்கு மின்சாரம் பகிர்ந்தளிக்கும் மின்பாதை 11 KV ஆகும். பார்வை 4-ல் காணும் கடிதத்தில் குறிப்பிடப்பட்டுள்ள நிபந்தனைகளுக்குட்பட்டு உள்ளதாலும் இத்திட்ட பிரேரணை Net present value செலுத்துவதிலிருந்து முழு விலக்கு பெற தகுதி உள்ளது. எனவே பயனீட்டு துறை Net present value செலுத்தவேண்டியதில்லை என்பதால் Stage-I Approval-ல் குறிப்பிடப்பட்டுள்ள கீழ்க்கண்ட நிபந்தனைகளை நிறைவேற்ற பயனீட்டு துறையினரிடம் கோரப்பட்டுள்ளது.

இனம் எண்-2:

மின்பாதை செல்லும் வழித்தடத்தை குறிக்கும் வகையில், 4 அடி உயரத்தில் சிமெண்டினால் கான்கிரீட் தூண்கள் 20 மீட்டர் இடைவெளியில் பயனீட்டுத்துறையினரால் (User Agency) அமைக்கப்பட வேண்டும்.

இனம் எண்-4. ஈடுகட்டும் தோட்டம் உற்பத்தி செலவு:

(Raising Compansatory Afforestation Plantation)

வன நிலத்தினை வனமல்லாத பிற பணிகளுக்கு மாற்றம் செய்யும் பொழுது, ஈடுகட்டும் தோட்டம் (Compansatory Afforestation Plantation) உற்பத்தி செலவு மற்றும் 10 வருடங்களுக்கான பராமரிப்பு செலவுத் தொகை பயனீட்டுத் துறையினரால் வழங்கப்பட வேண்டும்.

0.15 ஹெக்டேர் தோட்டம் உற்பத்தி செலவுத் தொகை

ரூ. 59,201.00

10 வருடங்களுக்கான பராமரிப்பு செலவுத் தொகை

ரூ. 80,297.00

ரூ. 1,39,498.00

மேற்கண்ட ஈடுகட்டும் தோட்டம் உற்பத்தி மற்றும் செலவுத் தொகை ரூ. 1,39,498/-ஐ www.forestclearance.nic.in என்ற இணையதளத்தில் செலுத்துச் சீட்டினை (Challan) பதிவிறக்கம் செய்து, அரசு கணக்கில் செலுத்தவும், மேலும், மின்கம்பங்கள் செல்லும் வழித்தடத்தை குறிக்கும் வகையில் 20 மீட்டர் இடைவெளியில் 4 அடி உயரமுள்ள கான்கிரீட் தூண்களை அமைத்து

புகைப்படங்களுடன் விரைந்து அறிக்கையினை அனுப்பி வைக்குமாறும் பயனீட்டுத் துறையிடம் கேட்கப்பட்டுள்ளது என்பதை பணிவுடன் தெரிவித்துக்கொள்கிறேன்.

இணைப்பு: 1. பார்வை 2-இல் காணும் அரசு கடித நகல்.
3. NPV-க்கான வழிக்காட்டுதல்கள்.

தங்கள் நம்பிக்கையுள்ள,
ஓம்/அ.சு.கனேஷ்,
மாவட்ட வன அலுவலர்,
அரியலூர் வனக்கோட்டம்,
அரியலூர்.


// உ.ந.உ.ய. //

7/3/2022
கண்காணிப்பாளர்

7-3-2022

File No.5-3/2011-FC(Vol-I)

Government of India
Ministry of Environment, Forest and Climate Change
(Forest Conservation Division)



Indira
Faryavaran Bhavan, Aliganj, Jorbagh Road
New Delhi-110 003

Date: 6th January, 2022

To

The Additional Chief Secretary (Forest)/Principal Secretary (Forest),
All States Governments/ Union Territory Administration

Sub: Revision of rates of Net Present Value – reg

Sir,

I am directed to invite your attention to Hon'ble Supreme Court's order dated 28.03.2008 in Writ Petition (Civil) No. 202 of 1996 in the matter of T. N. Godavarman Thirumalpad vs. Union of India and Ministry' guidelines dated 05.02.2009 wherein rates to Net Present Value (NPV) to be realized in lieu of diversion of forest land have been fixed based on the outcome scientific assessment of ecosystem goods and services. Hon'ble Supreme Court in the said order has also directed the MoEF&CC for upward revision of the NPV rates.

2. In compliance of order dated 28.03.2008 of Hon'ble Court and with the approval of the competent authority, the following revised NPV rates have been prescribed for levying NPV in lieu of diversion of forest land:

Table: Revised NPV rates based on fitment factor of 1.53
(in Rs.)

Eco-Class	Very Dense	Dense	Open
Class-I	1595790	1436670	1116900
Class-II	1595790	1436670	1116900
Class-III	1357110	1228590	957780
Class-IV	957780	861390	670140
Class-V	1436670	1292850	1005210
Class-VI	1516230	1372410	1069470

Eco-Class-I:	Tropical Wet Evergreen Forests, Tropical Semi-evergreen Forests and Tropical Moist Deciduous Forests
Eco-Class-II:	Littoral and Swamp Forests
Eco-Class-III:	Tropical Dry Deciduous Forests
Eco-Class-IV:	Tropical Torn Forests and Tropical Dry Evergreen Forests
Eco-Class-V:	Sub-tropical Broad-Leaved Hill Forests, Sub-Tropical Pine Forests and Sub-Tropical Dry Evergreen Forests
Eco-Class-VI:	Montane Wet Temperature Forests, Himalayan Moist Temperature Forests, Himalayan Dry Temperature Forests, Sub Alpine Forest, Moist Alpine Scrub and Dry Alpine Scrub

3. NPV shall be charged to the extent of ten times of the normal NPV payable in the case of National Parks and five times in the case of Sanctuaries. The use of non-forest land falling within the National Parks and Wildlife Sanctuaries may be permitted on payment of an amount equal to the NPV payable for the adjoining forest area. In respect of non-forest land falling within marine National Parks / Wildlife Sanctuaries, the amount shall be five times the NPV payable for the adjoining forest area;

4. The proposals under the following categories are exempted from NPV to the extent as mentioned in the list below:

Category	Conditions
i. Schools	Full exemption upto 1 ha. of forest land, provided: a. no felling of trees is involved; b. alternate forest land is not available; c. the project is of non-commercial nature and is part of the Plan/Non-Plan Scheme of Government; and d. the area is outside National Park/ Sanctuary
ii. Hospitals	
iii. Children's playground of non-commercial nature.	
iv. Community centres in rural areas.	
v. Over-head tanks	
vi. Village tanks	
vii. Laying of underground drinking water, irrigation and PNG pipeline upto 4 inch diameter	
viii. Electricity distribution line upto 22 KV in rural areas.	

ix. Relocation of villages from the National Parks/ Sanctuary to alternate forest land	Full exemption	
x. Collection of boulders/silts from the river belts in the forest area.	Full exemption, provided:- (a) area is outside National Park/ Sanctuary; (b) no mining lease is approved/signed in respect of this area; (c) the works including the sale of boulders/silt are carried out departmentally or through Government undertaking or through the Economic Development Committee or Joint Forest Management Committee; (d) the activity is necessary for conservation and protection of forests; and (e) the sale proceeds are used for protection/conservation of forests.	
xi. Laying of underground optical fiber cable	Full exemption, provided: (a) no felling of trees is involved; and (b) area falls outside National Park / Sanctuary.	
xii. Pre-1980 regularization of encroachments and conversion of forest villages into revenue villages	Full exemption provided these are strictly in accordance with MoEF&CC's Guidelines dated 18.9.1990.	
xiii. Underground mining	Surface strain predicted by 3-D subsidence prediction model	NPV to be paid
	i. Up to 5mm/m	NIL
	ii. 5mm to 10 mm/m	10% of normal rates
	iii. 10mm/m to 15 mm/m	25% of normal rates
	iv. 15 mm/m to 20 mm/m	50% of normal rates
	v. more than 20 mm/m	At Normal rates

xiv.Wind Power Projects	50% at the minimum NPV rate, provided, minimal tree felling is involved, irrespective of the eco-class in which the project lies.
xv.Hydroelectric Projects up to 25 MW capacity	50% of the applicable rates of the forest land actually diverted for setting up of such projects, provided, the project involves felling of not more than 5 trees per hectare.
xvi.Field Firing Range (FFR) of Defence Ministry not involving felling of trees and no likelihood of destruction of forests	At the rate of 20 % of the normal rates of NPV for the forest areas falling within the impact zone. The forest areas falling within safety zone of FFRs shall be fully exempted from the requirement of payment of NPV
xvii.The area of riverbed in a proposed water reservoir, that is to be under permanent submergence throughout the year	50 per cent of the normal rate applicable to the area.

Yours faithfully,

Sd/-

(Sandeep Sharma)

Asst. Inspector General of Forests


Copy to:

1. The Principal Chief Conservator of Forests, All State Governments/UTs
2. The Nodal Officer (FCA), Office of the PCCF, All State Governments/UTs
3. The Regional Officer, All Integrated Regional Offices of the MoEF&CC
4. Monitoring Cell, FC Division, MoEFCC, New Delhi
5. Guard File

Erection of 11 KV Feeder (High Tension) Electrical Posts from Ayyur to
Pakkuzhi village via Salambur across Kanguli and Tirukkonam R.F
In Andimadam Block, Ariyalur District.

CERTIFICATE

This is to certify that the EB Posts erection across Kanguli and
Tirukkonam R.F is only non Commercial Purpose. The above work involve
only public Service.


ASSISTANT ENGINEER,
Operation & Maintenance,
TANGEDCO,
South/ANDIMADAM.