



Government Of Maharashtra

Divisional Forest Officer, Mangrove Division South Konkan.

Swapnpurti Bunglow, Behind Horizan Hall, At. Lakshminagar, Po. Varsoli, Tal. Alibag, Dis. Raigad, 402209 Email: dfom.southkonkan@gmail.com



Ltr. Outw No./DFO/MDSK/Land/Project/843/Yr 2024-25

Date :- 31/03/2025

To,

Head Environment & Authorized Signatory,

Adani Cementation Limited,

Adani Corporate House, Shanti gram,

Nr. Vaishno Devi Circle, S. G. Highway Khodiyar,

Ahmedabad 382 421

Subject: - Diversion of 0.6497 ha for Berthing Jetty, Conveyor Corridor with Backup facility and approach road for Raigad Cement Bulk Terminal Proposed by Adani Cementation Limited at village Shahapur, Shahbaz, Taluka Alibag, Dist. Raigad in the state of Maharashtra- regarding.

Reference:- 1. Letter No. FC-1/MH-243/2021-NGP/8830, dated 29/10/2021, from the Ministry of Environment, Forests, and Climate Change, Government of India, Nagpur (Stage D.)

 Order dated 13/03/2025 from the Office of the Hon'ble Additional Principal Chief Conservator of Forests, Mangrove cell, Mumbai.

 Letter No. 763, dated 26/03/2025, from the Range Forest Officer, Mangrove Division, and South Konkan.

As per reference cited above, Head Environment & Authorized Signatory, Adani Cementation Limited, Adani Corporate House, Shanti gram, Khodiyar, Ahmedabad is requested to pay the item-wise amount of Compensatory levies as per the following details,

Sr. No	Item	Condition No as mentioned in principal approval	Amount in Rs.	M	lode of payment
1	Cost of boundary of survey demarcation and Pillars on Diverted area.	xiv	722400/-	E-payment on PAR	IVESH portal
2	Cost towards Compensatory	xx	2,55,193/-	Mangrove Foundat	ion's Bank account
	Afforestation			Bank Name	CANARA BANK.
	Scheme			Account Holder	MANGROVE AND MARINE BIODIVERSITY C F M
				Account Number	0129101115129
				IFSC Code	CNRB0000214
				Branch	MUMBAI FORT MARKET

Therefore, the mentioned amount should be deposited into the specified account, and the receipt of the deposit should be submitted to the office of the Divisional Forest Officer, Mangrove Division, South Konkan, so that further action can be taken in this matter.

Head Environment & Authorized Signatory, Adani Cementation Limited, Adani Corporate House, Shanti gram, Khodiyar, Ahmedabad is requested to submit the documents, certificates and undertaking as stipulated in principal approval as per following details:

Sr. No.	and the an inclinioned ill	Name of documents/certificates /undertaking required to be submitted by user agency.
1	vii	Submit FRA-2006 certificate from collector Raigad.

Encl:- as above.

(Kancman Pawar)

Divisional Forest Officer,

Mangrove Division South Konkan.

Copy To:-

- 1. Additional Principal Chief Conservator of Forests, Nodal Office, Nagpur, Submitted for information.
- Additional Principal Chief Conservator of Forests, Mangrove cell, Mumbai, Submitted for information.
- 3. Ass. Conservator of Forest, Mangrove Division, South Kankan, for information and necessary action.
- 4. Range Forest Officer, Mangrove Division, South Kankan, for information and necessary action.



GOVERNMENT OF MAHARASHTRA FOREST DEPARTMENT



MANGROVE DIVISION-SOUTH KONKAN MANGROVE CELL, ALIBAG-RAIGAD RANGE

DETAIL ESTIMATE

No.of Boundary Pillars 98.00

Name Of Work: - Providing and Erecting Permanant Boundary Demarcation Pillars for Diversion of 0.6497 ha for Berthing Jetty, Conveyor Corridor with Backup facility and approach road for Raigad Cement Bulk Terminal Proposed by Adani Cementation Limited at village Shahapur, Shahbaz, Taluka Alibag, Dist. Raigad in the state of Maharashtra-regarding. at Mangrove cell, Alibag-Raigad Range of Mangrove Division—South Konkan.

Work Portion Amount Rs. 587932.00 Grand Total Amount Rs. 722400.00

FACE SHEET

Division

:- Mangrove Division-South Konkan

Sanction Estimate

Fund Head

Major Head

Minor Head

Service Head

Departmantal Head

Estimate framed in the office of the Range Forest Office in Mangrove Division South Konkan and the probable expenses that will incurred in the Construction of Permanent Boundary Demarcation Pillars.

Name Of Work :- Providing and Erecting Permanant Boundary Demarcation Pillars for Diversion of 0.6497 ha for Berthing Jetty, Conveyor Corridor with Backup facility and approach road for Raigad Cement Bulk Terminal Proposed by Adani Cementation Limited at village Shahapur, Shahbaz, Taluka Alibag, Dist. Raigad in the state of Maharashtra-regarding. at Mangrove cell, Alibag-Raigad Range of Mangrove Division-South Konkan.

Work Portion Amount Rs. 587932.00 Grand Total Amount Rs 722400.00

Administrative approved under No.

Datad

Technically sanctioned under No.

Dated Dated

Estimate Checked by

Shri Shri

Call of Authority

Divisional Forest Officer, Mangrove Division South Konkan.

Note:- 1 As per the Govt. of Maharashtra Revenue and forest Department's notification Royalty charges Rs 600/Brass,i.e.Rs 211.95/Cum.agency will have to produce documentary evidences to the concerned executive engineer or concern authority.as regards payment made by agency to revenue department toward royalty charges. If such documentary evidence is not produced to the to the concerned executive engineer or concern authority the componant of royalty charges as contemplated in the item shall not be paid to the agency.as per the note in DSR royalty charges are included in the respective all item and supply of natural minarals i.e.Rubble,Metal,Sand,Murrum etc.Hence deduction for the same is made from the agency.

General Description as per separate sheet attached

Range Forest Officer

सहा. वनसंरक्षक कांदळवन विभाग दक्षिण कोकण अलिबाग – रायगड

Divisional Forest Officer Mangrove Division-South Konkan

Divisional Forest Office, Mangrove Division, South Konkan, Alibag-Raigad

GENERAL REPORT

Name Of Work: Providing and Erecting Permanant Boundary Demarcation Pillars for Diversion of 0.6497 ha for Berthing Jetty, Conveyor Corridor with Backup facility and approach road for Raigad Cement Bulk Terminal Proposed by Adani Cementation Limited at village Shahapur, Shahbaz, Taluka Alibag, Dist. Raigad in the state of Maharashtra- regarding. at Mangrove cell, Alibag-Raigad Range of Mangrove Division-South Konkan.

Work Portion Amount Rs. 587932.00 Grand Total Amount Rs. 722400.00

Authority Necessity Divisional Forest Officer, Mangrove Division-South Konkan

Demarcation of the outer boundary of compartment (Mangrove forest land boundary) is essential. It is also essential for protection and conservation of Mangroves. Therefore, this estimate is proposed.

Provisions

Following provision are made in this Estimate.

- 1 Clearing the site before given layout
- 2 Excavation for foundation in earth, soil of all types, sand, gravel and soft murum
- 3 Dewatering on BHP basis by using water pump including diversion of stream
- 4 Providing soling using 80 mm size trap metal in 15 cm. layer including filling voids
- 5 Providing and laying Cast in situ/Ready Mix cement concrete in M-15
- 6 Providing and laying concrete pipes of I.S.NP. class of 150mm dia
- 7 Providing and laying Cast in situ/Ready Mix cement concrete in M20
- 8 Providing and applying white-wash in one coat on old / new plastered surfaces
- 9 A Providing and applying two coats of flat oil paint of approved colour and shade
- 10 Painting with approved enamel paint in two coats including cleaning surface and lettering

Rates

Rates adopted in the Estimate are as per SSR 2022-23 w.e.f 25-07-2022

Specification

The work will be carried out as per standard specification of Public Work Department, and as

directed by Engineer-incharge from time to time

Lead

Lead for Material Considered in Estimate is Given by RFO, Allbag-Raigad

Important issues for State Schedule of Rates Section A - General Notes.

iv) Taxes and Govt. Circulars.

a) Material Rates are exclusive of GST (Goods & Service Tax). Rates for completed items are also exclusive of GST. While preparing the estimates, separate provision for GST shall be made in recapitulation sheet

b) As per Govt. Circular No.SSR - 1090/CR-6453/PLN-3 Dt. 14.07.1993 and as per GR of Industries and power Department No. BCA–2009/CR-108/Labour 7-A dated 17.06.2010, Labour Cess at 1% has been considered separately in Rate Abstracts

- v) The Government of Maharashtra, Revenue and Forest Departments Gazette No. 67 Dt. 15 May 2015. States that the Royalty charges of Rs, 600/- Per Brass (i.e. Rs.211.95 /cum.) are to be considered The surcharge levied on Royalty shall also be payable to the contractor in following manner. Royalty charges on all minor minerals do not form, part of Rate. Abstract, and shall be reimbursed separately on production of proof to that effect. The Superintending Engineer. Shall be modify and circulate Royalty charges in case of any modification are made by Govt. of Maharashtra. Royalty charges against estimated quantity shall be included in Recapitulation sheet.
- vi) For crusher metal separate royally charges shall not be considered as it is a finished product.
- In SSR for Items of Comipeted Ite Rates which are inclusive of Material i.e. Rubble, murum, Soil, 60mm/40mm Metal (Hand Brocken) Royalty Charges are not included in the rates Prevalent Royalty Charges including Surcharge shall be Separetely Considerd while prepairing the Estimate and shall be part of Shedule -B of Tender. Any revision in Royalty Charges and Surchage shall be included in the rate analysis of the respective item. If there is veriation in these rates the difference shall be paid extra over the items to the contractor and shall be recovered if these rates are reduced by Govt. i.e., Revenue Department.

Section B - Instructions for preparing estimate.

- 1A) As per revised circular issued by Dy. Directorate of Insurance Maharashtra State vide letter No. क्र. प्रविनी-2314/देयक कपात रक्कम/ संकीर्ण/ अभि-3,दिनांक 31/03/2015, Insurance towards labour is not considered in rate abstract of SSR items Provision for the same shall be made in the recapitulation sheet as follows.
- a) Work value upto :- 25.00 Lakhs 1.00%
- b) Work value above :- 25.00 Lakhs- 0.50%
- 1B) As per revised circular issued by Dy . Directorate of Insurance Maharashtra State vide letter No . क्र. प्रविनी 2314/देयक कपात रकम/ संकीर्ण/ अभि-3,दिनांक 31/03/2015, Insurance towards labour is not considered in rate abstract of SSR items. Provision for the same shall be made in the recapitulation sheet as follows.
- xvii) While preparing Estimate, actual and practical distance of worksite from quarries shall be taken and adequate quantity of good quality material shall be ascertained by concerned Executive Engineer, Extra care shall be taken in case of lead of murum and sand.
- xviii) Provision shall be made for taking Photographs, Video Shooting, load testing etc. separately in detail estimate and shall form part of Schedule B .

Section C - Testing of Materials

DETAIL ESTIMATE

ii) For Specific tests like span load tests, plate/ pile load test etc. which are not included in the rate analysis of item, the rates for these tests shall be prepared on the basis of rates approved by M.E.R.I./ any competent institute of Govt. of Maharashtra or Govt. of India.

Section D - Instructions for tender Clause

- i) The contractor shall produce the work insurance policy, the same will be reimbursed to the contractor. If contractor fails to produce the work insurance policy, Concerned Executive Engineer shall draw the policy the expenditure incurred for drawing the policy shall be recovered from the 1st R.A. bill of the contractor as penalty to the Contractor.
- ii) If completion period of work is Extended, then period of work Insurance must be renewed/ extended as per requirement

General Note for Execution of Work

For all items of Maintanance for Road, Buildings and Bridges - Photograps showing initial conditions and Photograps showing conditions after execution if that perticular item should be attached with Measurement book.Provision of Such items expenditure shall be made in estimate itself or through contigencies.

CERTIFICATE- the Estimate is 100% arithmatically checked by me and found to be correct.

Range Forest Officer Alibag Mangrove Cell

Divisional Forest Officer Mangrove Division-South Konkan कांदळवन विभाग दक्षिण कोकण अलिबाग – रायगड

Divisional Forest Office, Mangrove Division, South Konkan, Alibag-Raigad Name Of Work: Providing and Erecting Permanant Boundary Demarcation Pillars for Diversion of 0.6497 ha for Berthing Jetty, Conveyor Corridor with Backup facility and approach road for Raigad Cement Bulk Terminal Proposed by Adani Cementation Limited at village Shahapur, Shahbaz, Taluka Alibag, Dist. Raigad in the state of Maharashtra-regarding. at Mangrove cell, Alibag-Raigad Range of Mangrove Division-South Konkan.

RECAPITULATION SHEET

Sr.No.	ITEM OF WORK		AMOUNT (Rs.)
A	Total Work Portion Amount for Boundary Pillar	Rs.	5,67,978.00
В	Add Royalty Charges for Boundary Pillar Amount	Rs.	6,794.00
C	Add Quality Control & Testing Charges for B.Pillar	Rs.	13,160.00
D	Total Amount $(A + B + C) = D$	Rs.	5,87,932.00
E	Add 18% For GST On (A)	Rs.	1,02,236.00
F	Add 0.50% for Labour Insurance On (A)	Rs.	2,840.00
G	Add 5% Contigensis On (D) = G	Rs.	29,397.00
H	Gross Total Amount Rs (D+E +F+G) = H	Rs.	7,22,405.00
	Say	Rs.	7,22,400.00

Range Forest Officer Alibag-Raigad Range

Asst.Conservator of Forest Mangrove Division-South Konkan

Divisional forest Officer Mangrove Division-South Konkan

Divisional Forest Office, Mangrove Division, South Konkan, Alibag-Raigad Name Of Work: - Providing and Erecting Permanant Boundary Demarcation Pillars for Diversion of 0.6497 ha for Berthing Jetty, Conveyor Corridor with Backup facility and approach road for Raigad Cement Bulk Terminal Proposed by Adani Cementation Limited at village Shahapur, Shahbaz, Taluka Alibag, Dist. Raigad in the state of Maharashtra- regarding. at Mangrove cell, Alibag-Raigad Range of Mangrove Division-South Konkan.

SR.NO	ITEM OF WORK	UNIT	QTY	RATE	AMOUNT
1	Removing grass, gazer grass and disposing off out of building premises including making clean the ground by shovel and phavaras etc. complete.	Sqmt	245.00	6.45	1580.25
2	Excavation for foundation in earth, soil of all types, sand, gravel and soft murum, including removing the excavated material up to a distance of 50 m. beyond the building area and stacking and spreading as directed, dewatering, preparing the bed for the foundation and necessary back filling, ramming, watering including shoring and strutting etc. complete. (Lift upto 1.5 m.) By Mechanical	Cum	57.62	223.35	12869.43
3	Dewatering on BHP basis by using water pump including diversion of stream, providing cofferdams, earthern bunds etc. as may be necessary for foundation and other parts of the the works and pumping out water during and after excavation as may be required by using 3.0 BHP pump etc.	Hr	195.66	193.15	37791.15
4	Providing soling using 80 mm size trap metal in 15 cm. layer including filling voids with Crushed sand/grit, ramming, watering etc. complete.	Cum	14.41	1334.60	19226.25
5	Providing and laying Cast in situ/Ready Mix cement concrete in M-15 of trap/ granite/ quartzite/ gneiss metal for foundation and bedding including bailing out water, Steel centering, formwork, aying/pumping, com pacting, roughening them if special finish is to be provided, finishing if required and curing complete, with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/concrete Batch mix plant (Pan mixer) etc. complete. With fine	Cum	4.80	8365.60	40171.61
6	Providing and laying concrete pipes of I.S.NP. class of 150mm diameter in proper line, level and slope including necessary collars, excavation, laying, fixing with collars in cement mortar 1:1 and refilling	Rmt	196.00	571.85	112082.6

the trench complete

7	Providing and laying Cast in situ/Ready Mix cement concrete in M20 of trap / ranite/quartzite/gneiss metal for bed blocks, foundation blocks and such other items including bailing out water, Steel centering, formwork, laying/ pumping, compacting, roughening themif special finish is to be provided, finishing uneven and honeycombed surface and curing etc. complete. The ement Mortar 1:3 plaster is considered for rendering uneven and oneycombed surface only. Newly laid concrete shall be covered by gunny bag, plastic, tarpaulin etc. (Wooden centering will not be allowed.), with fully utomatic micro processor based PLC with SCADA enabled versible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc.	Cum	31.51	8726.15	274934.81
	Providing and applying white-wash in one coat on old / new plastered or masonry surfaces and asbestos cement sheets including scaffolding and preparing the surface by brushing and brooming down etc. complete.	Sqmt	48.12	8.65	416.22
9	A Providing and applying two coats of flat oil paint of approved colour and shade to internal / external plastered surfaces including scaffolding if necessary, cleaning and preparing the surface (excluding primer coat) etc. Complete	Sqmt	48.12	109.00	5244.86
10	Painting with approved enamel paint in two coats including cleaning surface and lettering for Boundary Stonestone etc. complete.	Nos	1372.00	46.40	63660.8

Total Work Portion Rs.=(A) 567978.00

RFO
Range Forest Cocer
Alibag Mangrove Cell

ACF
Mangrove Division South Konkan

Name Of Work :- Providing and Erecting Permanant Boundary Demarcation Pillars for Diversion of 0.6497 ha for Berthing Jetty, Conveyor Corridor with Backup facility and approach road for Raigad Cement Bulk Terminal Proposed by Adani Cementation Limited at village Shahapur, Shahbaz, Taluka Alibag, Dist. Raigad in the state of Maharashtra- regarding. at Mangrove cell, Alibag-Raigad Range of Mangrove

MEASUREMENT SHEET

Total Nos of Boundary Pillars = 98.00 Nos

ITEM OF WORK	Unit	NO	L	8	D/H	QTY.
Removing grass, gazer grass and disposing off out of building premises including making clean the ground by shovel and phavaras etc. complete.					13670	711
As directed by Engineer in charge. S.S.R. Hern No.21.34/Page No.157 For Total No. of Boundary Piller	Samt	1.00	98.00	2.50		200
ITEM NO.2	Jann	1.00	76.00	2.50 Net 0	atv.	245.00 245.00
Excavation for foundation in earth, soil of all types, sand, gravel and soft murum, including removing the excavated material up to a distance of 50 m. beyond the building area and stacking and spreading as directed, dewatering, preparing the bea for the foundation and necessary back filling, ramming, watering including shoring and strutting etc. complete. (Lift up to 1.5 m.) By Mechanical Means Spec.No.: Bd.A1 Page No.259 S.S.R. ttem No.21.02/Page No.153						243.00
For Total No. of Boundary Piller	Cum	00.00	0.70	2.22	7.45	13.55
ITEM NO. 3	Cum	98.00	0.70	0.70 Net G	1.20 etv.	57.62 57.62
Dewatering on BHP basis by using water pump including diversion of stream, providing cofferdams, earthern bunds etc. as may be necessary for foundation and other parts of the the works and pumping out water during and after excavation as may be required by using 3.0 BHP pump etc. complete. (prior approval of Superintending Engineer will be necessary) Spec.No.: BR 4 B Page No.104,105 S.S.R. Hem No.12.22/Page No.104						
For Total No. of Boundary Piller	Cum	98.00			2.00	195.66
ITEM NO. 4		(COLTA)		Net Q	771.70	195.66
Providing soling using 80 mm size trap metal in 15 cm. layer including filling voids with Crushed sand/grit, ramming, watering etc. complete.						0.000
As directed by Engineer in charge.						
S.S.R. Hern No.21.40 /Page No.194						
For Total No. of Boundary Piller	Cum	98.00	0.70	0.70	0.30	14.41
ITEM NO. 5				Net Q	ty.	14.41
Providing and laying Cast in sltu/Ready Mix cement concrete In M-15 of trop/ granite/ quartzite/ gneiss metal for foundation and beading including bailing out water. Steel centering, formwork, laying/pumping, com pacting, roughening them if special finish is to be provided, finishing if required and curing complete, with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/concrete Batch mix						
Spec.NoBd.E.2 rage No. 288						
S.S.R. Hem No.24.04/Page No.215 For Total No. of Boundary Piller	C	00.00		.643	0.10	100
	Cum	98.00	0.70	0.70 Net Qt	0.10 y .	4.80 4.80

ITEM NO.6

Providing and laying concrete pipes of 1.S.NP. class of 150mm diameter in proper line, level and slope including necessary collars, excavation, laying, fixing with collars in cement mortar 1:1 and refilling the trench complete

Spec. No. Bd.V.41 Page No.573 S.S.R. Item No.42.07 /Page No.342

For Total No. of Boundary Piller

Rmt	98.00	2.0		196.00
			Net Qty.	196.00

ITEM NO.7

Providing and laying Cast in situ/Ready Mix cement concrete in M20 of trap / ranite/quartzite/gneiss metal for bed blocks, foundation blocks and such other items including bailing out water. Steel centering, formwork, laying/pumping, compacting, roughening themit special finish is to be provided, finishing uneven and honeycombed surface and curing etc. complete. The ement Mortar 1:3 plaster is considered for rendering uneven and oneycombed surface only. Newly laid concrete shall be covered by gunny bag, plastic, tarpaulin etc. (Wooden centering will not be allowed.), with fully utomatic micro processor based PLC with SCADA enabled versible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc omplete. With fine aggregate (Natural Sand / Crushed sand VSI Grade finely washed etc) Spec.No.: Bd.E.4 Page No.289

Spec.No.: Bd.E.4 Page No.289 S.S.R. Item No.24.10/Page No.216 For Total No. of Boundary Piller

Foundation block Below G.L
Foundation Block Above G.L
Inside Pipe [A=(pi x r x r)xL]
Duduction For Pipe [A=(pixrxr)]

Cum	98.00	0.6	0.6	0.8	28.22
Cum	98.00	0.45	0.45	0.2	3.97
Cum	98.00	0.	01	1.3	1.27
Cum	-98.00	0.	02	1	-1.96
			Net	Qty.	31.51

ITEM NO.B

Providing and applying white-wash in one coat on old / new plastered or masonry surfaces and asbestos cement sheets including scaffolding and preparing the surface by brushing and brooming down etc. complete.

Spec.No.: Bd.P.1 Page No 411 S.S.R. Hem No.36.02/Page No.279 For Total No. of Class-I Boundary Piller

Samt	98.00	0.47	1	46.16
Samt	98.00	0.02		1.96
				40 10

ITEM NO.9

A Providing and applying two coats of flat oil paint of approved colour and shade to internal / external plastered surfaces including scaffolding if necessary, cleaning and preparing the surface (excluding primer coat) etc. Complete

Spec.No.: Bd.O.7 Page No 406 S.S.R. Item No.35.12/Page No.276 Qty same as white wash

Samt		48.12
	Net Qty.	48.12

ITEM NO.10

Painting with approved enamel paint in two coats including cleaning surface and lettering for Boundary Stonestone etc. complete

Spec.No.: MORTH 807

S.S.R. Item No.6.04d/Page No.53

Lettering of Boundary Pillar (GPS Co-ordinates)

Nos 98.00 14

1372.00 Net Qty. 1372.00

REFO Range Forest Officer Alibag Wangrove Cell

Mangrove Division South Konkan

Rate Analysis (PWD SSR 2022-23)

Name Of Work :- Providing and Erecting Permanant Boundary Demarcation Pillars for Diversion of 0.6497 ha for Berthing Jeffy, Conveyor Conidor with Backup facility and approach road for Raigad Cement Bulk Terminal Proposed by Adani Cementation Limited at village Shahapur, Shahbaz, Taluka Alibag, Dist. Raigad in the state of Mangrove Division-South Konkan.

			p	eld	op	٧.	yo.	N Inc	, din			3		22.35	193.15		3	8345.40	
				nou								6.47		223.35	193,14	9742		8365.59	
	,	7	95	ImA ibdi	þ	De	UN	MAG	Je	uio		128		43.4/	37.59				
ADD CARTING OF MATERIAL AS PER LATEST RATE				u	OH	oth	de	ior.)	otol	7	80	80	300	00:00	1029 24 1029 24 305 34		757.17 1504.23 1335.39	
		P		_		-	-	-	-	1	1	T V				1029.24	I	757.17	
PER LA			_	+	+	+	+	+	+	1	1	ŧ				8.		0.90	
ERIAL AS	-	+		+	-	1	+	+	+	1		THE STATE OF THE S						560.43	
G OF MAT			30	1020 24		252 22		282 01	1,60	10.90	1	\$						2.0	
DCARTIN	1	Ding	45 Km	45 Km		OS KW	46 8	05 KM	DC K44	45 Km	Arms							186.63	
8		Madel	Diam.	80mm	Cond	Murum	1 -	Steel		9	1							8.9	
*	01	= 5	Da	·V I	op	M 1	oj	240	ıF	PPV		0.47	16.35		14.14	000		502.36	41.87
				loto	1	qns						474	163.53		141.41			5023.61 8	418.70 4
å sa Moi	141	D 1	10	700 (210) (20) (1.00)	40	pp	au	Ven	00.	per leq	10	126	43.47		37.59	305.34		1335.39 5	11.30
	*	- N C	1) 4	fo#	P	otol	du	uoç	,			00'9	207.00		00.671	1454.00		6359.00	230.00
				**	un							Sqmt	E O		÷	Cum		S S	Rmt S
	JO	Ho:	N	ped	sı	buc	H	PP	•			As directed by Engineer in charge.	8d.A.1 Page No. 259		BR 4 Page No 104.105		in charge.	Page NO.288 and B.7 Page No.38	
				Description of the Bern							Pernoving programme	central grass, gazer grass, and disposing off out of building premises	Excavation for foundation in earth, soil of all types, sand, gravel and soft murum, [Lift table 1.5 m.]	\neg	Dewatering on BHP basis by using water pump including Idversion of stream, providing cofferdams	Providing soling using 80 mm size trap metal in 15 cm. layer including filling voids with Crushed sand	Provident page parish		Providing and laying concrete pipes of 15.NP. class of 150mm BDV 41 diameter in proper line, level and slope
				Ref. No.								8DW	BDA 1		BR 4 B	MO W		8DE2	BDV 41
				E :	é							21.34	21.02		1222	21.40	Ī	24.04	42.07
				ä :	é							-	~	T	m	4	1	vo	vo


8726.15	8.65	109.00	8.4
8726.13	8.63	108.98	46.40
715.11 1474.17 1411.41	1.68	21.21	9.03
1474.17	0.00	0.00	0.00
715.11			
0.85			
541.33 0.85			
0.425			
217.74			
7.00			
530.96	0.63	7.98	3.40
5309.59 530.96	6.32	79.79	33.97
1411.41	1.68	21.21	9.03
6721.00	8.00	00.101	43.00
Cum	Sqmt	Sqmt	ON.
Bd.E.4 Page No.289	Bd.P.1 Page No	8d.O.7 Page No 406	МОRТН 807
Providing and laying Cast in situ/Ready Mix cement concrete in M20 of trap / ranite/quartzite/gneiss metal for bed blocks. foundation blocks	Providing and applying white-Bd.P.1 wash in one coat on old / new Page No plastered or masony surfaces and asbestos cement sheets	35.12 BDO7 approved colour and shade	6.04d MORTH including of the Boundary Stonestone
BDE4	180P1	8D07	MORTH
24.10	36.02	35.12	6.04d
^	80	٥	9

Range Forest Officer
Alibag Mangrove Cell

सहा. दनसंरक्षक कांद्रज्ञदन विभाग दक्षिण कोकण अलिबाग - रायगड

Name Of Work :- Providing and Erecting Permanant Boundary Demarcation Pillars for Diversion of 0.6497 ha for Berthing Jetty, Conveyor Corridor with Backup facility and approach road for Raigad Cement Bulk Terminal Proposed by Adani Cementation Limited at village Shahapur, Shahbaz, Taluka Alibag, Dist. Raigad in the state of Maharashtra- regarding. at Mangrove cell, Alibag-Raigad Range of Manarove Division-South Konkan

		Lead State	ment		
Sr.No		Name of Quary	Lead in KM	Rate	Unit
1	Metal 6mm to 40mm	Mapgaon	45 Km	841.30	Cu.M
2	Metal 40mm & Above	Mapgaon	45 Km	806.24	Си.М
3	Sand	Bhonanag	80 Km	1273.71	Cu.M
4	Murum	Local	05 KM	252.22	Cu.M
5	Bricks	Local	05 KM	531.38	Per 1000 Nos
				0.53	Per Nos
6	Steel	Nearby Market	15 KM	282.91	M.T.
7	Cement	Mapgaon	45 Km	622.10	M.T.
0	Danie w			31.11	Per Bag
8	Flooring Tiles	Nearby Market	05 KM	16.50	Sq.M
9	Rubble	Mapgaon	45 Km	1029.24	Cu.M



Alibag Mangrove Cell

कांदळवन विभाग दक्षिण कोकण अलिबाग - रायगड

Royalty Statement

Name Of Work :- Providing and Erecting Permanant Boundary Demarcation Pillars for Diversion of 0.6497 ha for Berthing Jetty, Conveyor Corridor with Backup facility and approach road for Raigad Cement Bulk Terminal Proposed by Adani Cementation Limited at village Shahapur, Shahbaz, Taluka Alibag, Dist. Ralgad in the state of Maharashtra- regarding. at Mangrove cell, Alibag-Raigad Range of

Mangrove Division-South Konkan.

Sr.No	Description of the same		Total	80m	80mm. Metal	_	Murum	S	Sand	~	Rubble
		5	Qty.of Item	Coeff.	Ø.	Coeff.	€	Coeff	€	Coeff	ð
	Providing soling using 80 mm size trap metal in 15 cm. layer including filling voids with Crushed sand/grit, ramming, watering etc. complete.	S.	14.41	00:0	0.00	0.00	00:00	00:0	00:0	8.	14.41
8	Providing and laying Cast in situ/Ready Mix cement concrete in M-15 of trap/ granite/ quartizite/ gneiss metal for foundation and bedding including bailing out water, Steel centering, formwork, laying/pumping, com pacifing, roughening them if special finish is to be provided, finishing if required and curing complete, with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/concrete Batch mix plant (Pan mixer) etc.	Cum	6.80	00:0	00.00	0000	00:0	77.0	211	000	00:0
m	Providing and loying Cast in situ/Ready Mix cement concrete in M20 of trap / ranite/quartzite/gneiss metal for bed blocks, foundation blocks and such other items including balling out water, Steel centering, formwork, laying/ pumping, compacting, roughening themit special firish is to be provided, finishing uneven and honeycombed surface and curing etc. complete. The ement Mortar 1:3 plaster is considered for rendering uneven and oneycombed surface only. Newly laid concrete shall be covered by gunny bag, plastic, tarpaulin etc. [Wooden centering will not be allowed.], with fully utomatic micro	5	31.51	000	000	000	0000	0.425	13.39	0.0	800
	processor based PLC with SCADA enabled versible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc omplete. With fine aggregate (Natural Sand / Crushed sand VSI Grade finely washed etc)										
			Total Qty.		000		0.00		15.50		
	Royalh	y Charg	Royally Charges per Cum		216.18		216.18		237 27		14.41
		Royalty	Royalty Amount Rs.		00:00		0.00		3480.03		2114 30
		To	Total Amount				1	00 7629	200000		27.4.10

Alibag Mangrove Cell Range Forest Officer

सहा. वनसंरक्षक

कांदळवन विभाग दक्षिण कोकण अलिबाग - रायगड Name Of Work :- Providing and Erecting Permanant Boundary Demarcation Pillars for Diversion of 0.6497 ha for Berthing Jetty, Conveyor Condor with Backup facility and approach road for Raigad Cement Bulk Terminal Proposed by Adani Cementation Limited at village Shahapur, Shahbaz, Taluka Alibag, Dist. Raigad in the state of Maharashtra- regarding. at Mangrove cell, Alibag-Raigad Range of Mangrove Division-South Konkan.


NOTE: Provision for laboratory testing charges. For reimbursement of actual amount of testing charges paid by the contractor, he should produce documentary evidences along with laboratory reports from approved registered Govt.

Provision of Quality Control Test and Materials Testing Charges (as per CSR Sr.No.9, Page No. iv) Rate as per Vigilance & Quality Control Circle. Schedule of Testing charges for Construction Material used for Government Works for the Year 2022-23 (Effective from 01/07/2022 and valid up to 30.6.2023)

Name of Tests	No. of	Rate per	Frequency	Amount
1) Basic Test of Cement	Test	Test	THE PARTY	
Standard Consistancy Finess, Specific Gravity, Setting Time (Initial &Final), Compressive Strength, Soundness,	1.00	3960	1.00	3960.00
2) Basic Test of Aggregate				
Water Absorption.Specific Gravity.Impact Value/Crushing Value.	1.00	2730	1.00	2730.00
3) Fine Aggregate				
Fineness Modulus (Sieve Analysis),Silt & Clay Content	1.00	1450	1.00	1450.00
I) Cement Concrete		2 / 10	ter in	A4 L
Compressive strength of C.C. Cube (Set of 3 Cubes)	4.00	725	1.00	2900.00
S)STONE/ RUBBLE		7 4 7 1	2776	- Carre
Crushing Value/Compressive Strength, Water Absorption & Decific Gravity.	1.00	2120	1.00	2120.00
		Tota	Amount Rs.	13160.00

Range Forest Officer Alibag Mangrove Cell

सहा. वनसंरक्षक कांदळवन विभाग दक्षिण कोकण अलिबाग – रायगड Name Of Work: Providing and Erecting Permanant Boundary Demarcation Pillars for Diversion of 0.6497 ha for Berthing Jetty, Conveyor Corridor with Backup facility and approach road for Raigad Cement Bulk Terminal Proposed by Adani Cementation Limited at village Shahapur, Shahbaz, Taluka Alibag, Dist. Raigad in the state of Maharashtra-regarding. at Mangrove cell, Alibag-Raigad Range of Mangrove Division-South Konkan.



SECTIONAL VIEW OF BOUNDARY DEMARCTION PILLAR

ADVANCE COPY

FOR COMMENTS/ESTIMATION
PURPOSE ONLY

Range Forest Officer
Alibag Mangrove Cell

ह्महा. वनसंरक्षक कांदळवन विभाग दक्षिण कोकण अक्षियाग - रायगड

