



इंडियन ऑयल कार्पोरेशन लिमिटेड (वि०प्र०)  
(भारत सरकार का उपक्रम)  
इण्डेन बॉटलिंग प्लांट  
ग्राम : मसुदनपुर, एस.एच. :- 19  
बाँका, 813109 (बिहार)

**Indian Oil Corporation Ltd. (M.D.)**  
(Government of India Undertaking)  
Indane Bottling Plant  
Vill.: Masudanpur, S.H.: - 19  
Banka, 813109 (Bihar)



Ref. No.: BKBP/LPG/FOREST/2019/01

Date: 21.06.2019

To,  
The Additional Principal Chief Conservator, Forest (CAMPA) cum Nodal  
Officer  
Forest conservation  
Patna, Bihar.

*Handwritten signature in blue ink.*

**Sub.: Submission of payment receipt against e- challan and compliance Report for issuance of Clearance Certificate for diversion of 0.1239 hectare forest land for construction of approach road for opening of grass root LPG Bottling Plant at Vill- Masudanpur, Banka.**

Dear Sir,

This is with reference to the above subject, we are submitting the original e-challan through which compensatory levies having amount of Rs. 781971.00 has been deposited vide UTR No.- SBIN619171940043 dtd. 20.06.2019 and compliance report for issuance of clearance certificate for diversion of 0.1239 hectare forest land for construction of approach under forest conservation act 1980 act.

Our humble request is to kindly grant us the clearance certificate for approach road for opening of grass root LPG Bottling Plant.

Thanking You,

Yours sincerely,  
For Indian oil Corporation Ltd,

*Handwritten signature of Puran Hansdak in blue ink.*  
(Puran Hansdak) 21/06/19  
Sr. Manager (LPG- Project)

Encls:

1. Original e- challan & payment receipt
2. Compliance Report
3. Copy of FRA certificate
4. Environmental clearance certificate

*Handwritten signature of Puran Hansdak in blue ink.*  
SR. MANAGER (LPG-PROJECT)  
INDIAN OIL CORPORATION LTD. (M.D.)  
INDANE BOTTLING PLANT  
VILL-MASUDANPUR S.H.-19  
BANKA-813109 (BIHAR)



## AGENCY COPY

## NEFT / RTGS CHALLAN for Ad-HOC CAMPA

Date : 19-06-2019

Agency Name.	SENIOR MANAGER LPG PROJECT INDIAN OIL CORPORATION
Application No.	7037366481
MoEF/SG File No.	FP/BR/APPROACH/37366
Location.	BIHAR
Address.	Village Masudanpur, SH-19 Bhagalpur-Dumka Road DisBanka
Amount(in Rs)	781971/-

Amount in Words :Seven Lakh Eighty-One Thousand Nine  
Hundred and Seventy-One Rupees Only

NEFT/RTGS to be made as per following  
details;

Beneficiary Name:	BIHAR CAMPA
IFSC Code:	CORP0000371
Pay to Account No.	150627037366481 Valid only for this challan amount.
Bank Name & Address:	Corporation Bank Lodhi Complex Branch, Block 11,CGO Complex, Phase I, Lodhi Road, New Delhi -110003

- This Challan is strictly to be used for making  
payment to CAMPA by NEFT/RTGS only
- This challan is valid only for seven days.

## BANK COPY

## NEFT / RTGS CHALLAN for Ad-HOC CAMPA

Date : 19-06-2019

Agency Name.	SENIOR MANAGER LPG PROJECT INDIAN OIL CORPORATION
Application No.	7037366481
MoEF/SG File No.	FP/BR/APPROACH/37366
Location.	BIHAR
Address:	Village Masudanpur, SH-19 Bhagalpur-Dumka Road Dis Banka
Amount(in Rs)	781971/-

Amount in Words :Seven Lakh Eighty-One Thousand Nine  
Hundred and Seventy-One Rupees Only

NEFT/RTGS to be made as per following  
details;

Beneficiary Name:	BIHAR CAMPA
IFSC Code:	CORP0000371
Pay to Account No.	150627037366481 Valid only for this challan amount.
Bank Name & Address:	Corporation Bank Lodhi Complex Branch, Block 11,CGO Complex, Phase I, Lodhi Road, New Delhi -110003

- This Challan is strictly to be used for making  
payment to CAMPA by NEFT/RTGS only
- This challan is valid only for seven days.

After making successful payment, User Agencies may send a line of confirmation through  
Email: [helpdeskampa@corpbank.co.in](mailto:helpdeskampa@corpbank.co.in)

Print

*Puran Hansdak*  
Puran Hansdak  
SR. MANAGER (L.P.G.-PROJECT)  
INDIAN OIL CORPORATION LTD. (M.D.)  
INDANE BOTTLING PLANT  
VILL-MASUDANPUR S.H.-19  
BANKA-813109 (BIHAR)



BIHAR CAMPA  
ARANYA BHAWAN  
NEAR PATNA AIRPORT  
PATNA (BH)-800014

Ref: 83501006922019  
Dated: 20.06.2019  
Page No.: 1

Dear Sir/ Madam,

- Remittance through "E-Payment (RTGS/NEFT/ActTrf)", No.: SBIN619171940043 (MEAL-MAY19) -  
We have remitted a sum of Rs.781971.00 through E-Payment (RTGS/NEFT/ActTrf) to your bank account as per the following details:

**Bank Details:**

Bank Name: CORPORATION BANK,  
Bank City: DELHI  
Bank Branch: NEW DELHI LODHI COMPLEX  
MICR/IFSC No.: CORP0000371/\*\*\*\*\*71  
Account Number: \*\*\*\*\*6481

**Details of Voucher Paid through this advise:**

Voucher No.	Bill/ Purchase Order No.	Gross Amt.	WCT TAX Amt.	TDS Amt.	Deduction **	Net Amount
2300-4100025443/ 2	7037366481/KICENSE FEE TO FOR	781,971.00	0.00	0.00	0.00	781,971.00

Yours Faithfully,  
Indian Oil Corporation Ltd.  
Marketing Head Office, Mumbai

Please submit your GST Registration No. for each State / UT along with e-mail address for updating SAP Masters, Please Ignore If Already Submitted.  
It's a computer generated statement and hence requires no signature

*Puran Hansdak*

SR. MANAGER (L.P.G.-PROJECT)  
INDIAN OIL CORPORATION LTD. (M.D.)  
INDANE BOTTLING PLANT  
VILL-MASUDANPUR S.H.-19  
BANKA-813109 (BIHAR)


31



30

COMPLIANCE REPORT FOR DIVERSION OF 0.1239 HACTARE FOREST LAND FOR CONSTRUCTION OF APPROACH ROAD FOR OPENING OF GRASS ROOT LPG BOTTLING PLANT AT VILL- MASUDANPUR, BANKA

SN	Points	Compliance
1.	Legal status of forest land proposed for diversion shall remain unchanged.	Legal status will not be changed.
2.	Compensatory Afforestation: The State Department shall plant 100 trees to maintain the green cover at the project cost. Planting site for the purpose shall be identified by the State Forest Department preferably within or in the surrounding area of the project. As far as possible, a mixture of local indigenous species shall be planted and monoculture of any species may be avoided. The user agency shall transfer the cost of plantation and its maintenance for 10 years (revised as on the date to incorporate the existing wage structure) to State Forest Department. Revised CA scheme shall be submitted by the State Forest Department before issuance of final approval.	Cost of plantation and its maintenance has been deposited vide UTR no. SBIN619171940043 dtd. 20.06.2019(Copy enclosed)
3.	Net Present Value (NPV): a. The User Agency shall deposit Net Present Value (NPV) for the 0.1239 ha forest area to be diverted under this proposal. The NPV is to be computed as per prescribed rates and the same shall be transferred into the State CAF account created/to be created under the CAF Act, 2016 and CAF Rules 2018 as per the prevalent guidelines. b. Additional amount of the NPV of the diverted forest land, if any, becoming due after finalization of the same by the Hon'ble Supreme Court of India on receipt of the report from the Expert Committee shall also be deposited by the User Agency. The User Agency shall furnish an undertaking to this effect.	Net Present Value (NPV) for the 0.1239 ha forest area has been deposited.
4.	User Agency should ensure that the compensatory Levies (CA Cost, NPV etc.) are deposited through challan generated online on web portal ( <a href="https://parivesh.nic.in">https://parivesh.nic.in</a> ) and deposited in appropriate Bank online only. Amount deposited through other mode will not be accepted as compliance of the Stage-I clearance.	Deposited in appropriate Bank through online generated e-challan.
5.	The User Agency shall submit the PRA certificate as per the Ministry' letter No. 1 1-09/98-FC (pt.)	FRA from District Collector obtained. Copy of FRA





**COMPLIANCE REPORT FOR DIVERSION OF 0.1239 HACTARE FOREST LAND FOR  
CONSTRUCTION OF APPROACH ROAD FOR OPENING OF GRASS ROOT LPG BOTTLING  
PLANT AT VILL- MASUDANPUR, BANKA**

	dated 28.10.2014 before the issuance of final approval. The complete compliance of the FRA, 2006 shall be ensured by way of prescribed certificate from the concerned District Collector..	attached.
6.	Wherever possible and technically feasible, the User Agency shall undertake, afforestation measures all around the plant in consultation with concerned DFO.	Noted for compliance.
7.	User Agency shall obtain Environment Clearance as per the provisions of the Environmental (Protection) Act, 1986, if applicable.	Environmental Clearance has already been obtained from SEIAA, Bihar vide approval ref: 303 DTD. 13.07.2016 ( Copy enclosed )
8.	It will be the responsibility of the User Agency to ensure that the labourers and staff engaged in construction activity do not damage the nearby forest flora and fauna.	Noted for compliance
9.	The layout plan of the proposal shall not be changed without prior approval of the Central Government.	Noted for compliance
10.	The period of diversion under this approval shall be co-terminus with the project life.	Noted for compliance
11.	a. The forest land under diversion shall not be used for any purpose other than that specified in the Project proposal. b. The forest land under diversion shall under no circumstances be transferred to any other agencies, department or person without prior approval of Govt. of India.	Noted for compliance
12.	Violation of any of these conditions will amount to violation of Forest (Conservation) Act, 1980 and action would be taken as per the MoEF&CC Guideline F. No. 1 1-42/201 dated 29.01.201 8.	Noted for compliance
13.	Any other conditions that the Ministry Environment. Forest & Climate change may stipulate from time to time in the interest of conservation, protection arid development of forest and wildlife.	Conditions will be complied
14.	The compliance report shall be uploaded on e-portal (https://parivesh.nic.in)	Noted for compliance



कार्यालय, जिला पदाधिकारी, बाँका के तहत रैखिक परियोजना निर्माण हेतु

**FRA 2006 का प्रमाण पत्र**

(भारत सरकार, पर्यावरण, वन एवं जलवायु परिवर्तन, नई दिल्ली द्वारा दिनांक—  
28.04.2014 को निर्गत दिशा निर्देश के तहत

संख्या.....397 दिनांक 29/4/2019

प्रमाणित किया जाता है कि बाँका जिले में प्रयोक्ता एजेंसी इंडिन ऑयल कार्पोरेशन लिमिटेड द्वारा LPG बॉटलिंग संयंत्र रैखिक परियोजना निर्माण स्थान मसुदनपुर से बाराहाट तक कुल किलोमीटर 0.063 में पड़ने वाले पथ/नहर तट पर अवस्थित सुरक्षित नव भूमि के 0.1239 हे० रकबा के उपयोग (Diversification) हेतु दिनांक—21.12.18 द्वारा FRA 2006 प्रमाण पत्र निर्गत करने हेतु अनुशंसा समर्पित किया गया है।

तदालोक में प्रस्ताव के जाँचोपरान्त प्रमाणित किया जाता है कि प्रस्तावित रैखिक विकास परियोजना (कंडिका-1 में वर्णित) के लिये अपयोजित होने वाली भूमि पर अवस्थित वृक्षरोपण दिनांक—13.12.2005 के पूर्व 75 वर्षों से कम अवधि में वन भूमि के रूप में अधिसूचित किया गया है और परियोजना क्षेत्र के गाँवों में वर्ष 2001 एवं 2011 की जनगणना के अनुसार अनुसूचित जनजाति की अभिलिखित आबादी नहीं है।

स्थान— बाँका

तिथि—

जिला पदाधिकारी, बाँका का  
हस्ताक्षर एवं मोहर  
जिला पदाधिकारी

**OR**

Certified that Forest land proposed to be diverted is a plantation which was notified as "forest" less than 75 year prior to the 13<sup>th</sup> day of December 2005 and is located in villages having no recorded population of Scheduled Tribes, as per the Census-2001 and Census-2011

Place :

Dated :

District Magistrate  
and Office Seal





STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY,  
BIHAR

Ref No. 303

Patna-23, dated:- 13/7/16

From,

Prof. R. C. Sinha  
Chairman,  
SEIAA, Bihar

To,

Mr. Puran Hansdak,  
Manager (LPG – Project)  
M/s. Indian Oil Corporation Limited,  
Village- Masudanpur, SH - 19,  
Bhagalpur - Dumka Road,  
District – Banka, State – Bihar.  
Pin - 813 109.

Sub: Environmental Clearance for the proponent “Proposed  
LPG Bottling Plant, Village- Masudanpur, Tehsil- Barahat,  
District- Banka, State – Bihar.”

Sir,

This has reference to your application submitted vide letter dated 25<sup>th</sup> June 2015 for environmental clearance, your final EIA application was appraised by SEAC in its meeting held on 02<sup>nd</sup> July, 2016 as per EIA Notification, 2006 and its amendment thereof. On the recommendation of SEAC, SEIAA in its meeting held on 12<sup>nd</sup> July, 2016 accords Environmental Clearance with the following conditions. The salient features of the Project are as follows:-

Particular	Details
Project Proponent	Indian Oil Corporation Ltd.
Project Name	LPG Bottling Plant



Capacity	Packed LPG Bottling:- 60, 000 MT/Annum Bulk LPG Storage Facility: 1800 MT(3 mounded bullets X 600 MT Capacity)
Estimated Project Cost	₹ 96,74,00,000/-
Coordinates Address	24° 34' 41" N 85° 07' 23" E M/s. Indian Oil Corporation Ltd. Plot No.- 182, 183, 184, 185, 186, 187, 188, 195, 199, Village- Masudanpur, District- Banka, State- Bihar Telephone No.:- 07091096295 Fax:- 0612-2233154 E-mail Id:- <a href="mailto:hansdakp@indianoil.in">hansdakp@indianoil.in</a>
Schedule & Category	6 (b) Isolated Storage& Handling of hazardous chemicals and Category 'B'
Total Plot Area	1,20,354.00 m <sup>2</sup>
Green Belt Development	39,800.00 m <sup>2</sup> (33%)
Total Water Consumption	4.5 KLD
Source of Water Supply	Bore Wells
Waste Water Generation	2.7 KLD
Treatment Facility	Soak pit/ Septic Tank (No trade effluent generation)
Source of Power Supply	South Bihar Power Distribution Company Limited (SBPDCL)
Power Requirement	SBPDCL:- 500 KVA D. G. Set :- 750 KVA ( 1 X 500 KVA & 1 X 250 KVA)
Man Power	91 (Regular Employees – 18, Contract Workers – 50 & Security Staff – 23)



25

A. SPECIFIC CONDITIONS:

WATER

1. Groundwater shall not be abstracted without prior permission of competent authority i.e., Central Ground Water Commission Board if applicable.
2. There shall not be any wastewater generation nor any discharge from the project activities.
3. The storm water drains shall be kept dry and shall not be used for discharge of any kind of waste. The project proponent shall prepare an Action Plan for the monsoon period in which the water quality flowing outside the premises shall be monitored for hydrocarbon and oil & grease parameters and its records shall be maintained & submitted to BPCB.
4. The company shall construct the garland drain all around the project site to prevent runoff of any oil containing waste into the nearby water bodies. Separate drainage system shall be created for oil contaminated and non-oil contaminated streams. During rainy season, the storm water drains shall be connected to oil water separator and passed through guard pond. Water quality monitoring of guard pond shall be conducted and ensured that monitoring parameters shall not exceed the prescribed standard.
5. Effluent from washing of storage tanks in POL Depot shall be properly treated in oil water separator and treated wastewater shall conform to CPCB standards. No effluent shall be discharged outside the premises and 'zero' effluent discharge principle shall be followed.

AIR :

1. Gaseous emission at workplace shall be controlled and kept below the limits prescribed by the Factories Act and Rules. Their records shall be maintained.
2. The gaseous emissions and particulate matter from various processes shall conform to the standards prescribed by BSPCB. At no time, the emission levels shall go beyond the stipulated standards. In the event of failure of pollution control system adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the prescribed standards.
3. Regular ambient air quality monitoring of PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub>, CO, VOCs, and HC (Volatile gases) shall be monitored and displayed at a convenient location near the main gate of the company and at important public places. The location and results of existing monitoring stations shall be reviewed in consultation with BSPCB on the occurrence of maximum



ground level concentration and downward direction of wind. It shall ensure that at least one monitoring station is set up in up-wind direction along with those in other directions.

4. The Company shall install automatic leak detection system supported with hooters and alarm system.
5. Arrangement shall be made for automatic sprinkling of water along the road, especially in gantry area and also brooming of the internal roads will be done by automatic vacuum cleaner machine.

#### **SOLID WASTE :**

1. The unit must strictly comply with the rules and regulations with regards to handling and disposal of Hazardous waste in accordance with the Hazardous Waste (Management and Handling) Rules 2008 & its amendment. Authorization from the BSPCB must be obtained from collection/treatment/storage/disposal of hazardous wastes.
2. The project management shall strictly comply with the provisions made in Manufacture, Storage and Impact of Hazardous Chemicals Rules 1989 as amended in 2000 for handling of hazardous chemicals. Necessary approvals from the Govt. Authorities shall be obtained before commissioning of the project, if applicable.
3. All Transportation of Hazardous Chemicals shall be as per the Hazardous Wastes (Management, handling and Transboundary Movement) Rules, 2008 & its amendment.
4. Hazardous materials storage shall be at an isolated designated location, bund/dyke walls shall be provided for storage tanks for Hazardous Chemicals.
5. All transportation routes within the factory premise shall have paved roads to minimize splashes and spillages.

#### **SAFETY :**

1. Mock drills shall be conducted at regular intervals as per statutory requirements and their records shall be maintained.
2. Necessary dyke wall along with spill collection sump shall be provided around the storage tanks to arrest the spillage/leakage.
3. All the storage tanks in the premises shall be provided with sprinkler as per OISD norms.
4. Fire protection system shall be upgraded for the additional storage tanks installation and shall confirm to OISD standards.

CHAIRMAN  
STATE ENVIRONMENT IMPACT  
ASSESSMENT AUTHORITY  
(SEIAA) BIHAR



5. Necessary flameproof fittings shall be provided in the storage facility.
6. Proper ventilation shall be provided in the whole premises.
7. All venting equipment shall have vapour recovery system. All the pumps and other equipment where there is a likelihood of leakages shall be provided with Lead Detections and Repair (LDAR) system. Provisions for immediate isolation of such equipment in case of a leakage shall also be made. The detector sensitivity shall be in ppm levels.
8. All the storage tanks shall be fitted with appropriate controls to avoid any leakages. Close handling system for chemicals shall be provided. Double mechanical seals shall be provided for pumps/agitators for reactors for reduction of fugitive emissions and leakages. Traps shall be installed wherever necessary.
9. Personal Protective Equipment shall be provided to workers and its usage shall be ensured and supervised.
10. First Aid Box and required antidotes for the chemicals used in the unit shall be made readily available in adequate quantity at all the times.
11. Occupational health surveillance of the workers shall be carried out on a regular basis and records shall be maintained as per the Factories Act and Rules. Pre-employment and periodical medical examination for all workers shall be undertaken as per statutory requirement.
12. The project management shall prepare a detailed Disaster Management Plan (DMP) for the project as per the guidelines from Directorate of Industrial Safety and Health.
13. On site Emergency Control Plan and Off Site Emergency Plan shall be updated and its recommendation shall be implemented.
14. Design of the storage tanks shall be done in accordance with the applicable OISD, IS, API, ASME standards.
15. Necessary permission from the Chief Controller of Explosive-Nagpur, State Department of Safety and Health, and other relevant Government Agencies shall be taken prior commencement of the project.
16. Ambient air quality status with respect of VOC in the area shall be monitored in consultation with Bihar Pollution Control Board and its records shall be submitted to SEIAA.

**NOISE :**

CHAIRMAN  
STATE ENVIRONMENT IMPACT  
ASSESSMENT AUTHORITY  
(SEIAA) BIHAR



- 22
1. The overall noise level in and around the plant area shall be kept well within the prescribed standards of CPCB by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibration dampers etc. on all sources of noise generation.

**WASTE MINIMISATION :**

1. The unit shall undertake following waste minimization measures:
  - A. Use of automated and close filling to minimize spillages.
  - B. Venting equipment through vapour recovery system.

**GREEN BELT AND OTHER PLANTATION:**

1. The unit shall develop green belt in 33% of the plot area within premises to mitigate the effect of fugitive emission all around the plant in consultation with DFO as per CPCB guidelines. Thick green belt around the POL depot should be ensured.
2. The proponent shall create & maintain Green-Belt along the railway line with the consent of Railway Authority.

**B. GENERAL CONDITIONS:**

1. The project proponent shall adopt all measures for better environment, occupational health and safety.
2. Project Proponent should obtain prior Consent to Establish (NOC) under Sec. 25 & 26 of The Water (Prevention & Control of Pollution) Act'1974 and under Sec. 21 of The Air (Prevention & Control of Pollution) Act'1981 from Bihar State Pollution Control Board before start of any construction activities.
3. Project Proponent should obtain prior Consent to Operate under Sec. 25 & 26 of the Water (Prevention & Control of Pollution) Act'1974 and under Sec. 21 of The Air (Prevention & Control of Pollution) Act'1981 from State Pollution Control Board before start of production activities.
4. The unit shall undertake eco-developmental measures including community welfare program most suited in the project area for the overall development of the area.



5. The management shall ensure compliance of all the conditions as per rules of all the environment protection measures.
6. Fully automated tank farm management system (TFMS) will be provided for accounting of products and reconciliation.
7. Bottom sludge shall be handled, stored and disposed on a regular basis as per CPCB/MoEF&CC guidelines. An action plan in this regard including bioremediation shall be submitted to SEIAA and BSPCB.
8. The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose of the environmental protection and management.
9. At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.
10. No further expansion or modifications in the plant shall be carried out without prior approvals of the SEIAA, as the case may be. In case of deviations or alterations in the project proposal from those submitted to SEIAA/SEAC for clearance, a fresh reference shall be made to the SEIAA/SEAC to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
11. The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as BSPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.
12. Under Corporate Social Responsibility (CSR), sufficient budgetary provision shall be made for health improvement, education, water and electric supply etc. in and around the project site.
13. Provisions shall be made for the housing (Temporary - to be removed after completion of the project) of construction labour within the project site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche etc.
14. Company should consider to promote the distribution (dealership) near the notified forest area/Wildlife sanctuaries, in order to reduce the dependence of the local people on the forests for biomass requirement.
15. The applicant shall inform the public that the project has been accorded environmental clearance by SEIAA and that the copies of the clearance letter are available with the



Website of SEIAA. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Hindi language and the other in English. A copy each of the same shall be forwarded to SEIAA, Bihar.

16. It shall be mandatory for the Project management to submit 6 monthly compliance reports in respect of the stipulated prior environmental Clearance terms and condition in hard and soft copies to the regulatory authority concerned SEIAA, Bihar, Regional Office of MoEF&CC, BSPCB Patna.
17. The project authorities shall also adhere to the stipulation made by the Bihar State Pollution Control Board.
18. The Project authorities shall inform the BSPCB, Regional Office of MoEF&CC, Ranchi and SEIAA, Bihar about the date of financial closure and final approval of the Project by the concerned authorities and the date of start of the Project.
19. The SEIAA, may revoke or suspend the clearance, if implementation of any of the above condition is not found satisfactory.
20. The company in a time bound manner shall implement these conditions. The SEIAA reserves the right to stipulate additional conditions, if the same is found necessary. The above conditions will be enforced, inter-alia under the provisions of the water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, The Environment (Protection) Act 1986, Hazardous Waste (Management and Handling) Rules, 2003 and the Public Liability Insurance Act, 1991 along with their amendment and rules.
21. Any appeal against this Environmental Clearance shall be with National Green Tribunal preferentially within a period of 30 days as prescribed under 16 of the National Green Tribunal.

*R. C. Sinha*  
(Prof. R.C. SINHA)

Chairman  
STATE ENVIRONMENTAL IMPACT  
ASSESSMENT AUTHORITY  
(SEIAA) BIHAR