Submitted:-

May kindly peruse the letter No. PWDIII/IRRI/DP/FC/2018/819 dated 21.12.2018 received from Executive Engineer, PWD Civil Division No. III (Irri.), Dadra & Nagar Haveli, Silvassa regarding compliance of In-Principle Approval of Diversion of 0.89 Ha. of Protected Forest Land for the Integrated Water Management Plan W.D. – II for Mota Randha, Nana Randha and Bonta village in the U.T. of Dadra & Nagar Haveli.

The point wise compliance is as under:

~	petite wise compitance is as under.	
Sr. No.	Conditions of the In-principle approval letter	Compliance
i.	The legal status of the forest land shall remain unchanged i.e shall remain Reserve / Protected / Village/ other types of Forests as the case may be.	Agreed by User Agency
ii.	No felling of trees shall be involved in the implementation of the project.	The project involves no felling of tree.
iii.	The Maximum size of trench shall not be more than 2.00 meter depth and 1.00 meter width	
iv.	The pipeline shall be along with road within existing right of way not failing in National parks and Wildlife Sanctuaries.	Agreed by User Agency
V.	Compensatory afforestation shall be taken up the by the Forest department at the cost of the user agency and the same shall be maintained for 10 years. Only indigenous forest tree species shall be used for such plantation. Trees, if planted on the diverted area, will not be felled without the permission of the Forest Department.	The payment has been transferred towards the details mentioned in the challan generated from the website may please be seen at page C/75.
vi.	The user agency shall pay the Net Present Value (NPV) of the diverted forest land at the rates stipulated by the Ministry of the Environment and Forests from time to time.	The payment has been transferred towards the details mentioned in the challan generated from the website may please be seen at page C/75.
vii.	Additional amount of the NPV of the diverted if any, becoming due after finalization of the same by the Hon'ble Supreme Court of India on receipt of the report from the Expert committee shall be charged by the State Government from the user agency. The User agency shall furnish an undertaking to this effect.	The undertaking for the same is submitted. May please be seen at page C/71.
viii.	The user agency shall seek permission from Forest Department, Dadra & Nagar Haveli for carrying out maintenance.	Agreed by the User Agency
ix.	The User agency shall be responsible for any loss to the flora/fauna in the surroundings and therefore, shall take all possible measures to conserve the same.	Agreed by the User Agency The best possible and strict measures shall be taken to conserve the flora/fauna during construction.
х.	The User Agency shall obtain the Environmental Clearance before the formal order, if applicable.	Not Applicable as stated by the User Agency
xi.	All statutory provisions under various acts, Rule there under and guidelines applicable to this project shall be strictly adhereto.	Agreed by the User Agency
xii.	All the funds received from the user agency under the project shall be transferred / deposited to CAMPA fund only through e.portal (http://forestsclearance.nic.in).	The payment has been transferred towards the details mentioned in the challan generated from the website.

xiii.	The User agency has to pay ₹ 10,41,705/- towards Net Present value of land and ₹ 8,35,710/- towards Compensatory Afforestation including maintenance for 10 years.	mentioned in the challan generated from the website vide UTR No. BKDNH18351876446 may please be seen at page C/75.
xiv.	The forest land shall not be used for any purpose other than that specified in the proposal.	Agreed by the User Agency.

In view of the above compliance submitted by the User Agency it is submitted that the Formal approval may be granted.

Accordingly, a draft Formal approval order is prepared and placed below for kind approval and signature please. If agreed.

LDC(FQ)

DCF(T) The compharize has been submitted by user agency on 21/12/2018. Why has the formal exprovedorder putup so late. Plo darry.

coelsel

(Flown) 598929