Diversion of 1.85 (instead of 1.96) ha forest land for laying water surface, Drinking Water Supply Scheme (40 Village) in take point at Parowal, (Total Length of Forest Effect Liner 19600 Meter), Tehsil & District Gurdaspur.Proposal No( FP/PB/WATER/43199/2019). File No.:-

Date of Proposal :-

Page\_\_\_\_

## **CHECK LIST SERIAL NUMBER: 15**

## SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF/DFO

(For the Forest land to be diverted under FCA)

A proposal has been received by this office from Executive Engineer, W/s & Sanitation division, EE-2, batala for diversion (under FCA-1980) of 1.85 ha of forest land for non-forestry purpose. The subject envisages the use of forest land for laying water surface, Drinking Water Supply Scheme (40 Village) in take point at Parowal, (Total Length of Forest Effect Liner 19600 Meter), Tehşil & District Gurdaspur. The site inspection of the land involved in the proposal has been done by me on dated 20:5:2.

On inspection of the site, it is found that the land required by the user agency is a forest area measuring 1.85

ha.

The requirement of forest land as proposed by the user agency in Col. 2 of part-I is unavoidable and is barest minimum required for the project.

Whether any rare/ endangered/ unique species of flora and fauna found in the area. If so, the details thereof. Whether any protected archaeological/ heritage site/ defence establishment or any other important monument is located in the area. If so, the details thereof with NOC from the competent authority. If required.

The user agency has not violated the provisions of Forest (Conservation) Act, 1980 and work has not started without proper sanction.

(b)

(a)

It has been found that the user agency has violated the provisions of the Forest (Conservation) Act, 1980. A detailed report as per para 1.9 of Chapter 1, Part C of Hand-book of Forest (Conservation) Act, 1980 is attached).

(Note: Whichever of the above is applicable should be shown in bold letters)

Specific recommendation for acceptance or otherwise of the proposal.

Proposal is recommended for approval.

Place : Gurdaspur

Date: 20.5.2)

