

PART - II


(To be filled by the concerned Deputy Conservator of Forests)

M/s Bhadradi Thermal Power Station (MS Pipe Line)

7.	Location of the Project / Scheme	Diversion of 0.571 Ha of forest land for laying of MS pipe line from Intake well cum pump house at Ramanujavaram (V), Manuguru(M), Bhadradi Kothagudem District to Raw water Reservoir at Bhadradi Thermal Power Station (4 x 270 MW), from River Godavari in favour of Telangana State Power Generation Corporation Limited.					
i.	State/Union Territory	: Telangana					
ii.	District	: Erstwhile KHAMMAM Presently falling in Bhadradi Kothagudem District.					
iii.	Forest Division	: Manuguru (Erstwhile Paloncha Division)					
iv.	Area of forest land proposed for diversion (in Ha):0.571 Ha	Sl. No	Name of the RF	Compt. No.	Length in Mtrs	Width in Mtrs	Area
		1	Kondaigudem	108	964	6	0.578
		The User agency has proposed for laying of pipe line to a Length 930 Rmt and with a width of 6.15 Mtrs. During the verification on the field, it is found that, the actual length required for laying of the proposed pipe line in the RF area is 964 Rmt and 6 Mtrs Width is sufficient for laying of the Pipe line. Hence, the actual area required is 0.578 Ha.					
V)	Legal status of forest	: Reserved Forest Block Kondaigudem was Notified U/s 4 of APF Act, 1967 G.O.Ms.No.89/Forest and Rural Development and A For. III Dt.07.02.1974.					
Vi	Density of vegetation.	: The density of Forest in the proposed alignment is 0.2.					
Vii	Species wise (scientific names) and diameter class wise enumeration of trees to be enclosed.	: Enclosed.					
Viii	Brief note on vulnerability of the forest area to erosion.	: The proposed pipe line is traversing through a gentle slope area. Hence, there will be no noticeable erosion.					
Ix	Approximate distance of proposed site for diversion from boundary of forest.	: The approximate distance of the proposed pipe line for diversion from boundary of forest is Minimum 188 Mtrs and Maximum of 888.37 Mtrs from the Kondaigudem Reserve Forest.					
X	Whether forms part of National Park, Wildlife Sanctuary, Biosphere reserve, Tiger reserve, Elephant corridor, etc.	: The proposed area is not falling in National Park, Wildlife Sanctuary, Biosphere reserve, Tiger reserve, Elephant corridor, etc.,					
Xi	Whether any rare/ endangered / Unique species of flora and fauna found in the area - if so details thereof.	: No such rare/endangered/unique species found.					
Xii	Whether any protected archaeological / heritage site/ defense establishment or any other important monument is located in the area.	: No protected archaeological / heritage site/ defense establishment or any other important monument are located in the area.					

8	Whether the requirement of forest land as proposed by the user agency in Column 2 of Part-I is unavoidable and barest minimum for the project.	:	Yes, the user agency has proposed for diversion is 0.571 Ha only. But, actual requirement of forest land is 0.578 Ha as per the field Verification.	
9	Whether any work in violation of the Act has been carried out (Yes / No). If yes, details of the same including period of work done, action taken on erring officials. Whether work in violation is still in progress.	:	No violation carried out by the User Agency.	
10	Details of compensatory afforestation scheme:-	:		
i)	Details of non-forest area / degraded forest area identified for compensatory afforestation, its distance from adjoining forest number of patches, size of each patch.	:	Not applicable.	
ii)	Map showing non – forest / degraded forest area identified for compensatory afforestation and adjoining forest boundaries.	:	Not applicable.	
iii)	Detailed compensatory afforestation scheme including species to be planted, implementing agency, time schedule, cost structure, etc.	:	Not applicable.	
iv)	Total financial outlay for compensatory afforestation scheme.	:	Not applicable.	
v)	Certificates from competent authority regarding suitability of area identified for compensatory afforestation and from management point of view (to be signed by the concerned Deputy Conservator of Forests).	:	Not applicable.	
11	Site inspection report of the DCF (to be enclosed) especially highlighting facts asked In Columns 7 (xi, xii), 8 and 9 above.	:	The Inspection report is enclosed.	
12	Division/District profile:-	:		
i)	Geographical area of the district.	:	7,48,300 Ha	
ii)	Forest area of the district.	:	3,49,476.5 Ha.	
iii)	Total forest area diverted in the division since 1980 with number of cases.	:	3264.6534 Ha in 19 cases	
iv)	Total Compensatory Afforestation stipulated in the division since 1980 with number of cases.	:		
a)	Forest land including penal Compensatory Afforestation.	:	1248.15	Ha planted.
			121.31	Ha. ANR
			1369.46	Ha. Total
b)	Non – Forest land.	:	174.83 Ha.	
V)	Progress of Compensatory Afforestation as on 13-03-2019.	:		
a)	Forest land including penal Compensatory Afforestation.	:	1369.46 Ha.	
b)	Non – Forest land.	:	174.83 Ha.	
	RoFR Exemption:		As per the guidelines issued in MoEF Lr.No. F.No.11-9/98-FC(pt.) Dt:05.02.2013. Proposals seeking prior	

		<p>approval of Central Government under the Forest (Conservation) Act, 1980 for Projects like construction of Roads, Canals, laying of pipelines/ optical fibers and transmission lines etc., where linear diversion of use of forest land in several villages are involved, unless recognized rights of PTG/ PA being affected, are exempted from the requirement of obtaining consent of the concerned Grama sabha(s) as stipulated in clause © read with clause (b), (e) and (f) in second para of this Ministry's said letter Dt:03.08.2009.</p> <p>There are no PTG/ PAs are effected in this proposed OFC Line.</p>
	Specific recommendations of the DCF for acceptance or otherwise of the proposal with reasons.	: Recommended.


 Forest Divisional Officer,
 Manuguru. 