

Title of the Project: Diversion of forest land for augmentation of drinking water supply scheme for providing canal based water works for 14 villages and 1 dhani at Khaleta water works and const. of Raw water pumping, boosting station and laying of pipe line alongwith road under Rewari Division..
File No. FP/HR/Other/30766/2017
Date of Proposal: 05-02-2018

CHECK LIST SERIAL NUMBER :-16

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF


(For the Forest land to be diverted under FCA)

- 1 A Proposal has been received by this office from Executive Engineer, Public Health Division Bawal dt. 05-02-2018 diversion (under FCA-1980) of **0.9352 Ha.** of forest land for non-forestry purpose. The project envisages the use of forest land for laying of pipe line 14 village of Khol in Dist Rewari. Site inspection of the land involved in the proposal has been done by me on dt 29-03-2018.
- 2 On inspection of the site, it is found that the land required by the user agency is a protected forest measuring **0.9352 Ha.**
- 3 The requirement of forest land as proposed by the user agency in Col. 2 Part -1 is unavoidable and is barest minimum required for the project.
- 4 Whether any rare/endangered/unique species of florea and fauna found in the area, if so the details thereof - None.
- 5 Whether any protected archeological/heritage site/defence establishment or any other important monument is located in the area. If so, the details thereof with NOC from competent authority, if required. Permission obtain from competent authority. N.A
- 6 **(a) The user agency has not violated the provisions of Forest (Conservation) Act, 1980 and no work has been started without proper sanction.**
(b) It has been found that the user agency has violated the Indian Forest Act, 1927 against user agency.
A detailed report as per para 1.9 of Chapter 1, C of Handbook of Forest (Conservation) Act, 1980 is attached.

Specific recommendation for acceptance or otherwise of the proposal.
The establishment of road widening is in public interest. Hence it may be considered as per rules.

Place
Date.....

73

(Signature) 
Name.....
Designation.....
Office Seal.....