

Reference: Index Sr. NO 30

(Site inspection Report from Deputy Conservator of Forests Satara.)
(Prescribed vide PCCF (HOFF) No Desk – 17 - 4 / 1445. Dated 5/11/2015)

Sr.No	Items	Observations and remarks.																																						
1	Name of Project and location (Range, Round Beat)	<p>Proposal for diversion of forest land for laying of underground OFC duct & cable within the ROW of existing (MDR17) road Kalamgaon - Kumbhroshi, road passing through forest land at village Devli, Zanzwad, Dudgaon, Goroshi, Shiravli, Dudhoshi, Parpar, Kumbhroshi Tal. Mahableshwer, District Satara ,</p> <table border="1"> <thead> <tr> <th>Sr. n</th><th>Range</th><th>Round</th><th>Beat</th></tr> </thead> <tbody> <tr> <td>1</td><td>Mahableshwer</td><td>Tapola</td><td>Devli, Gogave</td></tr> <tr> <td></td><td></td><td>Kumbhroshi</td><td>Shirvali, Parpar Kumbhroshi</td></tr> </tbody> </table>	Sr. n	Range	Round	Beat	1	Mahableshwer	Tapola	Devli, Gogave			Kumbhroshi	Shirvali, Parpar Kumbhroshi																										
Sr. n	Range	Round	Beat																																					
1	Mahableshwer	Tapola	Devli, Gogave																																					
		Kumbhroshi	Shirvali, Parpar Kumbhroshi																																					
2	Name of User Agency	Reliance JIO Infrocomm Ltd. (JIO) Pune, The Vice president, Reliance JIO Infrocomm Ltd. (JIO), Reliance Corporate I T Park Ltd, Down town 2 nd . & 3 rd . Floor, S. no 8+13 /1/2 , Off. Karve road, Mhatre Bridge, Erandwane, Pune																																						
3	Date of site Inspection	09/06/2021																																						
4	Extent (ha) and legal status of forest land proposed to diversion.	Forest land Required 0.853 ha. ('Reserved Forests.')																																						
5	a) Details of forest land proposed for diversion and activity-wise break-up of Forest land	<p>Forest land requires for laying underground OFC duct & Cable.</p> <table border="1"> <thead> <tr> <th rowspan="2">Item of Work</th><th colspan="4">Forest land required</th></tr> <tr> <th>Name of Village</th><th>Gut no , Comp no</th><th>L X W in Mt.</th><th>Area in ha.</th></tr> </thead> <tbody> <tr> <td rowspan="7">Diversion of forest land for laying of underground OFC duct & cable, within RoW of road MDR 17 Kalmgaon to Kumbhroshi 0.00 Km to 28.500km =28.500 km</td><td>Devli</td><td>59/A/1A C, no 128</td><td>3550 x1</td><td>0.335</td></tr> <tr> <td>Zunzwad</td><td>6/B/1B C, no 127</td><td>590 x 1</td><td>0.059</td></tr> <tr> <td>Dudgaon</td><td>48/A/1 C, no 126</td><td>240 x 1</td><td>0.024</td></tr> <tr> <td>Goroshi</td><td>17/B/1 C, no 116</td><td>310 x 1</td><td>0.031</td></tr> <tr> <td>Shiravali</td><td>21 C, no 113</td><td>400 x 1</td><td>0.040</td></tr> <tr> <td>Dudhoshi</td><td>22 C, no 112</td><td>295 x1</td><td>0.0295</td></tr> <tr> <td>Par par</td><td>38/A/1 C, no 103</td><td>1070 x1</td><td>0.107</td></tr> </tbody> </table>	Item of Work	Forest land required				Name of Village	Gut no , Comp no	L X W in Mt.	Area in ha.	Diversion of forest land for laying of underground OFC duct & cable, within RoW of road MDR 17 Kalmgaon to Kumbhroshi 0.00 Km to 28.500km =28.500 km	Devli	59/A/1A C, no 128	3550 x1	0.335	Zunzwad	6/B/1B C, no 127	590 x 1	0.059	Dudgaon	48/A/1 C, no 126	240 x 1	0.024	Goroshi	17/B/1 C, no 116	310 x 1	0.031	Shiravali	21 C, no 113	400 x 1	0.040	Dudhoshi	22 C, no 112	295 x1	0.0295	Par par	38/A/1 C, no 103	1070 x1	0.107
Item of Work	Forest land required																																							
	Name of Village	Gut no , Comp no	L X W in Mt.	Area in ha.																																				
Diversion of forest land for laying of underground OFC duct & cable, within RoW of road MDR 17 Kalmgaon to Kumbhroshi 0.00 Km to 28.500km =28.500 km	Devli	59/A/1A C, no 128	3550 x1	0.335																																				
	Zunzwad	6/B/1B C, no 127	590 x 1	0.059																																				
	Dudgaon	48/A/1 C, no 126	240 x 1	0.024																																				
	Goroshi	17/B/1 C, no 116	310 x 1	0.031																																				
	Shiravali	21 C, no 113	400 x 1	0.040																																				
	Dudhoshi	22 C, no 112	295 x1	0.0295																																				
	Par par	38/A/1 C, no 103	1070 x1	0.107																																				

	b) Density and Eco-value class	Kumbhroshi	49/1A , C no 96 49/2	2075 x 1	0.2075
		Forest land required.			0.853
		Eco-Value class = forest density 0.8%, Very dense forest , Eco-Class II .			
		NPV rate = 10.43 Lacks.			
6	Whether the requirement of forest land as proposed by the User Agency in col. of Part I is unavoidable and barest minimum for the project. If no recommended area item-wise with details of alternative examined.	Yes, the requirement of forest land as proposed by U. A. is unavoidable and barest minimum for the project. As the work is proposed within Row of road there is no need to examine three alternatives,			
7	Whether the proposal involves any construction of building (including residential) or not? If Yes, details thereof	No, this proposal does not involve any building construction.			
8	a) whether forest area proposed for diversion is important form wildlife point of view or not. b) Details of any rare or endangered or unique species of flora and fauna found in proposed forest land. If so the details thereof. c) Aerial distance from the nearest boundary of any Protected Area (Km d) Remarks about sensitivity of the forest area likely to be affected due to project. e) Whether wildlife mitigation plan is required? If yes, reasons therefor.	Forest area Proposed for diversion is not importance from Wildlife point of view. There is no any rare or endangered unique species of flora and fauna found in proposed forest land. The proposed forest land failing 18 Km away from boundary of Sahyadri Tiger Reserved Project. There is no adverse effect due to this project as project is laying of underground OFC duct & cable within ROW of existing Road passing through forest. No			

9	<p>Details of vegetation:</p> <p>a) Total no of trees to be felled.</p> <p>b) Number of trees to be felled of girth below 60 cm.</p> <p>c) Number of trees to be felled of girth above 60 cm.</p> <p>d) Effect of removal of trees on the general ecosystem in the area.</p>	<p>No tree felling is required.</p> <p>Nil</p> <p>Nil</p> <p>Nil</p> <p>Question does not arise.</p>
10	<p>Background note on the proposal (short summary)</p>	<p>Reliance Industries Led. has lunched broadband services. The main aim of company to provide the mobile service & 4 G , 5G internet data service in all over Indian villages. To provide network, there is need network of Towers connected by OFC duct & cable, For laying of underground the OFC duct & cable within ROW of road(MDR17) Kalamgaon to Kumbhroshi, where the maximum area will be covered for mobile network and also easy maintain for long period. Executive Engineer, Public Works(west)div. Satara has sanction permission for laying of underground OFC duct & cable within the ROW of existing road MDR 17 by order dt 20.5.2019. As same part of existing road passing through the forest land, at village Devli, Zanzwad, Dudgaon, Goroshi, Shiravli, Dudhoshi, Parpar, Kumbhroshi Tal. Mahableshwer, District Satara , and there need the prior permission from competent authority for laying of underground OFC duct & cable within the Row of the existing road MDR 17..</p>

		There is no other alternative other than the use of forest land. Hence this proposal is being submitted for approval under section 2 (ii) of F. C. Act, 1980.
11	Whether the proposal involves any violation of Forest (Conservation) Act, 1980? If yes, a detailed report on violation including action taken against the concerned officials to be attached	Yes P.A has done violation of Forest (Conservation) Act, 1980. Certificate on page 53 & Violation report is attached 54-58
12	Whether the proposal involves rehibitions of displaced person, If yes, whether rehibitions plan has approved by the State Govt.?	No involves rehibitions of displaced person
13	Details of catchment and area under the project (If applicable) status of catchment area treatment plan to prevent siltation of reservoir (If applicable)	Not applicable. Not applicable.
14	Utility of Project	To provide network, there is need network of Towers connected by OFC duct & cable, For laying of underground the OFC duct & cable within ROW of road MDR 17, This project is useful to rural peoples /Offices far away from the developed urban area.

15	Whether land being diverted has any socio-cultural/ religious values? Whether any scared grove or old growth tree/ forests exist in the areas proposed for diversion	No. No.
16	Any other importance information related to the project (separate note may be attached, If required)	Project authority submitted that, cost of C.A. may not be levied in this proposal as the proposed laying of OFC cable within RoW of existing (MDR 17) Kalamgaon to Kumbhroshi road, , road passing outside National Park & WL. Sanctuary area & no need to cutting of trees, which fulfil the conditions given in MoEF&CC guideline no FC-11 /165/2019-FC, Dt. 27 th . July 2020
17	Details of documents and photographs enclosed	1) Permission from PWD Authorities. 2) Authority letter 3) Photographs of proposed area.
18	Recommendation of the Inspecting Officer.	The proposal is recommended for acceptance & may not be levied cost of C.A.in this proposal. the proposed work will be useful to rural peoples /Offices far away from the developed urban area.

Place - Satara

Date- / /2021


 (Shri M. N. Mohite)
 Deputy Conservation of Forests
 Forest Division, Satara