

**SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF**  
(For the forest land to be diverted under FCA)

A proposal has been received by the this office from मुख्य प्रबन्धक, परियोजना, हिन्दुस्तान पेट्रोलियम कार्पोरेशन लि०, बरेली द्वारा मुरादाबाद-रामपुर मार्ग (एन०एच०-०९) के कि०मी० 168.9-179.29 तक लगभग 10.390 कि०मी० तक दोयी पटरी पर गैस पाइपलाईन बिछाने हेतु 0.57145 हे० संरक्षित वन भूमि का विना वृक्ष पतन हेतु diversion (under FCA-1980) of 0.57145 hac. of Protected forest land for non-forestry purpose. The project envisage the use of Protected forest land for laying. The site inspection of the land involved in the proposal has been done by me on dated. 25/04/2022.

On inspection of the site, it is found that the land required by the user agency is a RF/PF/unclassified/Protect forest measuring. PF 0.57145 Hac. The requirement of Protected forest land as proposed by the user agency in col.2 of part-I is unavoidable and is barest minimum required for the project. Yes

Whether any rare/endangered/unique species of flora and fauna in the area. If so, the details thereof. No

Whether any protected/archaeological/heritage site/ defense establishment or any other important monument is located in the area. If so, the details thereof with NOC from competent authority, if required. No

- a. The user agency has not violated the provision of forest (conservation) Act, 1980 and no work has been started without proper sanction.
- b. it has been found that the user agency has violated the forest (conservation) Act, 1980 provisions. A detail report as per para 1.9 of chepter-1; para C of handbook of forest (Conservation) Act. 1980 is attached.

Specific recommendation for acceptance or otherwise of the proposal.-

**Recommended for acceptance.**

(सूरज)

प्रभागीय निदेशक,  
सामाजिक वानिकी प्रभाग,  
मुरादाबाद।  
मुरादाबाद