

FIELD INSPECTION NOTES OF THE DISTRICT FOREST OFFICER, SIDDIPET IN RESERVE

FOREST LAND ON 27.07.2021.

Today I along with the Forest Range Officer, Gajwel and Siddipet along with their field staff have inspected the Reserve Forest areas proposed for diversion 1.6967 Ha of Forest land in Gajwel Range and Siddipet Range of Siddipet District for "Construction of Intake Structure, WTP and Pipelines for Four HMWS Segments (Jangaon, Gajwel, Alair - Bhongir and Medchel), Sri Komaravelli Mallanna Sager as a source" Providing and Laying of Pipe Line and Construction of other Structures for safe Drinking Water in Siddipet. as detailed below:

Sl. No.	Name of the Range	Compt .No.	Name of the Reserve Forest	Length (in M)	Width (in mtrs)	Area in (in Ha)
1	Gajwel	286	Zapthisingaipally	1870	1.6	0.299
		285	Zapthisingaipally	2800	1.6	0.448
		279	Narsampally	1920	1.6	0.307
		264	Gajwel Shareef	880	1.6	0.141
	Gajwel Range Total			7470		1.195
2	Siddipet	238	Kondapak	80	40.08	0.321 (GLBR Tank)
		238	Kondapak	152.06	4.8	0.073
		238	Kondapak	71.79	2.6	0.019
		238	Kondapak	175.61	2.2	0.039
		238	Kondapak	100.01	1.6	0.016
		238	Kondapak	200.57	1.6	0.032
	Siddipet Range Total			780.04		0.499
	Siddipet District Total			8250.04		1.694

The user agency has proposed the length of the 8185.42 Meters with different widths at different intervals with total outlay of 1.6967 Ha in Siddipet District but as per the field verification of the District Forest Officer, it is observed that, the length is 8250.04 Meters in Siddipet District which comes to 1.694 Ha and length varying as mentioned above. Hence the proposed Diverted land arrived to 1.694 Ha. The density of vegetation is 0.1 to 0.4 and above. Further on enumeration 586 trees / poles are required to be removed from the said proposed area for diversion as mentioned below.

- a) 453 trees / poles existing in the diverted forest land of Gajwel Range.
- b) 133 trees / poles existing in the diverted forest land of Siddipet Range.

I have searched for other alternatives, but there is no alternative land available except the present proposal and this is the barest minimum area (1.694 Ha. that is required for diversion towards "Construction of Intake Structure, WTP and Pipelines for Four HMWS Segments (Jangaon, Gajwel, Aliar-Bhongir and Medchel), Sri Komaravelli Mallanna Sager as a source" Providing and Laying of Pipe Line and Construction of other Structures for safe Drinking Water in Siddipet in **1.1694 Ha** (in a length of 8250.04 Mtrs).


District Forest Officer,
Siddipet.