प्रारूप-7

SITE INSPECTION REPORT- NOT BELOW THE RANK OF DCF (for the forest land to be diverted under FCA)

5.1	A proposal has been received by this office from	E.E. P.D. P.W.D. Ranikhel for
	diversion under FCA-1980) of 2:52	ha of foret land for non-forestry purpose.
	The project envisages the of forest land for c	construction of the forest the sound the
- -	sit inspection of the land involved i	in the proposal has been done by me on
	dated. 02-00-2010	

- 5.3 The requirement of forest land as proposed by the used agency in co 1.2 part-1 is unavoidable and is barest minimum required for the project.
- Whether any rare/endangered/unique species of flora found in the area. If, so the details there of:- No
- 5.5 xx Whether any protected archeological/heritage/site/defence establishment or any other important monument is located in the area, if, so the details thereof with NOC from competent authority, if required No
 - a) The user agency has not violated the provisions of forest (Conservation) Act, and 1980 and no work has been started without proper sanction.
 - b) X It has been found that the user agency tha violated (Conservation) Act, and 1980 provisions. A detals report as per para 1.9 of chapter 1, para C of Hand book of forest (Conservation) Act, 1980 attached.

Specific recommendation for acceptance of otherwise of the proposal.

(नोट:- प्रभागीय वनाधिकारी द्वारा यहाँ पर प्रस्ताव के सम्बन्ध में अपनी संस्तुति/टिप्पणी आवश्यक रूप से अंकित की जाय।

Place. Almora...
Date 3-8-2018

Name (अलीण उन्होन्स्)
Designation . ब्रमाणीय बनाविकारी,
Office Seasonia बन ब्रथाय अल्पोब

(Singnature

स्वीकृति हेन संस्कृत की जती है।

N.B x State the purpose for which the forest land is proposed to be Diverted.

xx out of (a) and (b) tick the option which is applicable and cross the is not applicable

option which

As per letter number 2-2/2000 FC darted 16-10-2000 from ministry of Environment & Forest Government of india for proposal involving less then 40 heetares of forest land, the site inspection report from DCF is required and for proposal involving more the 40 hectares of forest land site inspection report from the conservator of forests is required.