


PART – III

(To be filled by the concerned Chief Conservator of Forests)

1	Whether site, where the forest land involved is located has been inspected by the concerned Chief Conservator of Forests (Yes/No). If Yes, the date of inspection and observation made in the form of inspection note to be enclosed	:	No
2	Whether the concerned Chief Conservator of Forests agree with the information given in Part-B and the recommendation of Deputy Conservator of Forests	:	Yes. Recommendation of the DCF, Bagalkote may be accepted.
3	Specific recommendation of concerned Chief Conservator of Forests for acceptance or otherwise of the proposal with detailed reasons	:	Recommended for diversion of 2.16813 Ha. of Forest land in Chitrabhanukote village, Sy. No. 62, Naganapur village Sy. No. 80, Laxanatti village Sy. No. 94 and Dadanatti village Sy. No. 79 Bagalkote District for laying Raising main (Pipeline) under Veerabhadreshwar Lift Irrigation Scheme in favour of the Executive Engineer, Karnataka Neeravari Nigam Limited, Ghataprabha Right Bank Canal Construction, Division No. 5 Koujalagi, Gokak taluk, Belagavi district -reg

Date: 02-12-2021

Place: Belagavi


(Vijaykumar Salimath)
Chief Conservator of Forests,
Belagavi Circle, Belagavi.