

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF

(For the forest land to be diverted under FCA)

A proposal has been received by this office from Executive Engineer, अवस्थापना (पुर्नवास) खण्ड, ऋषिकेश for "Construction of सौग बांध पेयजल परियोजना के निर्माण हेतु under FCA-1980 of 127.6712 ha. (Mussoorie forest Division-65.0467 ha) of forest land non-forestry purpose. The Project envisages the use of, "Construction of सौग बांध पेयजल परियोजना के निर्माण हेतु कुल 127.6712 ha. (Mussoorie forest Division-65.0467ha) ". The site inspection of the land involved in the proposal has done by me on dated 23-12-2019.

On inspection of the site, it is found that the land required by the user agency is a Reserve Forest + Prevate Forest + Civil Forest (RF 47.1199 ha. + RF 3.912 ha.(As per Revenue record / Khatoni) PF 0.00 ha.+ Civil land /Jal Magan 11.2018 ha.+ Van Panchyat 2.8130) = 65.0467 ha.

The requirement of forest land as proposed by the user agency in Col.2 part-I is unavoidable and is barest minimum required for the project.

No rare/endangered/unique species of flora and fauna is found in the area.

No protected archeological/heritage site/defense establishment or any other important monument is located in the area.

- a) The user agency has not violated the provisions of forest (Conservation), Act 1980 and no work has been started without proper sanction.
- b) AS such, recommendation is being provided.

Prposal is Recommended.



(Signature)

Name (Kahkashsa Naseem)

Designation.....
प्रभागीय वनाधिकारी
मुख्य वन प्रभाग, मसूरी

Office Seal

Place - Mussoorie

Date – 23 . 12 .2019

N.B x

State the purpose for which the forest land is proposed to be diverted.

xx

Out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter number 2-2/2000 FC dated 16-10-2000 from Ministry of Environment & Forests, Government of India for proposal involving less than 40 ha. of forest land, the site inspection report from DCF is required and for proposal involving more than 40 ha. of forest land site inspection report from the conservation of forests is required.