SITE INSPECTION REPORT NOT BELOW THE RANK OF DCE (For the forest land to be diverted under FCA)

(63<u>L</u>)

न्ट प्लान के नार्का कि वागवत Uttarakhand for diversion under FCA-1980 of L.o. ka. ha. of forest land non foresty बागेश्वर में purpose. The project envisages the use of forest land for construction of Annielland मोटर मार्ग The site inspection of the land ivolved in the तक विस्तार proposal has been done by me on dated. 25-1/2013 मी. On inspection of the site, it is found that the land required by the user agency is a RF/ PF/ Un- classed/ Protected forest measuring 6:0 6cha. The reuirement of forest land as proposed by the user agency in col.2 part I is unavoidable and is barest minimum required for the project. Whether any rare/ endangered/ uique species of flora and funa found in र the area if, so the details there of. No रि Whether any protected archeological/ heritage site / defence establishment or any other important monuments is located in the area. if so, the र details there of with NOC from competent authority, if required. No विभाग The user agency has not violated the provisions of forest Conservation act बागेश्वर 1980 and no work has been started without proper sanction. No It has been found that the user agency has violated the forest conservation हीं (b) act 1980 provisios. A detail report as per para 1.9 of chapter 1. Para C of हीं Hand book of forest Conservation Act 1980 is attached. हीं Specific recommendation for acceptance of other wise of the proposal. स्वीकात की वास्त्रीत की जाती है। हीं हीं Signature Name प्रभागीय वनाधिकारी हीं Place Designation वन प्रभाग बागश्वर हीं Date Office Seal, हीं N.B. x State the purpose of which the forest land is proposed to be diverted, x Out of (a) and (b) tick the option which is applicable and cross the option हीं which is not applicable. 計 As per letter number 2-2-2000 FC dated 16.10.2000 from Ministry of Environment and Forest, Government of India of Proposal involving less than 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more than 40 hectares of forest land site inspection from the conservator of forest is required.