## Reference: Index Sr. No.30

Site Inspection Report
Prescribed vide PCCF (HoFF) No.Desk-17-4/1445. Dated 05/11/2015

Sr No.	Items	Observations and remarks					
1	Name of the Project and location (Range, Round, Beat)	Range:- Shirur Round:- Shikrapur Beat:- Karandi					
2	Name of the User Agency	Deputy General Manager, Essar Steel India Ltd. Sanaswadi Tal-Shirur Dist- Pune- 412 208					
3	Date of site inspection	26 /08/2016					
4	Extent (ha) and legal status of forest land proposed for diversion						
5	a)Details of forest land proposed for diversion and activity-wise break-up of forest land	Name of Compo nent	Name of Villa ge	Forest Land Required			Legal Status of
				F.S./ Gut No	Comp tt No.	Area ha.	Land
		Construction of underground water pipeline	Koreg aon bhima /D.wa di Tal- Shirur Dist- Pune	256, 247, 248, 255, 152, 153, 154, 155		0.13	R.F.
	b) Density and Eco-value class	0.4 Eco-Class-IV					
6	Whether the requirement of forest land as proposed by the User Agency in col.2 of Part-I is unavoidable and barest minimum for the project If no, recommended are item-wise with details of alternative examined.	1 /					
7	Whether the proposal involves any construction of building (including residential) or not? If yes, details thereof;	Additional and Report of the second					

8	a) Whether forest area proposed for diversion is important from wildlife point of view or	2. Vanellus melabaricus (Titvi),		
	not. b) Details of any rare or endangered or unique species of flora and fauna found in proposed forest land. If so, the details thereof.	2. Tamarindus Indica (Tamrind).		
	c) Arial distance from the nearest boundary of any Protected Area (km).	: Approximate -80 Km.		
	d) Remarks about sensitivity of the forest area likely to be affected due to project	1 AT		
	e) Whether wildlife mitigation plan is required? If yes, reasons therefore.	: No		
9	Details of vegetation:			
	<ul><li>a) Total number of trees to be felled.</li><li>b) Number of trees to be felled of girth below 60 cm.</li></ul>	: No : No : No		
	<ul><li>c) Number of trees to be felled of girth above 60cm,</li><li>d) Effect of removal of trees on</li></ul>	: No		
	the general ecosystem in the area.			
10	Background note on the proposal.	: Attached on page No		
11	(Short summary) Whether the proposal involves any	:Yes, There is violation of FCA 1980.The		
	violation of Forest (Conservation) Act 1980? If yes, a detailed report	Company has laid down pipeline in the year 1992 without taking permission Under FCA-1980. At that time the forest land was		
	on violation including action taken against the concerned officials to be attached.			

rehabilitation of displaced person. If yes, whether rehabilitation plan has been approved by the State Government?  13 Details on catchment and culturable command area under the project (if applicable)  State of catchment area treatment plan to prevent siltation of reservoir (if applicable)  14 Utility of the project : For Company Production.  15 Whether land being diverted has any socio-cultural/religious values? Whether any scared grove or very old growth trees/forests exist in the areas proposed for diversion?  16 Any other important information related to the project (Separate note may be attached, if required)  17 Details of documents and photographs enclosed.  18 Recommendations of the Inspecting Officer (CCF/CF/DCF)  State of catchment and culturable command area under the project (if applicable)  : For Company Production.  : No  : No  : No  : Attached on page No  both sides of proposed forest land. But pipeline is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary	12	Wil d	
yes, whether rehabilitation plan has been approved by the State Government?  Details on catchment and culturable command area under the project (if applicable)  State of catchment area treatment plan to prevent siltation of reservoir (if applicable)  14 Utility of the project : For Company Production.  15 Whether land being diverted has any socio-cultural/religious values? Whether any scared grove or very old growth trees/forests exist in the areas proposed for diversion?  16 Any other important information related to the project (Separate note may be attached, if required)  17 Details of documents and photographs enclosed.  18 Recommendations of the Inspecting Officer (CCF/CF/DCF)  State of catchment and culturable : No : N	12		
been approved by the State Government?  Details on catchment and culturable command area under the project (if applicable)  State of catchment area treatment plan to prevent siltation of reservoir (if applicable)  Utility of the project : For Company Production.  Whether land being diverted has any socio-cultural/religious values? Whether any scared grove or very old growth trees/forests exist in the areas proposed for diversion?  Any other important information related to the project (Separate note may be attached, if required)  Petails of documents and photographs enclosed.  Recommendations of the Inspecting Officer (CCF/CF/DCF)  Recommendations of the Inspecting Officer (CCF/CF/DCF)  As the company is having approach on both sides of proposed forest land. But pipeline is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary		voc whather all lives	Sub-Report-
Government?  Details on catchment and culturable command area under the project (if applicable)  State of catchment area treatment plan to prevent siltation of reservoir (if applicable)  14 Utility of the project : For Company Production.  15 Whether land being diverted has any socio-cultural/religious values? Whether any scared grove or very old growth trees/forests exist in the areas proposed for diversion?  Any other important information related to the project (Separate note may be attached, if required)  17 Details of documents and photographs enclosed.  18 Recommendations of the Inspecting Officer (CCF/CF/DCF)  Company Production.  : No  : No  : No  : No  : Attached on page No photographs enclosed.  : As the company is having approach on both sides of proposed forest land. But pipeline is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary		1	
Details on catchment and culturable command area under the project (if applicable)  State of catchment area treatment plan to prevent siltation of reservoir (if applicable)  14 Utility of the project : For Company Production.  15 Whether land being diverted has any socio-cultural/religious values? Whether any scared grove or very old growth trees/forests exist in the areas proposed for diversion?  Any other important information related to the project (Separate note may be attached, if required)  17 Details of documents and photographs enclosed.  18 Recommendations of the Inspecting Officer (CCF/CF/DCF)  : No  : Attached on page No both sides of proposed forest land. But pipeline is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary		Transa of the Blatt	
command area under the project (if applicable)  State of catchment area treatment plan to prevent siltation of reservoir (if applicable)  14 Utility of the project : For Company Production.  15 Whether land being diverted has any socio-cultural/religious values?  Whether any scared grove or very old growth trees/forests exist in the areas proposed for diversion?  Any other important information related to the project (Separate note may be attached, if required)  17 Details of documents and photographs enclosed.  18 Recommendations of the Inspecting Officer (CCF/CF/DCF)  :No  :Attached on page No  both sides of proposed forest land. But pipeline is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary		Government?	Visita Astronomic Hospital Paris
command area under the project (if applicable)  State of catchment area treatment plan to prevent siltation of reservoir (if applicable)  14 Utility of the project : For Company Production.  15 Whether land being diverted has any socio-cultural/religious values? Whether any scared grove or very old growth trees/forests exist in the areas proposed for diversion?  16 Any other important information related to the project (Separate note may be attached, if required)  17 Details of documents and photographs enclosed.  18 Recommendations of the Inspecting Officer (CCF/CF/DCF)  : No  : No  : No  : Attached on page No both sides of proposed forest land. But pipeline is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary	13	Details on catchment and culturable	: Not Applicable
applicable     State of catchment area treatment plan to prevent siltation of reservoir (if applicable)     14		command area under the project (if	T
plan to prevent siltation of reservoir (if applicable)  14 Utility of the project : For Company Production.  15 Whether land being diverted has any socio-cultural/religious values? Whether any scared grove or very old growth trees/forests exist in the areas proposed for diversion?  16 Any other important information related to the project (Separate note may be attached, if required)  17 Details of documents and photographs enclosed.  18 Recommendations of the Inspecting Officer (CCF/CF/DCF)  18 Recommendations of the Inspecting of the Inspecting of the Inspecting is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary		applicable)	The second secon
plan to prevent siltation of reservoir (if applicable)  14 Utility of the project : For Company Production.  15 Whether land being diverted has any socio-cultural/religious values? Whether any scared grove or very old growth trees/forests exist in the areas proposed for diversion?  16 Any other important information related to the project (Separate note may be attached, if required)  17 Details of documents and photographs enclosed.  18 Recommendations of the Inspecting Officer (CCF/CF/DCF)  18 Recommendations of the Inspecting of the Inspecting of the Inspecting is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary		Ct., C	
(if applicable)  14 Utility of the project : For Company Production.  15 Whether land being diverted has any socio-cultural/religious values? Whether any scared grove or very old growth trees/forests exist in the areas proposed for diversion?  16 Any other important information related to the project (Separate note may be attached, if required)  17 Details of documents and photographs enclosed.  18 Recommendations of the Inspecting Officer (CCF/CF/DCF)  2 As the company is having approach on both sides of proposed forest land. But pipeline is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary		State of catchment area treatment	
14 Utility of the project : For Company Production.  15 Whether land being diverted has any socio-cultural/religious values? Whether any scared grove or very old growth trees/forests exist in the areas proposed for diversion?  16 Any other important information related to the project (Separate note may be attached, if required)  17 Details of documents and photographs enclosed.  18 Recommendations of the Inspecting Officer (CCF/CF/DCF)  2 : Attached on page No both sides of proposed forest land. But pipeline is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary	1 2 X	plan to prevent siltation of reservoir	The second of th
Whether land being diverted has any socio-cultural/religious values? Whether any scared grove or very old growth trees/forests exist in the areas proposed for diversion?  Any other important information related to the project (Separate note may be attached, if required)  Details of documents and photographs enclosed.  Recommendations of the Inspecting Officer (CCF/CF/DCF)  : No  : No  : No  : Attached on page No both sides of proposed forest land. But pipeline is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary		(if applicable)	
Whether land being diverted has any socio-cultural/religious values? Whether any scared grove or very old growth trees/forests exist in the areas proposed for diversion?  Any other important information related to the project (Separate note may be attached, if required)  Details of documents and photographs enclosed.  Recommendations of the Inspecting Officer (CCF/CF/DCF)  : Attached on page No both sides of proposed forest land. But pipeline is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary	14	Utility of the project	: For Company Production
Socio-cultural/religious values? Whether any scared grove or very old growth trees/forests exist in the areas proposed for diversion?  Any other important information related to the project (Separate note may be attached, if required)  17 Details of documents and photographs enclosed.  18 Recommendations of the Inspecting Officer (CCF/CF/DCF)  :As the company is having approach on both sides of proposed forest land. But pipeline is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary	15	Whathan 1 11 : 11	
Whether any scared grove or very old growth trees/forests exist in the areas proposed for diversion?  Any other important information related to the project (Separate note may be attached, if required)  Details of documents and photographs enclosed.  Recommendations of the Inspecting Officer (CCF/CF/DCF)  :As the company is having approach on both sides of proposed forest land. But pipeline is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary	13	whether land being diverted has any	
old growth trees/forests exist in the areas proposed for diversion?  Any other important information related to the project (Separate note may be attached, if required)  Details of documents and photographs enclosed.  Recommendations of the Inspecting Officer (CCF/CF/DCF)  :As the company is having approach on both sides of proposed forest land. But pipeline is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary			
areas proposed for diversion?  Any other important information related to the project (Separate note may be attached, if required)  Details of documents and photographs enclosed.  Recommendations of the Inspecting Officer (CCF/CF/DCF)  :As the company is having approach on both sides of proposed forest land. But pipeline is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary		whether any scared grove or very	
Any other important information related to the project (Separate note may be attached, if required)  17 Details of documents and photographs enclosed.  18 Recommendations of the Inspecting Officer (CCF/CF/DCF)  18 Commendations of the Inspecting Officer (CCF/CF/DCF)  20 Separate note may be attached, if required is altached on page No 21 both sides of proposed forest land. But pipeline is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary	#		
related to the project (Separate note may be attached, if required)  17 Details of documents and photographs enclosed.  18 Recommendations of the Inspecting Officer (CCF/CF/DCF)  19 Commendations of the Inspecting Section 2 (CCF/CF/DCF)  10 Commendations of the Inspecting Section 2 (CCF/CF/DCF)  10 Commendations of the Inspecting Section 2 (CCF/CF/DCF)  11 Commendations of the Inspecting Section 2 (CCF/CF/DCF)  12 Commendations of the Inspecting Section 3 (CCF/CF/DCF)  13 Commendations of the Inspecting Section 3 (CCF/CF/DCF)  14 Commendation 4 (CCF/CF/DCF)  15 Commendation 5 (CCF/CF/DCF)  16 Commendation 6 (CCF/CF/DCF)  17 Commendation 7 (CCF/CF/DCF)  18 Commendation 7 (CCF/CF/DCF)  19 Commendation 8 (CCF/CF/DCF)  19 Commendation 9 (CCF/CF/DCF)  10 Commendation 9 (CCF/CF/DCF)  11 Commendation 9 (CCF/CF/DCF)  12 Commendation 9 (CCF/CF/DCF)  13 Commendation 9 (CCF/CF/DCF)  14 Commendation 9 (CCF/CF/DCF)  15 Commendation 9 (CCF/CF/DCF)  16 Commendation 9 (CCF/CF/DCF)  17 Commendation 9 (CCF/CF/DCF)  18 Commendation 9 (CCF/CF/DCF)  19 Commendation 9 (CCF/CF/DCF)  19 Commendation 9 (CCF/CF/DCF)  10 Commendation 9 (CCF/CF/DCF)  11 Commendation 9 (CCF/CF/DCF)  12 Commendation 9 (CCF/CF/DCF)  13 Commendation 9 (CCF/CF/DCF)  14 Commendation 9 (CCF/CF/DCF)  15 Commendation 9 (CCF/CF/DCF)  16 Commendation 9 (CCF/CF/DCF)  17 Commendation 9 (CCF/CF/DCF)  18 Commen	16	areas proposed for diversion?	
may be attached, if required)  Details of documents and photographs enclosed.  Recommendations of the Inspecting Officer (CCF/CF/DCF)  :As the company is having approach on both sides of proposed forest land. But pipeline is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary	10	Any other important information	: No
17 Details of documents and photographs enclosed.  18 Recommendations of the Inspecting Officer (CCF/CF/DCF)  19 Secondary is having approach on both sides of proposed forest land. But pipeline is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary	31	related to the project (Separate note	
photographs enclosed.  Recommendations of the Inspecting Officer (CCF/CF/DCF)  :As the company is having approach on both sides of proposed forest land. But pipeline is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary			al a
Recommendations of the Inspecting Officer (CCF/CF/DCF)  :As the company is having approach on both sides of proposed forest land. But pipeline is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary	17	accuments and	: Attached on page No
Officer (CCF/CF/DCF)  both sides of proposed forest land. But pipeline is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary			
Officer (CCF/CF/DCF)  both sides of proposed forest land. But pipeline is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary	18	Recommendations of the Inspecting	:As the company is having approach on
pipeline is already laid down before Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary		Officer (CCF/CF/DCF)	i supprouen on
Approximate 25 years ago through forest land. (As per Collector order & Electric bill). Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary		2"	pipeline is already laid down before
land. (As per Collector order & Electric bill).  Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary		The second second	Approximate 25 years ago through forest
Now there is no any disturbance and damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary		A STATE OF THE STA	land. (As per Collector order & Floring 1:11)
damage to existing forest land. So I as DCF Junnar recommend proposed diversion of forest land with necessary		Avende in 1979 of Park	Now there is no any disturbance and
DCF Junnar recommend proposed diversion of forest land with necessary		A STATE OF THE STA	damage to existing forest land a
diversion of forest land with necessary		a personal representation	DCE I
diversion of forest land with necessary		i Gura-ward notes because a	recommend proposed
nenalty charges for violati		a communication of	nenalty charges for violation
penalty charges for violation.			penalty charges for violation.

Deputy Conservator of Forests Junnar Forest Division Junnar

Place:-Junnar Date:- / 09/ 2016