

Rc.No.807/2020/B3, Dt:12.05.2021.

Field inspection notes of Sri.P.Sagar, Forest Divisional Officer, Banswada; the Diversion of 6.086 Ha of forest land in Kamareddy, Banswada and Nizamabad Division for laying 220 KV Double Circuit line with multi circuit towers in Forest Land to extend power supply to Yacharam Thanda District of Banswada Forest Division

On 12.05.2021 inspected the Forest land proposed for Diversion of 6.086 Ha of forest land in Kamareddy, Banswada and Nizamabad Division for laying 220 KV Double Circuit line with multi circuit towers in Forest Land to extend power supply to Yacharam Thanda District of Banswada Forest Division. The details are as follows:



Sl.No.	Division	Block	Length in Mts	Width in Mts	Area in Ha
1	Banswada	Manchippa	547.79	35	1.917
		Total	547.79	35	1.917


The proposed area is passing through i) Compartment No.466 Beat Yacharam, Manchippa RF, Chedmal Section of Gandhari Range.

1. The alignment shown in the diversion proposal map was verified on the ground and found that, the alignment passing through comp no. 466.

Manchippa RF:- notification approved U/s 19 TS Forest Act 1967.

The Forest Range Officer, Gandhari has enumerated the trees falling in Manchippa RF of Gandhari Range and total 2529 number of trees is existing in proposed forest area.

The Forest type is Tropical dry deciduous with 0.2 – 0.4 density. The major species are Chennangi (Lagerstomea parviflora), Tellavitla (Chloroxylon sweitenia), Teak (Tectona grandis), Nuluva (Miliusa tomentosa).



Map showing the Diversion of 6.086 Ha of forest land in Kamareddy, Banswada and Nizamabad Division for laying 220 KV Double Circuit line with multi circuit towers in Forest Land to extend power supply to Yacharam Thanda District of Banswada Forest Division

Other observations:

In my field inspection and reports from Forest Range Officer, Gandhari of this Division there is no encroachment land is present in proposed diverted forest area.


1. The proposed area doesn't form part of National Park, wildlife sanctuary, biosphere reserve, tiger reserve, elephant corridor, etc.
2. No rare/ endangered/ unique species of flora and fauna found in the area.
3. No protected archaeological/ heritage site/ defence establishment of any other important monument is located in the area.
4. No work is carried out in violation of Forest (Conservation) Act 1980.
5. In this proposed diversion area there is no forest works carried out till today like Plantation, smc works, wildlife management works etc..
6. The requirement of Forest land as proposed by the user agency is unavoidable and barest minimum for the project which is 1.917 Ha proposed by the User agency.

421

Recommendation:

In view of the implementation of the proposed project to extend power supply to newly proposed Yacharam Thanda pump house which is helpful for water supply to the villages.

The project proposal is recommended.



Forest Divisional Officer,
FOREST DIVISIONAL OFFICER
Banswada.
BANSWADA.