

(To be filled by the concerned Deputy Conservator of Forests) State serial No. of proposal:

State serial No. of proposal:			
7.	Location of the Project/Scheme:	Diversion of Forest land for Laying 220 KV Double Circuit Line with multi circuit towers in Forest Land to extend power supply to the Yacharam Thanda of Banswada Division.	
i)	State/Union Territory	Telangana State	
ii)	District.	Kamareddy	
iii)	Forest Division	Banswada	
iv)	Area of forest land proposed for diversion (in ha.)	1.917 Ha. (Length – 547.79 Mts, Width – 35 Mts)	
ν)	Legal status of forest	1) Manchippa RF block notified U/s.19 of TS Forest Act, 1967.	
vi)	Density of vegetation	0.2 to 0.4	
vii)	Species-wise (scientific names) and diameter class-wise enumeration of trees in unbroken area.	Species-wise, diameter-wise enumeration list is enclosed. 2529 trees are existing in the proposed area.	
viii)	Brief note on vulnerability of the forest area to erosion	Due to this project no adverse impact takes place.	
ix)	Approximate distance of proposed site for diversion from boundary of forest	0 Mts distance, inside the Reserve Forest boundary only.	
x)	Whether forms part of National Park, wildlife sanctuary, biosphere reserve, tiger reserve, elephant corridor, etc. (If so, the details of the area and comments of the Chief Wildlife Warden to be annexed).	Area proposed for diversion is not a part of National Park wildlife (sanctuary, Biosphere reserve, Tiger reserve, elephant corridor etc. It is not falling in any eco-sensitive zone.	
xi)	Whether any rare/ endangered/ unique species of flora and fauna found in the area – if so details thereof.	No such rare / endangered unique species found.	
xii)	Whether any protected archaeological/ heritage site/ defense establishment of any other important monument is located in the area. If so the details thereof with NOC from competent authority, if required.	No protected archaeological/ heritage site/ defense establishment of any other important monument in the forest area proposed for diversion.	
8.	Whether the requirement of forest land as proposed by the user agency in column 2 of part-I is unavoidable and barest minimum for the project. If no recommended area item wise with details of alternatives examined.	The requirement of forest land as proposed by the User agency is 1.917 Ha and field conditions for diversion is unavoidable and barest minimum.	
9.	Whether any work in violation of the Act has been carried out (Yes/No). If yes,		

10 i)	details of the same including period of work done action no taken on erring officials. Whether work in violation is still in progress. Details of compensatory afforestation scheme. Details of non-forest area/ degraded forest area identified from adjoining forest, number of patches, sizes of each patch.	DFL Land Identified in Kamareddy Division.
ii)	Map showing non forest/ degraded forest area identified for compensatory afforestation and adjoining forest boundaries	Enclosed.
iii)	Detailed compensatory afforestation scheme including species to be planted, implementing agency, time schedule, cost structure etc.	Submitted herewith.
iv)	Total financial outlay for compensatory afforestation scheme	S. Description of item Amount Rs.
	anorestation scheme	No. In Lakhs 1 NPV value (1.917 Ha @ 15.39351 Rs.803000/Ha) 15.39351
		2 Construction of boundary 0.67 pillars (27 small @ 1000 each & 4 Big each @ 10000 each)
		3 Extraction of tree growth charges (2529 trees to be felled) 63.5004
		4 SMC works and other wild - life measures like saucer pits, Perculation Tank etc.
	•	5 Cost of other conditions - (Maintenance of Basecamp for 5 years and construction of Shed at Gandhari Range)
		Total 79.563 6 Cost of CA in ha (DFL Land of 3.9 Ha. is identified in Kamareddy Division)
v)	Certificates from competent authority regarding suitability of area identified for compensatory afforestation and from management pint of view (To be signed by the concerned Deputy Conservator of Forests)	G.Total DFL Land identified an extent of 3.9 Ha in Kamareddy Division.
11	Site inspection report of the DCF (to be enclosed) especially highlighting facts asked in columns 7 (xi, xii), 8 and 9 above	The Site inspection report is enclosed.

221
-331-

12	Division/ District profile:	Banswada Division only (In Kamareddy District,	
		Telangana)	
-X _{i)}	Geographical area of the district.	365200 Ha.	
ii)	Forest area of the district	39095.93 Ha	
iii)	Total forest area diverted since 1980 with number of cases.	173.1601 Ha/ 14 cases.	
iv)	Total compensatory afforestation stipulated in the district/division since 1980 on	206.85 Ha	
a)	Forest land including compensatory afforestation	189.00 ha	
b)	Non forest land	17.85 ha	
v)	Progress of compensatory afforestation as on date 23.10.2019		
a)	Forest land	63 ha (Plantaton raised during the year 2019-20) 126 ha (Plantaton raised during the year 2020-21)	
L	Non-found land	189 Ha TOTAL	
b)	Non-forest land	17.85 ha	
13	Specific recommendation of the DCF for acceptance or otherwise of the proposal with reasons	the project proposal is recommended, subject to	
		the following conditions:	
		The proposals for forest land diversion to an extent	
		of 1.917 Ha for Laying 220 KV Double Circuit Line	
		with multi circuit towers in Forest Land to extend	
		power supply to the Yacharam Thanda of Banswada	
		Division is helpful for water supply to the villages.	

Date: 03.08.2021. Place: Banswada.

Signature

Name: Sri.P.Sagar

FUKEST DIVISIONAL OFFICER

Office Seal:

BANSWADA.

Forest Divisional Officer, Banswada.