

Part III
(To be filled by the concerned Conservator of Forests)

14. Whether site, where the forest land involved is located has been inspected by concerned Conservator of Forests (Yes/No). If yes, the date of inspection & observation note to be enclosed.	Yes. I have inspected the site on 11.09.2018. The observation is attached here with inspection note.
15. Whether the concerned Conservator of Forests agree with the information given in Part B and the recommendations of Deputy Conservator of Forests.	I partially agree with the recommendation of D.C.F.
16. Specific recommendation of concerned Conservator of Forests for acceptance or otherwise of the proposal with detailed reasons.	<p>1. The user agency has proposed to fix fifty iron gabions' inside the Retail Outlet/Patrol Pump Campus as recommended by Divisional Forest Officer, Motihari Forest Division, Motihari. In this regard, it is suggested that the fifty iron gabions' (or number fixed by Government) to be fixed on the roadside outside Retail Outlet/Patrol Pump and not inside it as proposed.</p> <p>2. The proposal is related to establishment of petrol pump on the road side. There is need of felling of only one Shisham trees at the site or diversion of natural forest land. So the proposal for the establishment of Retail Outlet/Patrol Pump may be accepted.</p>

Place: Siwan.

Date: 11-09-2018

(Abhay Kumar, I.F.S.)
Conservator of Forests
Siwan Circle, Siwan.

