



PART – IV

(to be filled by the Nodal officer or Principal Chief Conservator of Forests or Head of Forest department)

<p>17.</p>	<p>Detailed opinion and specific recommendation of the State Forest Department for acceptance or otherwise of the proposal with remarks (While giving opinion, the adverse comments made by concerned Conservator of Forests or Deputy Conservator of Forests should be categorically reviewed and critically commented upon).</p>	<p>Proposal for diversion of 0.3504 Ha of Forest land for laying of Pipe line and Construction of Structure in Segment 17/3/B (Mulugu), for providing safe drinking water in Bandala (Village), SS Tadvai (Mandal) in Bandal RF of Tadvai Forest division under Mulug District, Under Telangana Drinking Water Supply Project in favour of Superintending Engineer, Mission Bhagiratha (TDWSP) Circle, Warangal Rural is <u>Recommended</u>.</p> <p>The conditions proposed by the then FDO, Tadvai/ DFO, Mulugu and recommended by the CCF / CF, Warangal in Part-II & III, respectively and Site Inspection Report are agreed to and may be stipulated in the approval.</p>
<p>Date: 29-03-2021 Place Hyderabad.</p>		<p align="center">  Principal Chief Conservator of Forests <small>(Name & Designation of Officer)</small> Telangana, Hyderabad. </p>

$\frac{14}{29/3}$
 $\frac{8}{29/3}$


 29/3/22