

PART-III

(To be filled up by the concerned Chief Conservator of Forests)

14.	Whether site, where the Forest Land involved is location has been inspection by the concerned Chief Conservator of Forests (Yes/No) if, yes. Date of inspection & observations made in the form of inspection note to be enclosed.	<p>The proposed area is 0.687 ha for establishment of Stone Crusher, Base Camp and Extraction road. The component wise breakup is as follows:-</p> <table><tr><td>1. Stone Crusher</td><td>0.302 ha</td></tr><tr><td>2. Extraction Road</td><td>0.24 ha</td></tr><tr><td>3. Base Camp</td><td><u>0.145 ha</u></td></tr><tr><td>Total</td><td>0.687 ha</td></tr></table> <p>The Project Proponent has withdrawn the proposal No. FP/AR/Others/150428/2021 for diversion of 0.45 ha of forestland and resubmitted a revised proposal vide No. FP/AR/Others/150364/2021 for diversion of 0.687 ha of forestland by including area of 0.24 Ha. for road.</p> <p>The NO FCA vide No. FOR.3-220/Cons/2020/3795-3801 dt. 22/09/2021 had approved construction of two lane with hard shoulders of Demwe-Brahmakund road from 0.00 Km to 18.464 Km by NHIDCL under FCA. As per serial number 16 of the stipulated conditions of the said approval, the UA had been directed to obtain FCA clearance for collection of stones, sand, boulders etc in forest area for construction of road.</p> <p>Another proposal No. FP/AR/Others/150362/2021 for 0.98 Ha for Quarry at Demwe has also been applied separately by the same project proponent as source for raw material for the proposed stone crusher unit.</p> <p>The project is not site specific but it should be near to the quarry site so that the pollution during transportation of shingles, stones chips etc is kept minimum and away from the populated area. The PP has given a certificate highlighting the need for stone crusher site in forest away from Tezu township.</p>	1. Stone Crusher	0.302 ha	2. Extraction Road	0.24 ha	3. Base Camp	<u>0.145 ha</u>	Total	0.687 ha
1. Stone Crusher	0.302 ha									
2. Extraction Road	0.24 ha									
3. Base Camp	<u>0.145 ha</u>									
Total	0.687 ha									
15.	Whether the concerned Chief Conservator of Forests agree with the information of Deputy Conservator of Forests.	<p>Yes, I agree. However, the project proponent had already installed Stone Crusher Unit & Base Camp without obtaining prior approval under FCA. Accordingly, Offence Report No.TFG/OR/01 of 2021-22 dtd.23/10/2021 has been drawn and materials and machineries etc. had been seized vide Seizure Report No.TFG/01 of 2021-22 dtd. 23/10/2021 as informed by DFO, Lohit in proper format vide No.LF/CONS-25/2021/2673-76 dtd.13/05/2022.</p>								
16.	Specific recommendation of concerned Chief Conservator of Forests for acceptance or otherwise of the proposal with detailed reasons.	<p>As per proposal the proposed Stone Crusher will provide necessary crushing materials/ stone aggregate required during the construction of Demwe- Brahmakund road. The proposal is recommended subject to:</p> <ol style="list-style-type: none">1. Penalty imposed for violation of FCA.2. The period of diverted area will be for 3 years till Jan/2024 or till completion of Demwe-Brahmakund road.								

Date :- 06.11.2022

Place :- Tezu

Signature :-

Name :-

Designation :-

Office Seal :-


Chief Conservator of Forests
Eastern Annapurna Circle
TEZU (A.P.)