

Form A

PART – IV

(To be filled in by the Nodal Officer or Principal Chief Conservator of Forests or Head of Forest Department)

17.	Detailed opinion and specific recommendation of the State Forest Department for acceptance or otherwise of the proposal with remarks	The proposal is for Augmentation Water Supply Scheme in Angamaly Constituency Project. In view of the site inspection reports of Divisional Forest Officer Malayattoor, Chief Conservator of Forests (Central Circle) Thrissur, the area recommended for Malayattoor Division is 0.54 ha. As per site inspection report of Assistant Conservator of Forests (Nature Study Centre) Kalady, Conservator of Forest, Social Forestry, Central Region, Ernakulam the area recommended for diversion in NSC Kalady is 0.46 ha. The total area recommended is 1 ha. (0.54 ha + 0.46 ha) and considering the fact that the area proposed is the barest minimum the proposal is recommended.
-----	--	---

(While giving opinion, the adverse comments made by concerned Conservator of Forests or Deputy Conservator of Forests should be categorically reviewed and critically commented upon).

Signature

Name & Designation

(Official Seal)

Rajesh Ravindran IFS,
for Additional Principal Chief Conservator of Forests
Nodal Officer, F(C)Act &
Chief Executive Officer, CAMPA
Forest Headquarters, Thiruvananthapuram

Date : 25.04.2022

Place : Thiruvananthapuram

26.04.22