


Site Inspection By the DFO on Date- 17/ 04 /2018

Proposal No. FP/MP/VELEC/32731/2018 Construction of 33/11 kv Sub-Station at village Ratamati

Sr. No	Particular	Inspection Report BY DFO(T)		
1	Extent in hectares.	0.300 hect.		
2	Location (Lat-Long) of the Revenue forest land proposed for diversion.	Sr. No.	LATITUDE	LONGITUDE
		1	21°51.279"	77°45.813"
		2	21°51.245"	77°45.812"
		3	21°51.245"	77°45.842"
		4	21°51.279"	77°45.843"
3	Legal status of the forest land(Protected forest, reserved forests, revenue forest lands or any other forest land)	Revenue Forest Land - 0.300 hect. , Kh No.-540/1(k), Chote Jhadh ka Jangal		
4	Demarcation of the area with temporary cairns etc.	Area is Demarcated		
5	Any signs of encroachment.	No		
6	Any activity already taken up within the forest land or adjoining non forest land as part of the proposed project by the user agency. Details of action taken against the user agency in case of violation of the FC act and guidelines there under.	No		
7	Status of vegetation, site quality, species composition etc.	Proposed area is blank. Vegetation, site quality & species are Nil		
8	Importance of area from wildlife point of view, Status of wildlife (density and abundance of important species, bird life reptiles, butterflies and other scheduled animals any endangered wildlife).Any latest census of wildlife in this area.	No		
9	Endemism of flora/fauna or any other unique ecosystem in the area.	Nil		
10	Current land use. Is this area managed as per prescriptions in the working plan and if not, why?	Revenue Forest Land		
11	Importance of the area from historical or religious point of view.	No		
12	Any dependent persons/families on this land.	No		
13	Any displacement of persons proposed.	No		
14	Is there any Rehabilitation and resettlement Plan for the persons to be affected? Is there any dissenting voice among the persons proposed to be displaced?	No		

15	Compensatory afforestation proposed is on forest land or non-forest land. Location of this area, suitability of the area for CA. if in the degraded forest land then what is the current working plan prescription for the area? Distance of the non-forest land for CA from the nearest forest area. Number of patches in case the area should be more than 10 Kms.	Not applicable
16	Proposed area should not be part of any protected area. Also distance from the boundary of the nearest protected area should be more than 10 Kms	Yes
17	Dependence of tribal's in the area. Whether the rights of the tribal's have been recognized in this area.	Yes. Collector certificate for settlement of rights under FRA'2006 enclosed.
18	Utility of the project, including the people living in close vicinity of the project	Electric substation is to be constructed. People show have ample supply of electricity in rural area's.
19	In case of renewal whether all the conditions stipulated in the earlier sanction order have been complied with.	N/A
20	Alternatives examined by the user agency in case of non-site specific projects.	Minimum revenue forest land is selected.
21	A certificate by the user agency that the forest land requested for diversion for non-forestry purpose is bare minimum.	Yes
22	Any scope of saving tree growth while ensuring that the purpose for which the forest land is being diverted is also not adversely affected.	No trees are affected.
23	Any other issue of significance.	Nil
24	Specific recommendations of the DFO with reason for approval of the project.	It is recommended to divert 0.300 hect. of revenue forest land to User agency DGM MPMKVVCOLTD., BETUL for proposed Construction of 33/11 kv Sub-Station at village Ratamati.


 (Sanjay Jha)
 Divisional Forest Officer
 Div-Betul South (T.)
 Place: Betul
 Date: 17/04/2018