

## **PART - II**

(To be filled by the Concerned Deputy Conservator of Forests)


State Serial No. Proposals \_\_\_\_\_

7.	Location of the Project/ Scheme:	: Diversion of <b>4.4824 Ha.</b> forest land for erection of 220 KV DC line from 400/220/132 KVSS Gajwel to 220/132 KVSS Siddipet in Siddipet District in favour of Executive Engineer, Construction, TS, TRANSCO, Sangareddy.
I.	State/ Union Territory	: Telangana
II.	District	: Siddipet
III.	Forest Division	: Siddipet
IV.	Area of Forest Land proposed for diversion (in Ha)	: 4.4824 Ha. The proposed KV line (length is 1280.69 Mtr and width is 35 Mtr) is passing Middle of the Girraipally RF.
V.	Legal status of forest	: Girraipally RF, Compt. No.241 Notified U/s.4
VI.	Density of Vegetation	: Dry deciduous Forests 0.2 to 0.4.
VII.	Species wise & (scientific names) and diameter class- wise enumeration of trees (to be enclosed. In case of irrigation / hydel projects enumeration at FRL, FRL-2 meter & FRL-4 meter also to be enclosed.	: The species wise, girth wise list is enclosed.
VIII.	Brief note on vulnerability of the forest Area to erosion	: No Prone for soil erosion as it is for laying of transmission line.
IX.	Approximate distance of proposed site for Diversion from boundary of forest	: The proposed Forest area in the Girraipally RF is 4.4824 Ha. (length is 1280.69 Mtr and width is 35 Mtr) erection of 220 KV DC line is passing in the middle of the RF Block.
X.	Whether forms part of National Park, Wildlife Sanctuary, biosphere reserve, tiger reserve, Elephant corridor, etc., (If so, the details of the area and comment of the Chief Wildlife Warden to be annexed.)	: No
XI.	Whether any rare/endangered/ unique species of flora and fauna in the area if so details thereof.	: No
XII.	Whether any protected archaeological heritage site/ defense establishment or any other important monument is located in the area. If so, the details thereof with NOC from competent authority, if enquired	: No

8	Whether the requirement of forest land as Proposed by the user agency in col. 2 of Part- I Is unavoidable and barest minimum for the Project. If so, recommended area item-wise with details of alternatives examined	: The proposed Forest area is barest minimum for erection of 220 KV DC line to the extent of 4.4824 Ha since there is no alternative except the present proposal.
9	Whether any work in violation of the Act. Has been Carried out (Yes/No). If yes, details of the same including period of work done, action taken on erring officials, Whether work in violation is still in progress	: No
10	Details of Compensatory Afforestation scheme.	
i	Details of non-forest area/ degraded forest Area identified for compensatory afforestation, its distance from adjoining forest, number of patches, size of each patch	: Double the area to an extent of 8.96 Ha. (DFL) proposed in Compt.No. 280 of Narsampally RF, Gajwel Range in Siddipet District.
ii	Map showing non-forest/ degraded forest area identified for compensatory afforestation and adjoining forest boundaries	: Map is enclosed.
iii	Detailed compensatory Afforestation scheme including species to be planted implementing agency, time schedule, cost structure, etc.,	: Details are enclosed.
iv	Total financial outlay for compensatory Afforestation scheme	: Rs. 87,65,089=00
v	Certificates from competent authority regarding Suitability of area identified for compensatory afforestation and from management point of view.(To be signed by the concerned Deputy Conservator of Forests)	: NA
11	Site inspection report of the DCF (to be enclosed) especially highlighting facts asked in Col.No.7 (xi, xii), 8 and 9 above.	: Inspection Report is Enclosed
12	Division/ District profile:	: Siddipet
i	Geographical area of the district.	: 3500.25 Sq Km
ii	Forest area of the District.	: 227.613 Sq Km
iii	Total forest area diverted since 1980 with number of cases	: 1. Laying of Drinking Water Pipeline – 8.41 Ha. 2. Laying of Drinking Water Pipeline under Telangana Drinking Water Supply to Gajwel Constituency – 4.22 Ha.

		<p>3. Laying of Drinking Water Pipeline under Telangana Drinking Water Supply to Dubbak Constituency – 4.323 Ha.</p> <p>4. Establishment of Administrative Buildings and other infrastructure facilities for Telangana School of Horticulture at Mulugu - 4.91 Ha.</p> <p>5. Diversion of Forest land 0.60 Ha. for formation of road from Kammrpally to Mallannagutta.</p> <p>6. Diversion of 1407.439 Ha. forest land for Kaleshwaram Lift Irrigation project.</p> <p>7. Diversion of 2.688 Ha. forest land for widening of road.</p> <p>8. Diversion of 3.683 Ha. of forest land in Siddipet forest division – for laying pipe line and construction of structures for segment 16/3 (LMD Huzurabad) for providing Drinking Water.</p> <p><b>The Total Forest Area Diverted - 1436.273 Ha.</b></p>
iv	Total Compensatory Afforestation stipulated in the District/ Division since 1980 or	
	a) Forest land including penal Compensatory Afforestation	: 235.106 Ha.
	b) Non-forest land.	: 304.245 Ha.
v	Progress of Compensatory Afforestation as on (Date) 31-12-2019	: 715.245 Ha.
(a)	Forest land	: 411.00 Ha.
(b)	Non-forest land.	: 304.245 Ha.
13	Specific recommendations of the DCF for acceptance or otherwise of the proposals with reasons	<p>The proposal is recommended as to providing uninterrupted power supply to all categories of consumers like residential, non-residential buildings, transport, industry, and agricultural sectors and to developing a bottom-up model that covers the power supply.</p>

Date :16-01-2020  
Place : Siddipet

  
District Forest Officer, Siddipet  
Name: C. Sridhar Rao, S.F.S.,  
Official Seal