## प्रारूप-7

## SITE INSPECTION REPORT- NOT BELOW THE RANK OF DCF (for the forest land to be diverted under FCA)

5.1	A proposal has been received by this office from and a salvo for
	diversion under FCA-1980) of
	the project envisages the of forest land for construction of while the state of the
	sit inspection of the land involved in the proposal has been done by me on
	dated 17 - 47 - 76 19
5.2	On inspection of the site it is found that the land required by the user agency is a RE/PE/unclessed
	G / V
5.3	The requirement of forest land as proposed by the used agency in co 1.2 part-1 is unavoidable and is
	barest minimum required for the project.
5.4	Whether any rare/endangered/unique species of flora found in the area. If, so the details there of:- >
5.5	xx Whether any protected archeological/heritage/site/defence establishment or any other important
	monument is located in the area, if, so the details thereof with NOC from competent authority, if
	required, No.
a)	The user agency has not violated the provisions of forest (Conservation) Act, and 1980 and no work
	has been started without proper sanction.
b)	It has been found that the user agency tha violated (Conservation) Act, and 1980 provisions. A
	detals report as per para 1.9 of chapter 1, para C of Hand book of forest (Conservation) Act, 1980
	attached.
	Specific recommendation for acceptance of otherwise of the proposal.
	(नोट:- प्रभागीय वनाधिकारी द्वारा यहाँ पर प्रस्ताव के सम्बन्ध में अपनी संस्तुति / टिप्पणी आवश्यक
	राष्ट्र प्रमागाय वनाधिकार द्वारा यहा पर प्रस्ताव के सम्बन्ध में अपनी संस्तुति विष्णणी आवश्यक रूप से अंकित की जाय। अर्थ मार कार्य के नाप कार्य के उपन प्रकार की 1379 जन (गण)
Place	······································
Date.	(1819619
	Name
	Office Seal.
N.B	Salais)
Diverted	x State the purpose for which the forest land is proposed to be
	xx out of (a) and (b) tick the option which is applicable and cross the option which

As per letter number 2-2/2000 FC darted 16-10-2000 from ministry of Environment & Forest Government of india for proposal involving less then 40 heetares of forest land, the site inspection report from DCF is required and for proposal involving more the 40 hectares of forest land site inspection report from the conservator of forests is required.