

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF
(For the forest land to be diverted under FCA)

A Proposal has been received by the Executive Engineer for diversion under (FCA-1980) of 15.255 ha forest land for Widening and Strengthening of RPK Km 45 to Chargada, Manchi, Devhar, Darev, Madapa Road. The site inspection of the land involved in the proposal has been done by me on dated 19/01/2019.

On inspection of the site, it is found that the land required by the user agency is a Reserved Forest measuring 15.255 ha.

The requirement of forest land as proposed by the user agency in Other Part-I is unavoidable and is forest minimum required for the project.

Whether any rate/end angered/unique species of flora and fauna found in the area. It, so the details there of:- No

Whether any protected archeological/heritage site/defense establishment or any other important monuments is located in the area, if so the details there: of with NOC from competent authority, if required:-No

(a) The user agency has not violated the provisions of forest (Conservation) Act 1980 and no work has been started without proper sanction ()

(b) It has been found that the user agency has violated the forest (Conservation) Act 1980 Provisions. A details report as per Para 1.9 of chapter 1, Para C of Handbook of forest (Conservation) Act 1980 is attached (X)

Specific recommendation for acceptance or otherwise of the proposal.

The proposal is recommended for sanction.

Place -Robertsganj

SK
Divisional Forest Officer

Date:- 19/01/2019

Sonbhadra Forest Division

Sonbhadra

N.B. State the purpose for which the forest land is proposed to be diverted. The forest land required to be diverted for construction of above Road.
out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter number 2-2/2002 F.C. dated 16-10-2006 from Ministry of environment & Forest, Government of India for proposed involving less than 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more than 40 hectares of forest land site inspection report form the conservator of forests is required.