

**INSPECTION REPORT**

Sr. No.	Items	Observation and Remarks								
1	Name of the Project and Location (Range, Round, Beat)	Required forest land for pipe line to agriculture purpose at Garewadi (Rajawadi) Tal - Man Dist. Satara, Range -Dahiwadi, Round - Dahiwadi, Beat-Mohi.								
2	Name of the User Agency	MR. MADHUKAR KASHINATH SHINDE AT VILLAGE = GHEREWADI (RAJWADI), POST - BIJAWADI, TAL. MAN, DIST.SATARA, MAHARASHTRA 415508								
3	Date of Site Inspection	15.07.2019								
4	Extent (Ha.) and legal status of forest land proposed for diversion	Area - 0.0135 Ha. Status - Reserved Forest.								
5	Details of forest and proposed for diversion and activity-wise break-up of forest land.	<table border="1"> <thead> <tr> <th>Village</th> <th>Gat No.</th> <th>Area (ha.)</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Gherewadi</td> <td>195 A</td> <td>0.0135</td> <td>pipeline</td> </tr> </tbody> </table>	Village	Gat No.	Area (ha.)	Purpose	Gherewadi	195 A	0.0135	pipeline
Village	Gat No.	Area (ha.)	Purpose							
Gherewadi	195 A	0.0135	pipeline							
	b) Density and Eco-value class	Below 0.4								
6	Whether the requirement of forest land as proposed by the User Agency in col.2 of Part - I is unavoidable and barest minimum for the project. If no, recommended area item-wise with details of alternative examined.	Yes								
7	Whether the proposal involves any construction of building (Including residential) or not? If yes, details there of.	No								



8	<p>a) Whether forest area proposed for diversion is important from wildlife point of view or not.</p> <p>b) Details of any rare or endangered or unique species of flora and fauna found in proposed forest land. If so, the details there of.</p> <p>c) Aerial distance from the nearest boundary of any protected Area (KM)</p> <p>d) Remarks about sensitivity of the forest area likely to be affected due to project.</p> <p>e) Whether wildlife mitigation plan is required? If yes, reasons there of.</p>	<p>No.</p> <p>Open forest. Density below 0.4 No fauna is found in the project area.</p> <p>Koyna Wildlife Sanctuary i.e. Sahyadri Tiger Reserve is 81.45 km away from this project.</p> <p>Pipe line is lying below 1.00 M. under ground and project area is devoid of vegetation.</p> <p>Not Applicable</p>
9	<p>Details of Vegetation :</p> <p>a) Total number of trees to be felled.</p> <p>b) Number of trees to be felled of girth below 60 CM.</p> <p>c) Number of trees to be felled of girth above 60 CM.</p> <p>d) Effect of removal of trees on the general ecosystem in the area.</p>	<p>Nil</p> <p>Nil</p> <p>Nil</p> <p>Nil</p>
10	<p>Background note on the proposal (Short Summary)</p>	<p>Project is meeting livelihood needs of the people. Forest land of 135 mtr. (0.0135ha.) is required for laying pipeline underground (1mt. below surface)</p>



11	Whether the proposal involves any violation of Forest (Conservation) Act, 1980? If yes a detailed report on violation including action taken against the concerned officials to be attached.	No
12	Whether the proposal involves rehabilitation of displaced person. If yes, whether rehabilitation plan has been approved by the State Government?	No
13	Details on catchment and cultivable command area under the project (if applicable).  Status of catchment area treatment plant to prevent siltation of reservoir (If applicable)	Not Applicable
14	Utility of the Project	Project is located in DPAP area. This project is useful for providing irrigation facility to agriculture crops.
15	Whether land being diverted has any Socio-Cultural/Religious values? Whether any scared grove or very old growth trees/forests exists in the areas proposed for diversion?	No
16	Any other important information related to the project (Separate note may be attached, If required)	--
17	Details of documents and photographs enclosed.	

18	Recommendations of the Inspecting Officer (CCF/CF/DCF)	Project is recommended
----	--	------------------------

Place: Satara

Date : ~~10.2019~~  
15/07/2019



(DR. Bharat Singh Hada)  
Deputy Conservator of Forests  
Satara Forest Division, Satara