

SITE INSPECTION REPORT
(For the Forest Land to be diverted under FCA)

A Proposal has been received by this office from **Deputy Manager Adani Total Gas Ltd. Jhansi (U.P.)** for diversion under (FCA-1980) of **0.636** hac. of Protected & Reserved Forest land for non-forestry Purpose. The Project envisages the use of forest land for Laying of **200MM Dia Carbon Steel Pipeline along NH-44 Sokwaja Tiraha-Bypass Marg Bijoli Over Bridge for (2.0 k.m. Left Side), Jhansi Shivpuri NH-27 Gail Terminal Raksha-Pali Pahari Post Office (7.5 K.m. Let Side) & Jhansi-Gwalior Road NH-44(Old NH-75) Gwalior Tiraha-Chirula (11.7 K.m. Left Side) in Tehsil-Jhansi, District Jhansi.** The site inspection of the land involved in the proposal has done by DFO on dated. 03-01-2022

On inspection of the site, it is found that the land required by the user agency is a Protected & Reserved forest measuring **0.636 hac.**

The requirement of forest land as proposed by the user agency in col.2 part- 1 is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the area. If, so the details there of:- **No**

Whether any protected archeological/heritage site/defense establishment of any other important monuments is located in the area, if, so the details there of with NOC from competent authority, if required:- **No**

(A) The user agency has not violated the provisions of forest (Conversation), Act 1980 and no work has been started without proper sanction. (**Yes**).

(B) It has been found that the user agency has violated the forest (Conservation), Act 1980 provisions. A detail report as per Para 1.9 of chapter 1, Pare C of Handbook of for forest (Conservation) Act, 1980 is attached. (**No**)

Specific recommendation for acceptance of otherwise of the proposal.

Recommended

Place:- Jhansi

Date :- 03-01-2022



(V.K. Mishra)

Divisional Forest Officer

Divisional Forest Officer

Jhansi Forest Division,

N.B. x State the purpose for which the forest land is proposed to be diverted.

xx out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter number 2-2/2000 FC dated 16-10-2000 from Ministry of Environment & Forests, Government of India for proposal involving less than 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more than 40 hectares of forest land site inspection report from the conservation of forests is required.