

Part-III

(To be filled by the concerned Conservator of Forests)

1	Whether site, where the forest land involved is located has been inspected by concerned Conservator of Forests, (Yes/No.) If yes, the date of inspection & Observations made in form of inspection note to be enclosed?	:	No - As area is less than 40 Ha No inspection has been made for this purpose.
2	Whether the concerned Conservator of Forests, agree with the information given in Part-B and the recommendations of Deputy Conservator of Forests ?	:	Yes. Agreed with the information given by the Divisional Forest Officer, Bellampally in the Proposal for diversion 4.804 Ha Forest land in Bellampally Division for laying of Pipeline in Segment -22/15 (Dhanora) for providing safe drinking water to Adilabad District under Telangana Drinking water supply project in favour of Superintending Engineer, TDWSP (RWS&S) Circle, Nirmal.
3	Specific recommendation of concerned Conservator of Forests for acceptance or other wise of the proposal with detailed reasons?	:	The Proposal for diversion 4.804 Ha Forest land in Bellampally Division for laying of Pipeline in Segment -22/15 (Dhanora) for providing safe drinking water to Adilabad District under Telangana Drinking water supply project in favour of Superintending Engineer, TDWSP (RWS&S) Circle, Nirmal is recommended.

Place : Adilabad.

Date : 09-11-2016.

Signature:

Name & Designation:
T.P. Thimma Reddy, IFS;
Conservator of Forests,
Adilabad Circle, Adilabad
(Official Seal):