

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF
(for the forest land to be diverted under FCA)

A proposal has been received by this office from आदिवासी आश्रयण प्र. एकाई एफ. नं.
निर्माण कार्य के लिए for diversion under FCA-1980) of 3.0835 ha. of forest
land non-forestry purpose. The Project envisages the use of forest land for construction
of काश्मिराज हेडिग्राउंड रिजर्व जल संयंत्र
-----The site inspection of the land involved in the proposal has done by me on dated-
1-7-2019

On inspection of the site, it is found that the land required by the user agency is a
RF/PF/un-classed/Protect forest measuring 3.0835 ha.

The requirement of forest land as proposed by the user agency in Col.2 part-1 is
unavoidable and is barest minimum required for the project. yes

Whether any rare / endangered / unique species of flora and fauna found in the area. If,
so the details there of. No

Whether any protected archeological / heritage site / defense establishment or any other
important monuments is located in the area, if, so the details there of with NOC from
competent authority, if required. NO

- a) The user agency has not violated the provisions of forest (Conversation), Act
1980 and no work has been started without proper sanction. yes
- b) It has been found that the user agency has violated the forest (Conservation),
Act, 1980 provisions. A detail report as per para 1.9 of chapter 1, Para C of
Handbook of forest (Conservation) Act, 1980 is attached. NO

Specific recommendation for acceptance or otherwise of the proposal.

Recommended

Place: Koln
Date: 1.7.2019

(Signature)

Name: प्रभागीय वनाधिकारी
Designation: चक्राता वन प्रभाग
Office Seal: चक्राता

- N.B. x state the purpose for which the forest land is proposed to be diverted.
xx out of (a) and (b) tick the option which is applicable and cross the option
which is not applicable.

As per letter number 2-2/2000 FC dated 16-10-2000 from Ministry of Environment &
Forests, Government of India for proposal involving less than 40 hectares of forest
land, the site inspection report from DCF is required and for proposal involving more
than 40 hectares of forest land site inspection report from the conservation of forests is
required.