

32

संख्या - 17

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF

(For the Forest land to be diverted under FCA)

A proposal has been received from M/s. Hindalco Industries Limited (Renusagar Power Division) Renusagar, Sonebhadra for renewal under (FCA-1980) of 38.2591 ha. Forest land for construction of 132 KV. Transmission Line between Renusagar Power Plant to Hindalco Plant, Renukoot in Anpara & Pipri Forest Range of Renukoot Forest Division. The Proposed land was transferred on lease to M/s Hindalco Industries Limited (Renusagar Power Division) vide Central Government G.O. No. 8-10/94 FC dated 14.10.1996 and State Govt. G.O. No. 6619/14-2-97-145 (233)/94 dated 22.05.1998. The site inspection of the land involved in the proposal has done by me on dated... 16/7/2019.

On inspection of the site, it is found that the land required by the user agency in a Reserved Forest measuring 38.2591 ha.

The requirement of forest land as proposed by the user agency in col-2 Part-I is unavoidable and is barest minimum required for the project.

Whether any rare/ end angered/unique species of flora and fauna found in the area. It, so the details thereof :- No

Whether any protected archeological/heritage site/ defense establishment or any other important monuments is located in the area, if so the details there; of with NOC from competent authority, if required :- No

- (a) The user agency has not violated the provisions of forest (Conservation), Act 1980 and no work has been started without proper sanction (✓)
- (b) It has been found that the user agency has violated the forest (Conservation) Act 1980 provisions. A details report as per Para 1.9 of chapter 1, Para C of Handbook of forest (Conservation) Act, 1980 is attached (X)

Specific recommendation for acceptance or otherwise of the proposal.

The proposal is recommended for sanction.

Place – Renukoot

Date : ... 16/7/2019

Officer

Division

Divisional Forest

Renukoot Forest

Renukoot-Sonebhadra

- N.B X State the purpose for which the forest land is proposed to be diverted. The forest land required to be diverted for construction of above Road.
- XX Out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter number 2-2/2000 F.C. dated 16.10.2000 from Ministry of environment & Forest, Government of India for proposed involving less than 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more than 40 hectares of forest land site inspection report from the conservator of forests is required.