

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF/ DFO

(For the Forest land to be diverted under FCA)

WATER SUPPLY SCHEME PHALATA BY JAL SHAKTI (PHE)

PROPOSAL NO. FP/JK/WATER/144892/2021

A proposal has been received by this office for "Water Supply Scheme Phalata", **Proposal No.FP/JK/WATER/144892/2021** from **JAL SHAKTI (PHE) Division Udhampur** for diversion (under section 2 of FCA-1980) of **0.187 Hectare** of forest land for non-forestry purpose. The site inspection of the land involved in the proposal has been done by me on dated **01-06-2022** along with Range Officer Udhampur.


- On inspection of the site, it is found that the land required by the user agency is a forest area measuring **0.187 Hectare**.
- The requirement of forest land as proposed by the user agency in Col-2 of Part-I is unavoidable and is barest minimum required for the project.
- The user agency has not violated the provisions of Forest (Conservation) Act, 1980 and no work has been started without proper sanction.

Recommended for acceptance, please.

Dated:

Place: Udhampur


Range Forest Officer
Range Forest Officer
Udhampur Forest Range
Panchari
Udhampur


Divisional Forest Officer
Udhampur Forest Division
Udhampur