



**OFFICE OF THE DIVISIONAL FOREST OFFICER
NOWSHERA FOREST DIVISION**

Fax No. 01960-230240 email:- dfonowshera@gmail.com


Full Title of the project :- WSS Daroon

Proposal No. :- FP/JK/Water/66462/2020

Date of Proposal :- 28-11-2020

Site Inspection Report of DFO

1. A proposal has been received by this office from PHE Division Nowshera for diversion (under FCA, 1980) of 0.10 Ha of forest land for non-forestry purpose. The subject envisages the use of forest land for construction of filtration plant, pump room and sump tank at base stage at Daroon. The site inspection of the land involved in the proposal has been done by me on 05-02-2021. On inspection of the site, it is found that the land required by the User agency is a forest land measuring 0.10 ha. The requirement of forest land is proposed by the user agency in Col.2 of part-I is unavoidable and is barest minimum required for the project.
2. Whether any rare/endangered/unique species of flora and fauna found in the area:- **Nil**
3. Whether any protected archaeological/heritage site/defence establishment or any other important monument is located in the area:- **Nil**
4. The user agency has not violated the provisions of the FCA, 1980 and no work has been started without proper sanction.
5. Specific recommendation:- **The case is recommended for acceptance under FCA, 1980.**


(Suresh Manda, IFS)
Divisional Forest Officer
Nowshera Forest Division
Nowshera