

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF

(For the forest land to be diverted under FCA)

A proposal has been received by this office from State Co-Ordinating, Reliance Jeo, Infocomm Limited Dehradun, for "Construction of जनपद-टिहरी गढ़वाल में लण्डौर-कीथ (सुवाखोली से कीथ) - 21.6 किमी०, धनोल्डी-मुगलौरी (यमुना पुल से थत्यूड़)- 26.30 किमी० कुल 47.90 किमी० मोटर मार्ग के किनारे- किनारे भूमिगत ऑप्टिकल्स फाईबर केबिल बिछाने हेतु)" under FCA-1980 of 0.370 ha. of forest land non-forestry purpose. The Project envisages the use of, "Construction of जनपद-टिहरी गढ़वाल में लण्डौर-कीथ (सुवाखोली से कीथ) - 21.6 किमी०, धनोल्डी-मुगलौरी (यमुना पुल से थत्यूड़)- 26.30 किमी० कुल 47.90 किमी० मोटर मार्ग के किनारे- किनारे भूमिगत ऑप्टिकल्स फाईबर केबिल बिछाने हेतु". The site inspection of the land involved in the proposal has done by me on dated 05-09-2019.

On inspection of the site, it is found that the land required by the user agency is a Reserve Forest + Private Forest + Civil Forest (RF 0.122 ha. + PF 0.00 ha.+CF 0.248 ha.) = 0.370 ha.

The requirement of forest land as proposed by the user agency in Col.2 part-I is unavoidable and is barest minimum required for the project.

No rare/endangered/unique species of flora and fauna is found in the area.

No protected archeological/heritage site/defense establishment or any other important monument is located in the area.

- a) The user agency has not violated the provisions of forest (Conservation), Act 1980 and no work has been started without proper sanction.
- b) AS such, recommendation is being provided.

Proposal is Recommended.

(Signature)

Place - Mussoorie

Date - 05.09.2019

Name (Kahkashan Nassem)

Designation..... प्रभागीय वनाधिकारी
मसूरी वन प्रभाग, मसूरी

N.B x State the purpose for which the forest land is proposed to be diverted.

xx Out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter number 2-2/2000 FC dated 16-10-2000 from Ministry of Environment & Forests, Government of India for proposal involving less than 40 ha. of forest land, the site inspection report from DCF is required and for proposal involving more than 40 ha. of forest land site inspection report from the conservation of forests is required.