

72

Full Title Of Project: Rupnagar CGD Network (Anandpur Sahib- Kiratpur Sahib- Rupnagar- Chaklan Spurline)
- Request for granting permission for laying of BPCL's underground 6"dia Steel & 125 mm dia MDPE Pipeline
(Along with OFC Cable) along/across various location in Rupnagar District to develop City Gas Distribution
(CGD) Network in Rupnagar & its surrounding Areas of Punjab State. (Total Area 7882 Sq m. i.e 0.7882 Hec.)
On Line Proposal No. FP/PB/Pipeline/156144/2022

(60)

CHECK LIST SERIAL NUMBER : 28

NOC OF THE STATE POLLUTION BOARD CLEARANCE

It is certified that laying of BPCL's underground 6"dia Steel & 125 mm dia MDPE Pipeline (Along with OFC Cable) along/across various location in Rupnagar District to develop City Gas Distribution (CGD) Network in Rupnagar & its surrounding Areas of Punjab State. Hence here is no requirement to obtain the NOC of the State Pollution Board.

For Bharat Petroleum Corporation Limited



Authorized Signatory

Rupnagar

92

44
Divisional Forest Officer,
Rupnagar (Ala)

his



PUNJAB POLLUTION CONTROL BOARD

Website:- www.ppcb.gov.in

73

Date: 11-09-2021

Industry Registration ID: G18RPN933547

Registration No.: 16797364

To,

Ankush Kr Bhandari
Bharat Petroleum Corp. Ltd.
334, Giani Zail Singh Nagar
Rupnagar, Rupnagar-140001

Subject: Auto granted Consent to Operate for setting up an industrial unit u/s 25 of Water (Prevention & Control of Pollution) Act, 1974.

With reference to your application for obtaining 'Consent to Operate' for setting up of an industrial plant u/s 25 of Water (Prevention & Control of Pollution) Act, 1974, you are, hereby, permitted to set up the industrial unit to discharge the effluent(s) & emission(s) arising out of your premises subject to the Terms and Conditions as specified in this Certificate.

1. Particulars of Consent to Operate/Water granted to the Industry

Certificate No	CTOW/Renew/RPN/2021/16797364
Date of issue	12-10-2021
Date of expiry	30-09-2025
Certificate Type	Renew
Previous CTE/CTO No. & Validity	----

2. Particulars Provided by the Industry

Name & Designation of the Occupier	Ankush kr Bhandari CGD Head				
Address of Industrial premises	Khasra 67 & 75, Near Baba Udho Mandir				
Capital investment of the industry	674.0				
Category of Industry	GREEN				
Type of Industry	3999- Miscellaneous (Green)				
Scale of the Industry	Small				
Office District	Rupnagar				
CTE/CTO-Applied for	CTO(Water)-Renew				
Consent Fee Details	Payment Mode	Amount	Transaction ID	Date of transaction	Date of verification
		100.0	697897326	2021-09-10 15:34:38.096	-
Raw Materials	Raw material(s)	Quantity	Units		
	Natural Gas	1100	m3/h		
	Odorizer	0.5	Kgs/day		

Divisional Forest Officer,
Rupnagar

"This is computer generated document from OCMMS by PPCB"
Bharat Petroleum Corp. Ltd., Khasra 67 & 75, Near Baba Udho Mandir, 16797364, 12-10-2021, 30-09-2025,

Page 1

Products	Product(s)(Name)		Installed Capacity		Units			
	Natural Gas Odourization unit (Piped Natural Gas)		1100		m3/h			
Effluent and Disposal Details	Usage	Water consumption on kl/day	Waste water generation	Treatment Details	Disposal	Area of Disposal		
	Domestic	1	0.5 kl/day	Septic Tank	Onto Land	Plantation etc.		
	Trade Effluent	0	0	NR	NR	NA		
	Cooling	0	0	NR	NR	NA		
Emission Control Details	Source of emission	Fuel			Stack Height (In meters)		Control Equipment	Emission Sampling facility provided
	Boiler/Furnace	Type	Qty	Unit	Above Ground Level	Above Roof Level	Y/NR	Y/NR
DG Sets (Details)	Capacity of D.G. set(in KVA)		Quantity of Fuel used/to be used (in Lts./day)		Stack Height above ground level(meters))		Canopy/Acoustic Enclosure Provided Y/N(check)	

A. SPECIAL CONDITIONS

- 1 This auto generated consent is based on the information / data submitted by the Industry. In case of any change of data or in case of any information submitted is found incorrect, this consent shall stand cancelled.
- 2 The inspection of industry shall be governed by the inspection policy framed by CPCB/PPCB/Govt. from time to time. In case of complaint, the industry can be visited by the Regional Office or any other officer authorized by the Competent Authority.
- 3 In case of industry is found to create conditions that generate any type of pollution and / or if there is any objection from the surrounding community and if on verification, it is found that such objection has some substance, the Board shall be at the liberty to take action against the Industry under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 and / or Environment (Protection) Act, 1986 as deemed fit.
- 4 This consent is issued on the basis of self calculation of consent fee made by the industry. In case, any difference in the consent fee deposited by the industry is found, the industry shall have to deposit the balance consent fee.
- 5 In case of change of data provided in this simplified form, the Industry shall inform the Board and shall get revised Consent. The Industry shall apply for obtaining Consent to Establish / Operate from the PPCB, in event of its graduation from Green to Orange/Red category Industry.

B. GENERAL CONDITIONS

- 1 The industry shall apply for consent of the Board as required under the provision of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 & Authorization under Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016, two months before the commissioning of the industry.

[Signature]
Divisional Forest Officer
Bharat Petroleum

"This is computer generated document from OCMMS by PPCB"
Bharat Petroleum Corp. Ltd., Khasra 67 & 75, Near Baba Udho Mandir, 16797364, 12-10-2021, 30-09-2025, Page 2

- 2 The industry shall provide adequate arrangements for fighting the accidental leakages/ discharge of any air pollutant/gas/liquids from the vessels, mechanical equipments etc. which are likely to cause environmental pollution.
- 3 The Industry shall apply for further extension in the validity of the CTE atleast two months before the expiry of this CTE, if applicable.
- 4 The project has been approved by the Board from pollution angle and the industry shall obtain the approval of site from other concerned departments, if need be.
- 5 The industry shall put up display board indicating the Environment data in the prescribed format at the main entrance gate.
- 6 The industry shall provide port-holes, platforms and/or other necessary facilities as may be required for collecting samples of emissions from any chimney, flue or duct or any other outlets.

Specifications of the port-holes shall be as under:-

- i) The sampling ports shall be provided atleast 8 times chimney diameter downstream and 2 times upstream from the flow disturbance. For a rectangular cross section the equivalent diameter (De) shall be calculated from the following equation to determine upstream, downstream distance:-

$$De = 2 LW / (L+W)$$
Where L= length in mts. W= Width in mts.
- ii) The sampling port shall be 7 to 10 cm in diameter
- 7 The industry shall provide a minimum stack height of 9.0 meter above ground level in all cases where boiler /furnace are provided and solid/liquid/gaseous fuel is used. In other cases, where stacks are provided for process emissions, the minimum stack of 3 meters above roof level shall be provided.
- 8 The industry shall put up canopy on its DG sets and also provide stack of adequate height as per norms prescribed by the Board and shall ensure the compliance of instructions issued by the Board vide office order no. Admin./SA-2/F.No.783/2011/448 dated 8/6/2010.

Stack height for diesel generating sets:

S.NO.	Capacity of diesel generating set	Height of the Stack
1.	0-50 KVA	Height of the building + 1.5 mt
2.	50-100 KVA	Height of the building + 2.0 mt.
3.	100-150 KVA	Height of the building + 2.5 mt.
4.	150-200 KVA	Height of the building + 3.0 mt.
5.	200-250 KVA	Height of the building + 3.5 mt.
6.	250-300 KVA	Height of the building + 3.5 mt.

For higher KVA rating stack height H (in meter) shall be worked out according to the formula:

$$H = h + 0.2 (KVA)^{0.5}$$

where h = height of the building in meters where the generator set is installed.

- 9 The industry shall provide flow meters at the source of water supply, at the outlet of effluent treatment plant and shall maintain the record of the daily reading and submit the same to the concerned Regional Office by the 5th day of the following month.
- 10 The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per acre along the boundary of the industrial premises.
- 11 The issuance of this consent does not convey any property right in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Central, State or Local Laws or Regulations.
- 12 The consent does not authorize or approve the construction of any physical structures or facilities for undertaking of any work in any natural water course.
- 13 Nothing in this NOC shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected under this or any other Act.

Divisional Forest Officer
Roopnagar

"This is computer generated document from OCMMS by PPCB"

Bharat Petroleum Corp. Ltd., Khasra 67 & 75, Near Baba Udho Mandir, 16797104, 12-10-2021, 30-09-2025.

Page 3



- 14 The industry shall ensure that no water pollution problem is created in the area due to discharge of effluents from its industrial premises.
- 15 The industry shall earmark a land within their premises for disposal of boiler ash in an environmentally sound manner, and / or the industry shall make necessary arrangements for proper disposal of fuel ash in a scientific manner and shall maintain proper record for the same, if applicable.
- 16 The industry shall provide proper and adequate air pollution control arrangements for control emission from its coal/fuel handling area, if applicable.
- 17 The industry shall not irrigate the vegetable crops with the treated effluents which are used/ consumed as raw.
- 18 The industry shall ensure that its production capacity & quantity of trade effluent do not exceed the quantity mentioned in the NOC and shall not carry out any expansion without the prior permission/NOC of the Board.
- 19 All amendments/revisions made by the Board in the emission/stack height standards shall be applicable to the industry from the date of such amendments/revisions.
- 20 The Board reserves the right to revoke this "consent to establish" (NOC) at any time, in case the industry is found violating any of the conditions of this "consent to establish" and/or the provisions of Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 as amended from time to time

C. OTHER CONDITIONS

1. The BPCL shall apply for obtaining consent to operate under the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981 for any new upcoming station/project separately.
2. The company shall obtain necessary permissions from PESQ (Petroleum and Explosive safety Organization).
3. The company shall not install any kind of facility that generates any kind of trade effluent.

A copy of the above is forwarded to the following for information and necessary action please:

1. Senior Environmental Engineer, Zonal Office-1, Patiala.

Date: 12-10-2021



M.

Environmental Engineer
For & on behalf of
(Punjab Pollution Control Board)



Hif
Divisional Forest Officer,
Roopnagar



PUNJAB POLLUTION CONTROL BOARD

Website:- www.ppcb.gov.in

Date: 11-09-2021

Industry Registration ID: G18RPN933547

Registration No.: 16762435

To,

Ankush Kr Bhandari
Bharat Petroleum Corp. Ltd.
334, Giani Zail Singh Nagar
Rupnagar, Rupnagar-140001

Subject: Auto granted Consent to Operate for setting up an industrial unit u/s 21 of Air (Prevention & Control of Pollution) Act, 1981.

With reference to your application for obtaining 'Consent to Operate' for setting up of an industrial plant u/s 21 of Air (Prevention & Control of Pollution) Act, 1981, you are, hereby, permitted to set up the industrial unit to discharge the effluent(s) & emission(s) arising out of your premises subject to the Terms and Conditions as specified in this Certificate.

1. Particulars of Consent to Operate/Air granted to the Industry

Certificate No	CTOA/Renew/RPN/2021/16762435
Date of issue	12-10-2021
Date of expiry	30-09-2025
Certificate Type	Renew
Previous CTE/CTO No. & Validity	----

2. Particulars Provided by the Industry

Name & Designation of the Occupier	Ankush kr Bhandari CGD Head			
Address of Industrial premises	Khasra 67 & 75, Near Baba Udho Mandir			
Capital investment of the industry	674.0			
Category of Industry	GREEN			
Type of Industry	3999- Miscellaneous (Green)			
Scale of the Industry	Small			
Office District	Rupnagar			
CTE/CTO-Applied for	CTO(Air)-Renew			
Consent Fee Details	Payment Mode	Amount	Transaction ID	Date of transaction
		100.0	703861495	2021-09-10 15:21:03.864
Raw Materials	Raw material(s)	Quantity	Units	
	Natural Gas	1100	m3/h	
	Odorizer	0.5	Kgs/day	

Divisional Forest Officer,

"This is computer generated document from OCMMS by PCCB"
Bharat Petroleum Corp. Ltd., Khasra 67 & 75, Near Baba Udho Mandir, 16762435, 12-10-2021, 30-09-2025.

Products	Product(s)(Name)		Installed Capacity		Units			
	Natural Gas Odourization unit (Piped Natural Gas)		1100		m3/h			
Effluent and Disposal Details	Usage	Water consumption on kl/day	Waste water generation	Treatment Details	Disposal	Area of Disposal		
	Domestic							
	Trade Effluent							
	Cooling							
Emission Control Details	Source of emission	Fuel			Stack Height (In meters)		Control Equipment	Emission Sampling facility provided
	Boiler/Furnace	Type	Qty	Unit	Above Ground Level	Above Roof Level	Y/NR	Y/NR
DG Sets (Details)	Capacity of D.G. set(in KVA)		Quantity of Fuel used/to be used (in Lts./day)		Stack Height above ground level(meters))		Canopy/Acoustic Enclosure Provided Y/N(check)	

A. SPECIAL CONDITIONS

- 1 This auto generated consent is based on the information / data submitted by the Industry. In case of any change of data or in case of any information submitted is found incorrect, this consent shall stand cancelled.
- 2 The inspection of industry shall be governed by the inspection policy framed by CPCB/PPCB/Govt. from time to time. In case of complaint, the industry can be visited by the Regional Office or any other officer authorized by the Competent Authority.
- 3 In case of industry is found to create conditions that generate any type of pollution and / or if there is any objection from the surrounding community and if on verification, it is found that such objection has some substance, the Board shall be at the liberty to take action against the Industry under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 and / or Environment (Protection) Act, 1986 as deemed fit.
- 4 This consent is issued on the basis of self calculation of consent fee made by the industry. In case, any difference in the consent fee deposited by the industry is found, the industry shall have to deposit the balance consent fee.
- 5 In case of change of data provided in this simplified form, the Industry shall inform the Board and shall get revised Consent. The Industry shall apply for obtaining Consent to Establish / Operate from the PPCB, in event of its graduation from Green to Orange/Red category Industry.

B. GENERAL CONDITIONS

- 1 The industry shall apply for consent of the Board as required under the provision of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 & Authorization under Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016, two months before the commissioning of the industry.
- 2 The industry shall provide adequate arrangements for fighting the accidental leakages/ discharge of any air pollutant/gas/liquids from the vessels, mechanical equipments etc. which are likely to cause environmental pollution.

Divisional Forest Officer,

"This is computer generated document from OCMMS by PPCB"
Bharat Petroleum Corp. Ltd., Khasra 67 & 75, Near Baba Udho Mandir, 16762435/12-10-2021, 30-09-2026.



- 3 The Industry shall apply for further extension in the validity of the CTE atleast two months before the expiry of this CTE, if applicable.
- 4 The project has been approved by the Board from pollution angle and the industry shall obtain the approval of site from other concerned departments, if need be.
- 5 The industry shall put up display board indicating the Environment data in the prescribed format at the main entrance gate.
- 6 The industry shall provide port-holes, platforms and/or other necessary facilities as may be required for collecting samples of emissions from any chimney, flue or duct or any other outlets.

Specifications of the port-holes shall be as under:-

- i) The sampling ports shall be provided atleast 8 times chimney diameter downstream and 2 times upstream from the flow disturbance. For a rectangular cross section the equivalent diameter (De) shall be calculated from the following equation to determine upstream, downstream distance:-

$$De = 2 LW / (L+W)$$
 Where L= length in mts. W= Width in mts.
 - ii) The sampling port shall be 7 to 10 cm in diameter
- 7 The industry shall provide a minimum stack height of 9.0 meter above ground level in all cases where boiler /furnace are provided and solid/liquid/gaseous fuel is used. In other cases, where stacks are provided for process emissions, the minimum stack of 3 meters above roof level shall be provided.
 - 8 The industry shall put up canopy on its DG sets and also provide stack of adequate height as per norms prescribed by the Board and shall ensure the compliance of instructions issued by the Board vide office order no. Admin./SA-2/F.No.783/2011/448 dated 8/6/2010.

Stack height for diesel generating sets:

S.NO.	Capacity of diesel generating set	Height of the Stack
1.	0-50 KVA	Height of the building + 1.5 mt
2.	50-100 KVA	Height of the building + 2.0 mt.
3.	100-150 KVA	Height of the building + 2.5 mt.
4.	150-200 KVA	Height of the building + 3.0 mt.
5.	200-250 KVA	Height of the building + 3.5 mt.
6.	250-300 KVA	Height of the building + 3.5 mt.

For higher KVA rating stack height H (in meter) shall be worked out according to the formula:

$$H = h + 0.2 (KVA)^{0.5}$$

where h = height of the building in meters where the generator set is installed.

- 9 The industry shall provide flow meters at the source of water supply, at the outlet of effluent treatment plant and shall maintain the record of the daily reading and submit the same to the concerned Regional Office by the 5th day of the following month.
- 10 The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per acre along the boundary of the industrial premises.
- 11 The issuance of this consent does not convey any property right in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Central, State or Local Laws or Regulations.
- 12 The consent does not authorize or approve the construction of any physical structures or facilities for undertaking of any work in any natural water course.
- 13 Nothing in this NOC shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected under this or any other Act.
- 14 The industry shall ensure that no water pollution problem is created in the area due to discharge of effluents from its industrial premises.

Divisional Forest Officer,
Roopnagar

"This is computer generated document from OCMMS by PPCB"

Bharat Petroleum Corp. Ltd., Khasra 67 & 75, Near Baba Udho Mandir, 16762435, 13-10-2021, 30-09-2025.



- 15 The industry shall earmark a land within their premises for disposal of boiler ash in an environmentally sound manner, and / or the industry shall make necessary arrangements for proper disposal of fuel ash in a scientific manner and shall maintain proper record for the same, if applicable.
- 16 The industry shall provide proper and adequate air pollution control arrangements for control emission from its coal/fuel handling area, if applicable.
- 17 The industry shall not irrigate the vegetable crops with the treated effluents which are used/ consumed as raw.
- 18 The industry shall ensure that its production capacity & quantity of trade effluent do not exceed the quantity mentioned in the NOC and shall not carry out any expansion without the prior permission/NOC of the Board.
- 19 All amendments/revisions made by the Board in the emission/stack height standards shall be applicable to the industry from the date of such amendments/revisions.
- 20 The Board reserves the right to revoke this "consent to establish" (NOC) at any time, in case the industry is found violating any of the conditions of this "consent to establish" and/or the provisions of Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 as amended from time to time

C. OTHER CONDITIONS

1. The BPCL shall apply for obtaining consent to operate under the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981 for any new upcoming station/project separately.
2. The company shall obtain necessary permissions from PESO (Petroleum and Explosive safety Organization).
3. The company shall not install any kind of facility that generates any kind of trade effluent.

A copy of the above is forwarded to the following for information and necessary action please:

1. Senior Environmental Engineer, Zonal Office-1, Patiala.

Date: 12-10-2021



[Handwritten signature]

Environmental Engineer
For & on behalf of
(Punjab Pollution Control Board)

[Handwritten initials]

[Handwritten signature]
Divisional Forest Officer,
Roopnagar

"This is computer generated document from OCMMS by PPCB"

Bharat Petroleum Corp. Ltd., Khasra 67 & 75, Near Baba Udho Mandir, 16762435 12-10-2021; 30-09-2025.

Page 4

