



"OM SAI RAM"

# SAI ETERNAL FOUNDATION

(Formerly known as Sai Engineering Foundation)

(Non-Profitable company Regd. under Section-8 of the Companies Act-2013)

CIN - U85300HP2022NPL009076

SAI BHAWAN, SECTOR-4, NEW SHIMLA-171009 (H.P.)

Phone : 0177-2670349, Fax : 0177-2672915

E-mail : saieternalfoundation@gmail.com

Ref. No. SEF/SML/2024/1283-85

Dated 21/10/2024

To

✓ The Divisional Forest Officer,  
Bharmour Forest Division at Bharmour,  
Distt. Chamba, HP.

**Subject:** Diversion of 13.3082 hectares of forestland in favour of Sai Eternal Foundation (formerly known as Sai Engineering Foundation), Sai Bhawan, Sector-4, New Shimla-171009 (H.P.) for the construction of Tundah-II Hydro Electric Project (24 MW) within the jurisdiction of Forest Division Bharmour, District Chamba, Himachal Pradesh.

**Proposal No: FP/HP/HYD/49283/2020**

Sir,

Your kind attention is invited towards your online EDS raised on dated 23.09.2024 on the subject cited project.

In this context, it is clarified that all the shortcoming noticed by CF Chamba in the above referred EDS does not pertain to us, and all the points are to be attended at your end please. However, point wise reply as detailed below is being submitted for your kind consideration and further necessary action please:-

S.No.	Observations / shortcomings as raised by the CF Chamba.	Comments of the User Agency.
1.	"Out of 15 muck dumping sites, no tree is there on 11 Dumping Sites and two are inaccessible. The list of trees standing on muck dumping site No. 2 & 3 is uploaded against additional information in online Part-II on PARIVESH Portal". The meaning two dumping sites inaccessible is not clear, which required to be clarified, stating that, if the Dumping Sites are inaccessible then how have to approach there for muck dumping and what is reclamation plan for that dumping site.	<p>As far as Muck Dumping Sites (MDS) No-1 and No-4 is concerned, it is clarified that at this stage there is no approach to reach in a vertical cliffs, hence these sites are inaccessible to visit physically. But both the sites are clearly seen in the opposite direction. In our opinion, there is no involvement of any tree(s) in the both sites. During construction, keeping in view the safety measures we will not get any damage/harm to tree(s). During construction, if any, tree(s) shall be got damaged, we are ready to deposit the cost of damaged tree(s) as per the direction of Forest Department. In this regard, an undertaking is attached for your ready reference please.</p> <p>As far as Muck Management Plan is concerned, MDS No-1 has been proposed on the approached road to Barrage Site. Maximum muck/boulder shall be recycled/crushed and utilized for the protection of different components and remaining muck shall be dumped in the proposed dumping sites nearby Barrage Sites and Desilting Tank</p>






		<p>area. Only muck shall be dumped in the Muck Dumping Site No-1, if required.</p> <p>As far as Muck Management Plan of Dumping Site No-4 is concerned, it has been proposed in the outlet point of Head Race Tunnel (HRT) No-1. We will start the excavation of HRT only one face from Inlet point. Maximum excavated muck of HRT shall be recycled and utilized and remaining muck shall be dumped in the proposed Dumping Sites nearby Desilting Tank/Barrage Site area. Only rolled muck shall be dumped in the Muck Dumping Site No-4 during opening of outlet point of Head Race Tunnel.</p>
2.	In reply to Point No.10, however a copy of letter of Directorate of Energy (GoHP) No. 6834-35 dated 27.11.2021 submitted to the Nodal Officer-cum-APCCF (FCA) Shimla, all the annexures of the letter are also required to be uploaded on the portal.	Needful is to be done from your end please. However, a copy of DOE letter No. 6834-35 dated 27.11.2021 alongwith all the annexures has also been uploaded in the additional documents of online portal of Part-I.
3.	NPV Bill as per the latest guidelines issued by the GoI, MoEF is required to be revised.	Needful is to be done from your end please.
4.	CA land details is also required to be revised in Part-II uploaded on the portal.	Needful is to be done from your end please.

Proposal is being re-submitted for your kind consideration and further seeking necessary approval. It is, therefore, requested from your good-self to obtain the necessary approval from the Competent Authority as early as possible so that construction activities be got started within the scheduled time after obtaining various statutory clearances/approvals.


An anticipatory action in the matter shall be highly appreciated.

Yours faithfully,

  
 (Vinay Barwal)  
 Authorised Signatory,  
 M/s. Sai Eternal Foundation,

**Copy forwarded for kind information and further necessary action to:-**

1. The Conservator of Forests, Chamba Forest Circle, Chamba, Distt. Chamba, HP.
2. The Director, Directorate of Energy (GoHP), Shanti Bhawan, Phase-III, Sector-6, New Shimla-171009, HP.

  
 (Vinay Barwal)  
 Authorised Signatory,  
 M/s. Sai Eternal Foundation,



**Full Title of the Project** :- **Tundah-II Hydro Electric Project.**  
**File No.** :- **FP/HP/HYD/49283/2020.**  
**Date of Proposal** :- **31/08/2020.**

**UNDERTAKING REGARDING NOT TO DAMAGE/CAUSE ANY HARM  
TO TREE(S) NEARBY MUCK DUMPING SITES NO-1 AND NO-4**

I, **Vinay Barwal** (Authorised Signatory) hereby undertake for and on behalf of **M/s. Sai Eternal Foundation (formerly known as Sai Engineering Foundation)**, Sai Bhawan, Sector-4, New Shimla-171009, HP that we will not damage/cause any harm to tree(s) nearby Muck Dumping Site No-1 and No-4 during starting the construction activities of Tundah-II Hydro Electric Project (24MW). During construction activities, if any, tree(s) shall be got damaged, we are ready to deposit the cost of damaged tree(s) as per the direction of Forest Department.



**(Vinay Barwal)**

Authorised Signatory,  
Sai Eternal Foundation.