



**EAST COAST RAILWAY**

Office of the  
Dy. Chief Engineer/Con/I  
Annex. Building(West), Rail Vihar,  
Chandrasekharpur,  
Bhubaneswar

No: - Dy. CE/Con/I/BBS/3<sup>rd</sup> & 4<sup>th</sup> line/ BDPK-SQQ/Forest/

Dt:22.10.2019

To

The Divisional Forest Officer,  
Athagarh Forest Division  
Athagarh, Odisha

**Sub:** Proposal for diversion of Forest Land over 10.20 ha. for construction of 3<sup>rd</sup> & 4<sup>th</sup> line between Budhapank-Salegaon Railway Project(10-29Km) under Cuttack District - Compliance to the EDS - regarding  
**-State Serial No-OR-034/2018 dt. 22.06.2018**

Ref: Your Letter No. 5273 dated 11.10.2019

Sir,

In inviting a kind reference to the letter on the subject cited above, the point wise compliance/clarification to the EDS made by your office is submitted herewith for kind information and necessary action please: -

**Observation-1**

As per Check list Sl. No. 10, Justification for locating the project in forest area has not been signed by you.

**Compliance**

The compliance of the above observation will be complied at O/o the Divisional Forest Officer, Athagarh.

**Observation-2**

The prescribed Part-II with required information's has not been furnished in the proposal

**Compliance**

The compliance of the above observation will be complied at O/o the Divisional Forest Officer, Athagarh.

**Observation-3**

The DGPS Map in village Machhapur has not been signed by you.

**Compliance**

The compliance of the above observation will be complied at O/o the Divisional Forest Officer, Athagarh.

22/10/19  
उप मुख्य अभियन्ता (निर्माण-1)  
पूर्व तट रेलवे, भुवनेश्वर  
Dy. Chief Engineer / (Con-1)  
E.Co. Rly., Bhubaneswar

**Observation-4**

The Page mark has not been done in one booklet which should be done properly.

**Compliance**

The page marking of the six-diversion proposal has been completed properly.

**Observation-5**

The documents should be properly annexed in the D.P.

**Compliance**

All the documents which is provided in the diversion proposal has been annexed properly.


Accordingly, the compliance to the EDS raised by you is submitted herewith for kind Perusal, information and further necessary processing of the Forest Diversion Proposal.

**Encl: 6 set of Diversion Proposal**

Yours sincerely,

  
**Dy. Chief Engineer (con),  
East Coast Railway**

- Copy to:
1. RCCF, Angul Circle, for information and necessary action.
  2. Addl. PCCF (FD&NO, FC, Act) O/o PCCF, Odisha, Aranya Bhawan, Bhubaneswar for information and necessary action.
  3. Chief Engineer, Con-II, Bhubaneswar information and necessary please.

  
**Dy. Chief Engineer (con),  
East Coast Railway**

E.Co. Rly., Bhubaneswar  
Dy. Chief Engineer / (Con-1)  
ପୂର୍ବ ନେ ଟିମ୍, ଯାମ୍ବର  
ଉପ ମୁଖ୍ୟ ଅଫିସର (ମାମୁର-1)