



UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010
 Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

Validity Period :10/09/2021 To 09/09/2026

Ref No. - 136135/UPPCB/Kanpur
 Nagar(UPPCBRO)/CTE/FARRUKHABAD/2021

Dated:- 10/09/2021

To ,

Shri AYUSH RASTOGI

M/s AYUSH RASTOGI (RETAIL OUTLET OF BHARAT PETROLEUM CORPORATION LTD.)

KHASRA NO. 659, 660 KA, 666 KHA, VILLAGE KHARBANDI BHIKHAMPUR, TEHSIL FARRUKHABAD DISTRICT FARRUKHABAD, 209625
 FARRUKHABAD

Sub : Consent to Establish for New Unit/Expansion/Diversification under the provisions of Water (Prevention and control of pollution) Act, 1974 as amended and Air (Prevention and control of Pollution) Act, 1981 as amended.

Please refer to your Application Form No.- 13364633 dated - 03/09/2021. After examining the application with respect to pollution angle, Consent to Establish (CTE) is granted subject to the compliance of following conditions :

1. Consent to Establish is being issued for following specific details :

A- Site along with geo-coordinates :

B- Main Raw Material :

Main Raw Material Details		
Name of Raw Material	Raw Material Unit Name	Raw Material Quantity
HSD-20 KL & MS-15 KL IN UNDERGROUND TANK	Kilo Liters/Month	130

C- Product with capacity :

Product Detail	
Name of Product	Product Quantity
HSD-20 KL & MS-15 KL IN UNDERGROUND TANK	

D- By-Product if any with capacity :

By Product Detail			
Name of By Product	Unit Name	Licence Product Capacity	Install Product Capacity
NA	Kilo Liters/Day	0	0

2. Water Requirement (in KLD) and its Source :

Source of Water Details		
Source Type	Name of Source	Quantity (KL/D)
Ground Water (within premises)	SUBMERSIBLE	1.0

Sanjay Anand
 Territory Manager (Retail)
 Bharat Petroleum Corporation Ltd.
 Bareilly Territory

20/10/21
 (नियंत्रक उपस्थित)
 प्रभागीय निदेशक
 औद्योगिक वारिकी प्रभाग
 फर्रुखाबाद (उ.प्र.)

3. Quantity of effluent (In KLD) :

Effluent Details	
Source Consumption	Quantity (KL/D)
Domestic	1.0

4. Fuel used in the equipment/machinery Name and Quantity (per day) :

Fuel Consumption Details		
Fuel	Consumption(tpd/kld)	Use
Diesel	0.003	FOR DG SET 15 KVA

5. For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

- You are directed to furnish the progress of Establishment of plant and machinery, green belt, Effluent Treatment Plant and Air pollution control devices, by 10th day of completion of subsequent quarter in the Board.
- Copy of the work order/purchase order, regarding instruction and supply of proposed Effluent Treatment Plant/Sewerage Treatment Plant /Air Pollution control System shall be submitted by the industry till 09/09/2026 to the Board.
- Industry will not start its operation, unless CTO is obtained under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and control of Pollution) Act, 1981 from the Board.
- It is mandatory to submit Air and Water consent Application, complete in all respect, four months before start of operation, to the U.P. Pollution Control Board.
- Legal action under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981 may be initiated against the industry With out any prior information, in case of non compliance of above conditions.

Specific Conditions:

Sanjay Anand
30/09/21
Sanjay Anand
Territory Manager (Retail)
Bharat Petroleum Corporation Ltd.
Bareilly Territo.

प्रतिस्वास्थ्य
20/10/21
(100 को रपारि(य)
प्रभागीय निदेशक
सामाजिक वानिकी प्रभाग
प्रदूषण नियंत्रण (उ.प्र.)

1. This CTE is M/S AYUSH RASTOGI (RETAIL OUTLET OF BHARAT PETROLEUM CORPORATION LTD.), KHASRA NO. 659, 660 KA, 666 KHA, VILLAGE KHARBANDI BHIKHAMPUR, TEHSIL FARRUKHABAD DISTRICT FARRUKHABAD valid only for Storage & Distribution of HSD-20 KL & MS-15 KL IN UNDERGROUND TANK.
2. The Proposed Retail Outlet shall ensure to establishment of New Petrol Pump according to siting criteria guideline of Central Pollution Control Board, New Delhi vide letter no. B-13011/1/2019-20/AQM dated 16.08.2021.
3. The Proposed Retail Outlet shall to be taken prior permission from the Board in any type of expansion in Air/Water pollution sources.
4. Domestic effluent shall be recycled after treatment & will not be discharge outside the premises.
5. This CTE is valid for the proposed installed air pollution sources as DG set 15 KVA with canopy & height of stack attached to DG set, as per Board's norms.
6. Rain water harvesting and ground recharging pit must be proposed during construction of The Proposed Retail Outlet.
7. This CTE shall not restrict the Proposed Retail Outlet from obtaining the permission/clearances from other concerned authorities.
8. The CTE is being granted from the view of Environmental Evaluation. The unit shall seek all the necessary permission/clearances from the concerned authorities before commencement of construction work.
9. The Proposed Retail Outlet has to be made arrangement & handled of Transportation/loading & unloading of raw material as per Hazardous and Other Wastes (Management and Trans boundary Movement) Rules, 2016.
10. The Proposed Retail Outlet will have to pay to the Board balance of fee if any if not pay earlier.
11. Dust/Air pollution during the construction activities/transportation/loading & unloading of raw material shall be controlled as per proposed Environmental scheme and submit regular air monitoring report.
12. During project development monthly compliance report regarding proposed Environmental management scheme/crisis management scheme shall be submitted to the Board.
13. The proposer shall seek consent to operate stipulated under the Water Act & Air Act.
14. Compliance of all the building & safety Laws shall ensure and necessary clearance shall be sought from the concern authorities.

Please note that consent to Establish will be revoked, in case of, non compliance of any of the above mentioned conditions. Board reserves its right for amendment or cancellation of any of the conditions specified above. Industry is directed to submit its first compliance report regarding above mentioned specific and general conditions till 10/10/2021 in this office. Ensure to submit the regular compliance report otherwise this Consent to Establish will be revoked.

DR ANIL KUMAR MATHUR
Digitally signed by DR ANIL KUMAR MATHUR
Date: 2021.09.10 12:32:02
+05'30'
Regional Officer,
Kanpur Nagar

Dated:- 10/09/2021

Copy To -

CEO-2, U.P. Pollution Control Board, TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010.

DR ANIL KUMAR MATHUR
Digitally signed by DR ANIL KUMAR MATHUR
Date: 2021.09.10 12:32:44
+05'30'
Regional Officer,
Kanpur Nagar

Sanjay Anand
Territory Manager (Retail)
Bharat Petroleum Corporation Ltd.
Bareilly Territory

प्रतिस्वरूपित
30/09/21
(गो) के. अ. भा. भा. भा.
प्रभागीय निदेशक
सांख्यिक, वार्षिकी प्रभाग
कर्मचारी (उ.प.)