

**Full Title of the Project:-Diversion of 0.1157 Ha. for Urlana Kalan (Cat-2) Prov. Water House connection and Disty. Pipeline under JJM in Village Urlana Kalan, Tehsil Madlauda, Distt. Panipat.**

**Proposal No.FP/HR/Pipeline/145113/2021**  
**Date of Proposal:- 22-07-2021**

**CHECK LIST SERIAL NUMBER:-16**  
**SITE INSPECTION REPORT NOT BELOW THE RENK OF DCF**

(For the forest land to be diverted under FCA)

A proposal has been received by this office from Executive Engineer, Public Health Engineering, Division No. 1, Panipat for diversion (under FCA-1980) of 0.1157 ha. of forest land for non-forestry purpose. The projects envisage the use of land on Gurudwara to Urlana Kalan Road Km. 0-3 L/Side. Tehsil Madlauda, Distt. Panipat.

1. The site inspection of the land involved in the proposal has been done on dated **27-10-2021**
2. On inspection of the site, it is found that the land required by the user agency is a Protected forest measuring **0.1157** hectare to be utilized by user agency and there is no trees effected in **the acceleration lane & deceleration lane way** of the factory..
3. The requirement of forest land as proposed by user agency in Col.2 of part-I is unavoidable and is barest minimum required for the project. The detail of forest area and effected is as under:-

S.No.	Detail of Forest area effected	Total Area in Sq. Mtr.	No of Trees & Sapling Effected
1.	(A) Pipe Line Area=2447.40x0.450=1101.33 Sq. Mtr.	1101.33	There is no tree effected in the acceleration lane & deceleration lane way of this land.
2.	(B) Chamber Area=6.00x6.00=36.00 Sq. Mtr.	36.00	
3.	(C) Sump Well Area=4.50x0.450=20.25 Sq. Mtr.	20.25	
	Total A+B+C	1157.58 Sq. Mtr.	
	<b>Total Area in Hectare</b>	<b>0.1157 Hectare</b>	

4. Whether any rare/endangered/unique species of flora and fauna found in the area. If so details thereof.  
-No-
5. Whether any protected archaeological/heritage site/ defense establishment or any other important monument is located in the area. If so, the details thereof with NOC from competent authority, If required. -No-
- 6.(a) **The user agency has not violated the provision of Forest ( Conservation)Act,1980 and no work has been started without proper sanction .** (✓)  
(b) It has been found that the user agency has violated the forest (Conservation)Act.1980 provision. A detailed report as per para 1.9 of Chapter 1, Part C of Handbook of Forest (Conservation) Act.1980 is attached. (X)

**(Note: Whichever of the above is applicable should be shown in bold Letters)**

Specific recommendation for acceptance or otherwise of the proposal:- The Proposal is recommended as per Site Inspection report and Check List No-26(b) & as per direction issued by Ministry of Environment & Forests ( FC Division) letter No. FN-11-29/2004-FC Dated 15-07-2004 for necessary action.

Place:- Panipat

Date:- 27-10-2021

Signature  
Name:- Jay Kumar, HFS  
Divisional Forest Officer  
Office seal Panipat

**Full Title of the Project:-Diversion of 0.1157 Ha. for Urlana Kalan (Cat-2) Prov. Water House connection and Disty. Pipeline under JJM in Village Urlana Kalan, Tehsil Madlauda, Distt. Panipat.**

**Proposal No.FP/HR/Pipeline/145113/2021**

**Date of Proposal:- 22-07-2021**



**Place:-Panipat  
Date:- 27-10-2021**

*[Handwritten signature]*  
Divisional Forest Officer,  
Panipat  
Divisional Forest Officer,  
Panipat  
[Handwritten signature]