



UTTAR PRADESH POLLUTION CONTROL BOARD

Validity Period :08/08/2019 To 31/12/2020

Ref No. - 61953/UPPCB/Meerut(UPPCBRO)/CTE/MEERUT/2019 Dated:- 08/08/2019

To ,

Shri VINAY KUMAR GOYAL
M/s JAGDISH FUEL STATION
JAGDISH FUEL STATION, KHASRA NO 586,589, RISHI NAGAR,BAGPAT
ROAD,MEERUT,MEERUT,250001
MEERUT

Sub : Consent to Establish for New Unit/Expansion/Diversification under the provisions of Water (Prevention and control of pollution) Act, 1974 as amended and Air (Prevention and control of Pollution) Act, 1981 as amended.

Please refer to your Application Form No.- 5616125 dated - 20/07/2019. After examining the application with respect to pollution angle, Consent to Establish (CTE) is granted subject to the compliance of following conditions :

1. Consent to Establish is being issued for following specific details :

A- Site along with geo-coordinates : NA

B- Main Raw Material :

Main Raw Material Details		
Name of Raw Material	Raw Material Unit Name	Raw Material Quantity
Petrol and Diesel	Kilo Liters/Day	80

C- Product with capacity :

Product Detail	
Name of Product	Product Quantity
High speed Petrol 15KLD	15
Petrol 45KLD	45
Diesel 20KLD	20

D- By-Product if any with capacity :

By Product Detail			
Name of By Product	Unit Name	Licence Product Capacity	Install Product Capacity
NA	Kilo Liters/Day	80	80

2. Water Requirement (in KLD) and its Source :

Source of Water Details		
Source Type	Name of Source	Quantity (KL/D)
Ground Water (within premises)	Pump	2.0

3. Quantity of effluent (In KLD) :

कुमार अविनाश
प्रादेशिक प्रबन्धक (रिटेल)
भारत पेट्रोलियम कॉर्पोरेशन लिमिटेड
आबू का मकबरा, केसर गंज
मेरठ-250002 (उ०प्र०)

24/10/2019

Effluent Details	
Source Consumption	Quantity (KL/D)
Domestic	2.0
Industrial	0.0

4. Fuel used in the equipment/machinery Name and Quantity (per day) :

Fuel Consumption Details		
Fuel	Consumption(tpd/kld)	Use
Diesel	30	01 DG Set 62 KVA

5. For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.
- For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.
2. You are directed to furnish the progress of Establishment of plant and machinery, green belt, Effluent Treatment Plant and Air pollution control devices, by 10th day of completion of subsequent quarter in the Board.
3. Copy of the work order/purchase order, regarding instruction and supply of proposed Effluent Treatment Plant/Sewerage Treatment Plant /Air Pollution control System shall be submitted by the industry till 31/12/2020 to the Board.
4. Industry will not start its operation, unless CTO is obtained under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and control of Pollution) Act, 1981 from the Board.
5. It is mandatory to submit Air and Water consent Application, complete in all respect, four months before start of operation, to the U.P. Pollution Control Board.
6. Legal action under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981 may be initiated against the industry With out any prior information, in case of non compliance of above conditions.

Specific Conditions:

- 1-Unit Shall Install the Roof top Rain water Harvesting System.
- 2-Unit shall Install Acoustic Enclosure on the proposed 62KVA DG Set.
- 3-Unit shall develop Green belt at least in 33% of Total Area.
- 4-Unit shall comply the conditions of NOC issued by Chief Fire Officer, Meerut.

Please note that consent to Establish will be revoked, in case of, non compliance of any of the above mentioned conditions. Board reserves its right for amendment or cancellation of any of the conditions specified above. Industry is directed to submit its first compliance report regarding above mentioned specific and general conditions till 08/09/2019 in this office. Ensure to submit the regular compliance report otherwise this Consent to Establish will be revoked.

(Signature)

24/10/2019

RAKESH
KUMAR TYAGI
RO,UPPCB,MEERUT

Digitally signed by
RAKESH KUMAR TYAGI
Date: 2019.08.08
15:56:01 +05'30'

Copy To -

कुमार अविनाश
प्रादेशिक प्रबन्धक (स्टिल)
भारत पेट्रोलियम कॉर्पोरेशन लिमिटेड
आबू का मकबरा, केसर गंज
मेरठ-250002 (उप्रो)
Dated:- 08/08/2019
RAKESH
KUMAR
TYAGI
RO,UPPCB,MEERUT

Digitally signed
by RAKESH
KUMAR TYAGI
Date: 2019.08.08
15:56:15 +05'30'