



**UTTAR PRADESH POLLUTION CONTROL BOARD**  
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010  
Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

Validity Period :09/02/2021 To 09/02/2025

Ref No. -  
119339/UPPCB/Moradabad(UPPCBRO)/CTE/RAMPUR/2021

Dated:- 09/02/2021

To, Shri PARUL SUYAL  
M/s V K FILLING STATION  
GATA NO.222,VILLAGE RAURAKALAN AND GATA NO.154 VILL. MEHANDINAGAR,  
BAREILLY RAMPUR ROAD,RAMPUR,243701  
RAMPUR

Sub : Consent to Establish for New Unit/Expansion/Diversification under the provisions of  
Water (Prevention and control of pollution) Act, 1974 as amended and Air (Prevention  
and control of Polution) Act, 1981 as amended.

Please refer to your Application Form No.- 11098986 dated - 22/01/2021. After examining the  
application with respect to pollution angle, Consent to Establish (CTE) is granted subject to the compliance  
of following conditions :

1. Consent to Establish is being issued for following specific details :

A- Site along with geo-coordinates : 28.626984, 79.158421

B- Main Raw Material :

Main Raw Material Details		
Name of Raw Material	Raw Material Unit Name	Raw Material Quantity
FINISHED PRODUCT PETROL(MS) AND DIESEL(HSD)	Kilo Liters/Day	55000

C- Product with capacity :

Product Detail	
Name of Product	Product Quantity
PETROL (MS) AND DIESEL(HSD)	55000

D- By-Product if any with capacity :

By Product Detail			
Name of By Product	Unit Name	Licence Product Capacity	Install Product Capacity
NA	Metric Tonnes/Day	0	0

2. Water Requirement (in KLD) and its Source :

Source of Water Details		
Source Type	Name of Source	Quantity (KL/D)
Ground Water (within premises)	Submersible	1.0

3. Quantity of effluent (In KLD) :

राजीव कुमार  
प्रमोदीय निदेशक  
सामाजिक वार्निकी  
रामपुर

राजय अनन्द  
प्रदेशिक प्रबन्धक (रिटेल)  
भारत पेट्रोलियम कॉर्पोरेशन लि०  
बरेली टेरिटरी

Source Consumption		Effluent Details	
Domestic		Quantity (KL/D)	
Fuel used in the equipment/machinery Name and Quantity (per day) :		1.0	
Fuel		Fuel Consumption Details	
Diesel		Consumption(tpd/kld)	Use
		0.025	In 15 K.V.A DG Set

For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

You are directed to furnish the progress of Establishment of plant and machinery, green belt, Effluent Treatment Plant and Air pollution control devices, by 10th day of completion of subsequent quarter in the Board.

Copy of the work order/purchase order, regarding instruction and supply of proposed Effluent Treatment Plant/Sewerage Treatment Plant /Air Pollution control System shall be submitted by the industry till 09/02/2025 to the Board.

Industry will not start its operation, unless CTO is obtained under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and control of Pollution) Act, 1981 from the Board.

It is mandatory to submit Air and Water consent Application, complete in all respect, four months before start of operation, to the U.P. Pollution Control Board.

Legal action under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981 may be initiated against the industry With out any prior information, in case of non compliance of above conditions.

#### Specific Conditions:

1. This consent to establish (CTE) is valid for M/s V.K. Filling Station (for M/s Bharat Petroleum Corporation Ltd.) Gata No-222 Vill-Raurakalan and Gata No. 154 Vill-Mehandinagar Tehsil-Milak (Bareilly-Rampur Road) District-Rampur for storage Retail Outlet of H.S.D. (Diesel)-2 x 20.0 KL & M.S.-(Petrol)-15.0 KL only.
2. The Retail outlet shall comply with the provisions of the Water (Prevention and Control of Pollution) Act 1974 as amended & the Air (Prevention and Control of Pollution) Act 1981 as amended and all other applicable rules notified under Environment (Protection) Act 1986.
3. This CTE is valid for discharge of domestic effluent only.
4. Domestic waste water shall be discharged through septic tank /soak pit.
5. Retail outlet shall develop green belt as per the protocol of UPPCB Office Order No.H16405/220/2018/02 dated 16-02-2018. The copy of said office order is available on the website of U.P Pollution Control Board [www.uppcb.com](http://www.uppcb.com).
6. Retail Outlet shall install rainwater harvesting system for recharge of ground water.
7. Retail Outlet shall comply with all the directions of M/s Bharat Petroleum Corporation Ltd.
8. The Land use conversion certificate shall be submitted within three months. If same shall not be submitted within three months hence, the CTE will be deemed cancelled.
9. NOC from Explosive Department and Fire Safety Department shall be obtained.
10. Retail outlet shall obtain all the necessary permissions from District Administration and other concern departments and shall comply with all the applicable condition as applicable.
11. Proposed D.G. Set of 15 KVA shall be equipped with Acoustic Enclosure and suitable air pollution/noise pollution control devices and emission and noise level of D.G. Set shall conform to the prescribed standards.
12. Retail outlet shall comply with the directions of Petroleum Explosive Safety Organization (PESO).
13. Retail outlet shall install volatile recovery system.
14. The CTE is being issued as per the provision of the Environmental (Protection) Act 1986.
15. All the necessary NOC's, Permissions, Licenses etc shall be taken from all concerned statutory authorities.

राजीव कुमार  
प्रभागीय निदेशक  
समाप्तिक तानिकी प्रभाग

सं. राजीव ओनन्द  
प्रादेशिक प्रबन्धक (रिटेल)  
भारत पेट्रोलियम कॉर्पोरेशन लि.  
बरेली टेस्टरी



Please note that consent to Establish will be revoked, in case of, non compliance of any of the above mentioned conditions. Board reserves its right for amendment or cancellation of any of the conditions specified above. Industry is directed to submit its first compliance report regarding above mentioned specific and general conditions till 09/03/2021 in this office. Ensure to submit the regular compliance report otherwise this Consent to Establish will be revoked.


VIKAS  
MISHRA  
Regional Officer


Digitally signed  
by VIKAS MISHRA  
Date: 2021.02.09  
17:00:34 +05'30'

Dated:- 09/02/2021

Copy To -

Regional Officer

  
रमजीव कुमार  
प्रभागीय निदेशक  
सामाजिक वानिकी प्रभाग  
रामपुर

  
संजय आनन्द  
प्रादेशिक प्रबन्धक (रिटेल)  
भारत पेट्रोलियम कॉर्पोरेशन लि.  
बरेली टेस्टरी