

8307587471
उत्तर प्रदेश रेलवे

209

मंडल कार्यालय,
बीकानेर।

पत्रांक: 91 / बी / हॉल्ट / सीधा / 20

30-1-2020

दिनांक 29/01/2020

सम्पुर्ण,

ग्राम पंचायत, सीधा

तहसील व जिला रेवाड़ी

सुरियाणा

विषय:- डहिनाबाद व नांगलगुदी स्टेशनों के मध्य सीधा हॉल्ट खोलने के सम्बन्ध में।

संदर्भ:- वरिष्ठ मंडल इंजी./पूर्व बीकानेर का पत्रांक: 296-W/Shia Halt/NNU/-DZB/15

Dated 28.01.2020

उपरोक्त विषय एवं संदर्भित पत्र के सम्बन्ध में सीधा हॉल्ट का अनुमोदित मप इस पत्र के साथ संलग्न है। रेलवे बोर्ड के पत्रांक 2018/LM(PA)/03/06 दिनांक 09.04.2018 के अनुरूप सीधा हॉल्ट का निर्माण करते समय निम्नलिखित न्यूनतम आवश्यक सुविधाएं उपलब्ध करवाया जाना आवश्यक है।

1. टुकिंग खिडकी।
2. पीने के पानी की पर्याप्त सुविधा
3. ~~प्लेटफार्म~~ शेड / छायादार वृक्ष
4. हाईलेवल प्लेटफार्म (अनुमोदित नाप 410 मीटर लंबाई 6.10 मीटर चौड़ाई)
5. उचित प्रकाश व्यवस्था
6. उचित संरक्षा में कबरापात्र।

अतः आप सहायक मंडल अभियंता/मिजानो व वाणिज्य निरीक्षक: सादलपुर से सम्पर्क कर शीघ्र इस कार्य को आरम्भ करवाने का श्रम करें तथा उचित न्यूनतम आवश्यक सुविधाओं की उपलब्धता सुनिश्चित करें, कार्य की प्रगति से अपाहस्ताक्षर जहाँ की भी आवश्यक हो।

संलग्न: उपरोक्त

वरिष्ठ मंडल अभियंता/मिजानो व वाणिज्य निरीक्षक
उत्तर प्रदेश रेलवे, बीकानेर।

199

ANNEXTURE-II/C

MINIMUM ESSENTIAL AMENITIES AT VARIOUS CATEGORIES OF HALT STATIONS

Sl. No	Amenities	STATION CATEGORY		
		HG1	HG2	HG3
1	Drinking water Piped ¹ /Hand Pump ²	Yes ¹	Yes ²	Yes ²
2	Waiting hall	Yes	Yes	-
3	Platform Shelter Shady trees	Yes* Yes	-- Yes	-- Yes
4	Platforms - High level	Yes	Yes	Yes
5	Lighting #	Yes	Yes^	Yes^
6	Foot over bridge ³	Yes	Yes	Yes
7	Time Table Display	Yes	-	-
8	Clock	Yes	-	-
9	Dustbins***	Yes	Yes	Yes

*Bus type modular shelters

\$ in double line section with two PFs provided with high level platforms.

^ At stations where the trains are scheduled to halt after sunset

As per Annexure 2 of Railway Board's letter No. 2004/Elec(G)/109/1 dt 18.05.2007

*** Adequate number of uniformly designed standard dustbins should be provided at all categories of stations at HG1 category of stations, dustbins should be provided at regular spacing of 50 mt on each platform. At HG2 & HG3 category station, adequate number of dustbins as required should be provided. It must be ensured that provision of dustbins does not impede the free flow of passengers.

ANNEXTURE-I)

NORMS OF MINIMUM ESSENTIAL AMENITIES
AT VARIOUS CATEGORIES OF HALT STATIONS

S.N.	Amenity	STATION CATEGORY		
		HG1	HG2	HG3
1	Drinking water ^ (No. of taps/PF) \$ ^^	Appropriate drinking water facility **	Appropriate drinking water facility **	Appropriate drinking water facility **
2	Waiting hall @ Sq m	10 sqm booking office cum Wtg.hall	10 sqm booking office cum Wtg. hall	-
3	Platform shelter (on each PF)#	Bus type modular shelter	Shady trees	Shady trees
4	Platforms ****	High Level	High Level	High Level
5	Lighting ++ (Lux level)	As per Annexure II of Board's letter No.2004/Elec(G)/109/1 dated 18.5.2007		
6	FOB	1	1	1
7	Time table Display	As per extant instructions.		
8	Clock	1	-	-
9	Dustbin***	As per extant instructions.		