

Full Title of the Project : Diversion of 0.08 ha. of forest land for installation of 11KV overhead HT electricity cable line of Jindal Realty Ltd. from Jindal Global City to Express City Sector-35 along Sonapat-Narela road, under Division and Distt. Sonapat.

File No. : FP/HR/TRANS/45123/2020

Date of Proposal : 17-03-2020

PART - II

(To be filled by the concerned Deputy Conservator of Forests)

State Serial No. of Proposal _____

1. Location of the Project/scheme

- (i) State/Union Territory : Haryana
- (ii) District : Sonapat
- (iii) Forest Division : Sonapat
- (iv) Area of Forest land proposed for diversion (in ha.) : 0.08 ha.
- (v) Legal status of the Forest : Protected Forest
- (vi) Density of vegetation : 144 Trees 150.05 Vol.
0 U/size 0 Sapling

(vii) Species-wise (Scientific names) and diameter class-wise enumeration of trees to be enclosed. In case of irrigation/hydel projects, enumeration at FRL, FRL-2 meter & FRL-4 meter also to be enclosed.

Spp.	V	IV	III	IIA	IIB	IA	IB	Total	Vol.
Euc.	0	0	0	0	0	0	0	0	0
Kikar	0	2	2	2	0	0	0	6	3.68
Shi.	0	0	6	8	5	2	3	24	38.64
Misc.	8	40	21	20	11	6	8	114	107.73
Total	8	42	29	30	16	8	11	144	150.05

- (viii) Brief note on vulnerability of the forest area to erosion : No
- (ix) Approximate the distance of proposed site for diversion from the boundary of forests. : The site is part of Protected Forest land
- (x) Whether forms part of a nation park, wildlife sanctuary, biosphere reserve, tiger reserve, elephant corridor, etc. (if so, the details of the area, and comments of the Chief Wildlife Warden to be annexed). : No
- (xi) Whether any rare/endangered/unique species of flora and fauna found in the area-if so details thereof. : Nil
- (xii) Whether any protected archaeological /heritage site/defence establishment or any other important monument is located in the area. If so, the details thereof with NOC from competent authority. : Nil

2. Whether the requirement of forest land as proposed by the user agency in col. 2 of part-I is unavoidable and barest minimum for the project, if no, recommended area item-wise with details of alternatives examined.

: The user agency will utilized 0.08 ha. Protected Forest land for construction of Transmission Line.

3. Whether any work in violation of various Forest Acts has been carried out (Yes/No) : No
If yes, details of the same including period of work done, action taken against the erring officials. Whether work done in violation is still in progress.
4. Details of compensatory afforestation scheme :
- (i) Details of non-forest area/ degraded forest area identified for compensatory afforestation, its distance from adjoining forest, number of patches, size of each patch. : Attached as per check list
 - (ii) Map showing non-forest/degraded forest area identified for compensatory afforestation and adjoining forest boundaries. : Attached as per check list
 - (iii) Detailed compensatory afforestation scheme including species to be planted, implementing agency, time schedule, cost structure, etc. : Attached as per check list
 - (iv) Total financial outlay for compensatory afforestation scheme. : 1476603
 - (v) Certificate from competent authority regarding suitability of area identified for compensatory afforestation and from management point of view. (To be signed by the concerned Dy. Conservator of Forests. : Attached as per check list
5. Site inspection report of the DCF (to be enclosed) especially highlighting facts asked in col. 7 (xi, xii), 8 and 9 above. : Attached as per check list
6. Division/District profile:
- (i) Geographical area of the district. : 213081 hec.
 - (ii) Forest area of the district. : 7386.06 hec.
 - (iii) Total forest area diverted since 1980 with number of cases. : 570.9278 hec.
 - (iv) Total compensatory afforestation stipulated in the district/division since 1980 on
 - (a) Forest land including penal compensatory afforestation, : 826.6728 hec.,
 - (b) Non Forest land. : Nil
 - (v) Progress of compensatory afforestation as on (date) 10-04-2020 on
 - (a) Forest land. : 726.3110 hec.,
 - (b) Non-Forest land. : Nil
7. Specific recommendations of the DCF for acceptance or otherwise of the proposal with reason : The diversion of Protected Forest land Construction of Transmission line is recommended for acceptance.

Date:-

Place:-Sonepat

Signature
Name
Official Seal
Divisional Forest Officer
Sonepat Forest Division
Sonepat