


PART-III

(To be filled by the concerned Conservator of Forests)

14.	Whether site, where the forest land involved is located has been inspected by the concerned Conservator of Forests (Yes/No). If yes, the date of inspection & observations made in form of inspection note to be enclosed.	No. The area has not been inspected. The proposed area for diversion of 0.369 Hectares of Protected Forest land for laying of 12" Dia natural gas pipeline from Eklahare (Guj) to M/s Reliance Industries Ltd., Kharadpada, Naroli is required to be diverted as there are no alternate route available.
15.	Whether the concerned Conservator of Forests agree with the information given in Part-II and the recommendations of Deputy Conservator of Forests.	Yes, the information by the D.C.F. in the Part – II is agreeable.
16.	Specific recommendation of concerned Conservator of Forests for acceptance or otherwise of the proposal with detailed reasons	The proposal is for diversion of the forest land for laying of Natural Gas pipeline admeasuring 0.369 Ha from Eklahare (Guj) to M/s reliance Industries Ltd Karadpada, Naroli, Dadra & Nagar Haveli Hence recommended for consideration under FCA, 1980.


**CONSERVATOR OF FORESTS
DADRA AND NAGAR HAVELI
SILVASSA.**

Date:- **10.06.2016.**

Place:- **SILVASSA.**