

### PART-III

#### (To be filled by the concerned Conservator of Forest)


14	<p>Whether site, where the forestland involved is located has been inspected by concerned Conservator of Forests (Yes/No).</p> <p>If yes, the date of inspection &amp; observations made in form of inspection note to be enclosed.</p>	<p>I inspected the site on 18.08.2017. Total 3 number of trees were available on the required forest land which are to be felled, As detail given below</p> <table border="1" style="width: 100%; border-collapse: collapse; margin: 10px 0;"> <thead> <tr> <th style="width: 5%;">Sl No.</th> <th style="width: 40%;">Place detail</th> <th style="width: 20%;">Species</th> <th style="width: 35%;">Curvature</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td rowspan="2" style="text-align: center;">Entrance Road</td> <td style="text-align: center;">Siris</td> <td style="text-align: center;">190 C.m.</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">Siris</td> <td style="text-align: center;">120 C.m.</td> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">Exit Road</td> <td style="text-align: center;">Siris</td> <td style="text-align: center;">190 C.m.</td> </tr> </tbody> </table> <p>Divisional Forest Officer, Gopalganj has recommended for acceptance of the proposal, In this regard, I recommend for acceptance of the proposal.</p>	Sl No.	Place detail	Species	Curvature	1	Entrance Road	Siris	190 C.m.	2	Siris	120 C.m.	3	Exit Road	Siris	190 C.m.
Sl No.	Place detail	Species	Curvature														
1	Entrance Road	Siris	190 C.m.														
2		Siris	120 C.m.														
3	Exit Road	Siris	190 C.m.														
15	<p>Whether the concerned Conservator of Forests agree with the information given in Part-B and recommendations of Deputy Conservator of Forests.</p>	<p style="text-align: center;">Yes</p> <p>(Except Site Inspection Report regarding no. of tree found in the area. List of available trees on Entrance and Exit Road have been mentioned above.)</p>															
16	<p>Specific recommendations of concerned Conservator of Forests for acceptance or otherwise of the proposal with detailed reasons.</p>	<p>The proposal is recommended with following suggestion:-</p> <p>1- The user agency has proposed to fix fifty iron gabians inside the Retail Outlet/Patrol Pump Campus as recommended by Divisional Forest Officer, Gopalganj Forest Division, Gopalganj. In this regard, it is suggested that the fifty iron gabians (or number fixed by Government) to be fixed on the roadside outside Retail Outlet/Patrol Pump and not inside it.</p> <p>2- The cost of Compensatory Afforestation of Rs. 411082.00 (Rs. Four Lakh Eleven Thousand &amp; Eighty Two only), as per enclosed estimate, will be deposited by the user agency and protection and replacement of gabians (if required due to damage or theft) will be done by the user agency for ten years. (The user agency has submitted an undertaing in this regard.)</p> <p>3- The other standard conditions can be imposed as per norms.</p>															

Conservator of Forest

Signature

Name: P.K. Jaiswal, I.F.S.

Official Seal



Date:- 21 -09-2017

Place:- Swian