

Office of the Executive Engineer, E.H.V. Projects Division, Kalyan.
IInd floor, 'A' wing, 'Tejashri Bldg.', Jahangir Maidan, Karnik road,
M.S.E.T. Co. Ltd., Kalyan (W) 421 301.

E-mail – ee7620@gmail.com, ee7620@mahatransco.in

Ref. No. EE/EHV/ PR/DN/KLN/T-319/ No.

2007

Date:

10 NOV 2023

To,
The Deputy Conservator of forest
Dahanu Forest Division,
Dahanu.

Sub:- Proposal for diversion of 3.3561 ha. Forest land under section-2 of the Forest (Conservation) Act, 1980 for 132 KV Dahanu-Ambesarai EHV Tr. line from existing 132 KV Dahanu Substation to proposed Ambesarai TSS, Dahanu (FP/MH/TRANS/143795/2021).

Ref:

1. APCCF Nodal Nagpur letter no. Desk-17/FCA-S1/PID-43795//Thane/236/23-24/dated 05/12/2022.
2. APCCF Nodal Nagpur letter no. Desk-17/FCA-S1/PID-143795//Thane/2361/23 24/dated 07/11/2023

With reference to the above subject and letter under ref. No. (2) This office is in receipt of 10 nos. of compliances


Now this office is submitting reply in 3 hard copies concern to this office.

Sr. No.	Point	Compliance
1	As per area statement properties not shown in diverted area KML file. The revised KML file should be submitted in 3 copies.	Corrected KML File Attached herewith.
2	Starting points and ending points not shown in diverted area KML file.	Corrected KML File Attached herewith.
3	Exact C.A. area polygon not selected in CA KML file. The revised KML file should be submitted in 3 copies	Pertaining to DCF Solapur.
4	The DCF Solapur has CA area selected in center point of proposed compt.No.91, Survey no.260 in gut no. 962. The C.A. file has been scrutiny to this office whole survey no. is clear and empty of plantation. The said CA patch we can slected starting of compartment boundary. Justification to be needed.	Pertaining to DCF Solapur.
5	The site specific CA scheme should be submitted in 3 copies.	Pertaining to DCF Solapur.
6	Details of employment generation not shown in part –I of user Agency.	Corrected part –I Submitted here with.
7	Private forest regarding document i.e. restoration order not submitted	Pertaining to DCF Dahanu

	along with proposal.	
8	Copy of the administrative approval not enclosed along with proposal.	Attached herewith separately.
9	Only one copy of the proposal has submitted to this office. Remaining copy should be submitted.	Submitted.
10	The DCF has mentioned in its Part-II, the rare indigenous of flora and fauna has been found in the proposed area. The DCF shall ensure that there is not harmful impact of rare indigenous of flora and fauna while diversion of forest land. The undertaking of the user agency to be required.	Pertaining to DCF Dahanu

Submitted please.

Encl: 3 sets


(Yogesh Pachpande)
Executive Engineer
E.H.V. Projects Div. Kalyan.

Copy s.w.r.to

1) The Superintending Engineer, EHV Projects Circle, Kalwa.