



An ISO 9001:2015, ISO 14001:2015,
ISO 45001:2018 and
IATF 16949:2016 Certified Company

AARTI STEELS LIMITED

Office : Plot No. 18/1B, Sector - 10, CDA
Cuttack - 753 014, (Odisha) India
Phone : +91 - 671 - 7161000, 2309285
Fax : +91 - 671 - 7161150, 2309407
E-mail : cuttack@aartisteelsltd.com

To *ASL/SP/ENV/FD/ 74843*
The Divisional Forest Officer,
Athgarh Forest Division,
Athgarh

DATE - 11.11.2022

Sub:-Proposal for diversion of 0.03 ha forest land (Pvt. Revenue Forest) of Village-
Madhabpur for installation of High Transmission line connected to Aarti Steels
Ltd., Ghantikhal, Cuttack **regarding compliance of EDS.**

Ref:- Your letter no. 4990, dtd. 14.10.22

Dear Sir,

With kind response of your aforesaid letter on the captioned subject, we are submitting here with the point wise compliance of EDS relating to our forest diversion proposal for onward submission of the same to the higher quarters as required for granting Stage-1 approval order.

1. The check list pertaining to transmission line has not been provided in the Diversion proposal.

The required point wise check list pertaining to our transmission line has been provided in the hard copy of the forest diversion proposal, which may kindly be taken in to consideration please.

2. As per check list Sl no.7 & 8, the required information has not been furnished in the prescribed proforma pertaining to forest land and non-forest land respectively.

As per check list Sl no. 7 & 8, the required information relating to both forest and non-forest land respectively has been furnished in the prescribed proforma pertaining to our forest diversion proposal, which may kindly be taken in to consideration please.

3. In the side inspection report, you have mentioned that 16.85 ha of non-forest land is involved in the project, but in the online application, it has been mentioned as zero.

In compliance to this point, the non-forest land over 16.85 ha involved in our project has been mentioned in the online Part-1 of the forest diversion proposal, which may kindly be taken in to consideration please.

4. The GPS co-ordinates of the starting point and end point of the transmission line need to be mentioned.

Works

: Ghantikhal, P.O. : Mahakalabasta, Via : Athagarh, Dist. : Cuttack - 754029 (Odisha) - India
Phone : +91-671-7161000, Fax : +91-671-7161148, 7161150

Regd. Office/H.O. : G.T. Road, Miler Ganj, Ludhiana - 141003 (Punjab), India, Ph : +91-161-3006100,
Fax : +91-161-3006150, E-mail : info@aartisteelsltd.com



An ISO 9001:2015, ISO 14001:2015,
ISO 45001:2018 and
IATF 16949:2016 Certified Company

AARTI STEELS LIMITED

Office : Plot No. 18/1B, Sector - 10, CDA
Cuttack - 753 014, (Odisha) India
Phone : +91 - 671 - 7161000, 2309285
Fax : +91 - 671 - 7161150, 2309407
E-mail : cuttack@aartisteelsltd.com

In compliance to this point, it may be noted that, the GPS co-ordinates of the starting point and the end point of the transmission line are as follows, which may kindly be taken in to consideration please.

a) GPS co-ordinate of starting point is having Latitude of 20° 33' 34.8" N & Longitude 85 42' 50.43" E.

b) GPS co-ordinate of ending point is having Latitude of 20° 31' 10.60" N & Longitude 85 42' 24.24" E.

5. In the Part-II, Col No. IX, the distance from the Reserved forest from the proposed site has not been mentioned.


6. In the site inspection report, Col no. 16, the non-forest land used in the project is included in the DLC report or not, need to be mentioned.

7. During site inspection, you have reported that, the user agency has already completed the construction of towers of transmission line on the said plot and transmission line is already functional illegally without obtaining forest clearance from GOI, MOEF & CC violating Para- 4-4 of the guideline of FC act. The action taken report need to be mentioned.

In compliance to SI no. 5 to 7, the relevant information is not related to the part of user agency and which needs to be complied by your good office may kindly be taken in to consideration please.

The proposal along with the necessary compliance is resubmitted for favour of your kind information and necessary action at your end please.

Thanking You
For Aarti Steels Ltd.


(LTP Narayan)
President