

Dated:- 16.11.22

To

✓ The Divisional Forest Officer,
Forest Division Rohru,
Distt. Shimla, H.P.


Sub:- Regarding FCA case of SWM Plant at MC Rohru.

Sir,

On the subject cited above the observations raised by the forest department has been attended and the para wise reply is as under:-

Sr. No.	Observations	Documents Required
1.	The explored alternatives sites of the project are not uploaded on the KML. State Govt. may upload the alternative sites on Parivesh Portal.	Revised KML file has been uploaded on the Parivesh Portal.
2.	FRA Certificate has been attached. However, records of all consolidations and meetings of the FRC and Gram Sabha is also required to be submitted.	The FRA certificate with all the Annexure has been attached with the proposal folders.
3.	Layout Plan shows that four components are covering only 809 square meters area, while the fifth component i.e. Parking/Circulation component alone covers 1711 square meters area. This needs to be reviewed, and accordingly submit the revised layout plan duly authenticated by the DFO and also upload the same on the web portal	The fifth component i.e. Parking/Circulation covering 1711 square meter area is for parking of Heavy Vehicles like Dumpers, Crane and other vehicles etc.
4.	It has been submitted that 90 cum muck will be generated from the project but the detail of measurement regarding muck generation is not provided with the proposal. Therefore, State Govt. may provide the same.	There is no muck dumping site as the muck generated will be used in the construction with cut and fill method.
5.	It has been submitted that 63 cum muck, out of 126 cum (including swell factor) muck/debris will be dumped in existing MC dumping site. State Govt. may clarify the capacity of the existing dumping site and same may be uploaded/shown on KML.	The muck management plan has been attached and uploaded on the portal
6.	State Govt. may provide the approximate aerial distance to nearest Pas from the proposed site.	Pertains to DFO Office
7.	The beneficiary villages list census code and their population neither marked nor provided on the KML/proposal folder. Therefore, State Govt. may provide the same and also upload on KML.	Revised KML file with marking of villages to be benefitted has been uploaded on the portal.
8.	NoC provided by the departments of PWD, HPSEB, IPH and HPSPCB regarding establishing the proposed project is not attached with proposal. Therefore State Govt. may provide the same.	All the NOCs has been collected from concerned departments and also attached with the proposal folders.
9.	The Compartment No./Khasra No. of the area identified for Compensatory Afforestation has not been provided. Therefore, State Govt. may provide the same.	Pertains to DFO Office
10.	State Govt. may comment on EC for the project.	The EC will be provided before Stage-II approval, as the process of obtaining EC is under process.

11.	State Govt. may provide the capacity of proposed SWM plant and guideline for minimum area requirement for such project.	The necessary guidelines has been attached with the proposal folders
12.	KML file shows that access or approach to proposed SWM project is directly accessible from the Theog-Hatkoti-Rohru Road. Therefore, State Govt. may provide the NOC from the HPPWD for the same.	The NOC from HPPWD Department has been attached with the proposal folders.


 ✓ Executive Officer
 MC Rohru, Distt. Shimla