

Full Title of the Project :

Diversion of 0.1837 ha. of forest land in favour of
Executive Engineer Transmission Division HVPNL
Panipat for construction of 220 KV D/C line from 400
KV S/stn. Deepalpur to Sec. 6 Sonapat, under Division
& Distt. Sonapat.

File No. : FP/HR/TRANS/10230/2015Date of Proposal : 20-02-2015**PART – II***(To be filled by the concerned Deputy Conservator of Forests)*

State Serial No. of Proposal _____

1. Location of the Project/scheme
- (i) State/Union Territory : Haryana
- (ii) District : Sonapat
- (iii) Forest Division : Sonapat
- (iv) Area of Forest land proposed for diversion (in ha.) : 0.1837 ha.
- (v) Legal status of the Forest : Protected Forest
- (vi) Density of vegetation : 39 Trees 28.5287 Vol.
4 U/size 0 Sapling
- (vii) Species-wise (Scientific names) and diameter class-wise enumeration of trees to be enclosed. In case of irrigation/hydel projects, enumeration at FRL, FRL-2 meter & FRL-4 meter also to be enclosed.


Spp.	V	IV	III	IIA	IIB	IA	IB	Total	Vol.
Euc.	17	1	4	5	4	0	0	31	27.4587
Kikar	0	0	0	0	0	0	0	0	0
Shi.	0	0	0	0	0	0	0	0	0
Misc.	6	1	1	0	0	0	0	8	1.070
Total	23	2	5	5	4	0	0	39	28.5287

- (viii) Brief note on vulnerability of the forest area to erosion : No
- (ix) Approximate the distance of proposed site for diversion from the boundary of forests. : The site is part of Protected Forest land
- (x) Whether forms part of a nation park, wildlife sanctuary, biosphere reserve, tiger reserve, elephant corridor, etc. (if so, the details of the area, and comments of the Chief Wildlife Warden to be annexed). : No
- (xi) Whether any rare/endangered/unique species of flora and fauna found in the area-if so details thereof. : Nil
- (xii) Whether any protected archaeological /heritage site/defence establishment or any other important monument is located in the area. If so, the details thereof with NOC from competent authority. : Nil
2. Whether the requirement of forest land as proposed by the user agency in col. 2 of part-I is unavoidable and barest minimum for the project, if no, recommended area item-wise with details of alternatives examined. : The user agency will utilized 0.1837 ha. Protected Forest land for construction of Transmission Line.
3. Whether any work in violation of various Forest Acts has been carried out (Yes/No) If yes, details of the same including period of work done, action taken against the erring officials. Whether work done in violation is : No

4. Details of compensatory afforestation scheme :
- (i) Details of non-forest area/ degraded forest area identified for compensatory afforestation, its distance from adjoining forest, number of patches, size of each patch. : Attached as per check list
- (ii) Map showing non-forest/degraded forest area identified for compensatory afforestation and adjoining forest boundaries. : Attached as per check list
- (iii) Detailed compensatory afforestation scheme including species to be planted, implementing agency, time schedule, cost structure, etc. : Attached as per check list
- (iv) Total financial outlay for compensatory afforestation scheme. : 192660/-
- (v) Certificate from competent authority regarding suitability of area identified for compensatory afforestation and from management point of view. (To be signed by the concerned italics Dy. Conservator of Forests. : Attached as per check list
5. Site inspection report of the DCF (to be enclosed especially highlighting facts asked in col. 7 (xi, xii), 8 and 9 above. : Attached as per check list
6. Division/District profile:
- (i) Geographical area of the district. : 213081 hec.
- (ii) Forest area of the district. : 7386.06 hec.
- (iii) Total forest area diverted since 1980 with number of cases. : 428.6366 hec.
- (iv) Total compensatory afforestation stipulated in the district/division since 1980 on
- (a) Forest land including penal compensatory afforestation, : 645.8060 hec.,
- (b) Non Forest land. : Nil
- (v) Progress of compensatory afforestation as on (date) 01-09-2015 on
- (a) Forest land. : 444.40 hec.,
- (b) Non-Forest land. : Nil
7. Specific recommendations of the DCF for acceptance or otherwise of the proposal with reason. : The diversion of Protected Forest land Construction of Transmission Line is recommended for acceptance.

Date:-

Place:-Sonepat

Signature 
 Divisional Forest Officer
 Name
 Sonepat Forest Division
 Official Seal 